

**HERKLIN- piperonyl butoxide and pyrethrum extract shampoo**  
**Marcus USA**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----

**Herklin®**

***Drug Facts***

<b><i>Active ingredients</i></b>	<b><i>Purposes</i></b>
Piperonyl butoxide 4%	Lice treatment
Pyrethrum extract (equivalent to 0.33% pyrethrins)	Lice treatment

**Uses**

treats head, pubic (crab), and body lice

**Warnings**

**For external use only**

**Do not use**

- near eyes
- inside nose, mouth, or vagina
- on lice in eyebrows or eyelashes.  
See a doctor if lice are present in these areas.

**Ask a doctor before use if you are**

- allergic to ragweed. May cause breathing difficulty or an asthmatic attack.

**When using this product**

- keep eyes tightly closed and protect eyes with a washcloth or towel
- if product gets in eyes, flush with water right away
- scalp itching or redness may occur

**Stop use and ask a doctor if**

- breathing difficulty occurs
- eye irritation occurs
- skin or scalp irritation continues or infection occurs

**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

- **Important: Read warnings before use**
- **adults and children 2 years and over:**

**Inspect**

- check each household member with a magnifying glass in bright light for lice/nits (eggs)
- look for tiny nits near scalp, beginning at back of neck and behind ears
- examine small sections of hair at a time

- unlike dandruff which moves when touched, nits stick to the hair
- if either lice or nits are found, treat with this product

### **Treat**

- apply thoroughly to dry hair or other affected area. For head lice, first apply behind ears and to back of neck.
- allow product to remain for 10 minutes, but no longer
- use warm water to form a lather, shampoo, then thoroughly rinse
- for head lice, towel dry hair and comb out tangles

### **Remove lice and their eggs (nits)**

- use a fine-tooth or special lice/nit comb. Remove any remaining nits by hand (using a throw-away glove).
- hair should remain slightly damp while removing nits
- if hair dries during combing, dampen slightly with water
- for head lice, part hair into sections. Do one section at a time starting on top of head. Longer hair may take 1 to 2 hours.
- lift a 1- to 2-inch wide strand of hair. Place comb as close to scalp as possible and comb with a firm, even motion away from scalp.
- pin back each strand of hair after combing
- clean comb often. Wipe nits away with tissue and discard in a plastic bag. Seal bag and discard to prevent lice from coming back.
- after combing, thoroughly recheck for lice/nits. Repeat combing if necessary.
- check daily for any lice/nits that you missed
- a second treatment must be done in 7 to 10 days to kill any newly hatched lice
- if infestation continues, see a doctor for other treatments
- **children under 2 years:** ask a doctor

### **Other information**

- do not freeze
- store at controlled room temperature, 20 °C to 25 °C (68 °F to 77 °F)
- Questions or comments call **(515) 276-1586**
- see package insert for additional information

### **Inactive ingredients**

ammonium laureth sulfate, fragrance, PEG-25 hydrogenated castor oil, polyquaternium-10, purified water, SD-40 alcohol

Distributed by: MarcasUSA, LLC  
El Segundo CA, 90245

### **PRINCIPAL DISPLAY PANEL - 236 mL Bottle Carton**

#### ***MAXIMUM STRENGTH***

• PROUDLY SERVING FAMILIES FOR •

**38**

**YEARS**

**HERKLIN®**

***LICE TREATMENT***

Piperonyl butoxide 4%

Pyrethrum extract (0.33% pyrethrins)

**Kills Lice &  
Eliminates Nits\***

*Effective & safe for ages 2+*

**NEED HELP? •**

*Toll*

*Free*

**(844) HERKLIN**

**(437-5546)**

**INCLUDES:**

Shampoo, Lice  
& Nit Comb

**LICE COMB INCLUDED**

**8 fl oz (236 mL)**

\*Proper use of nit comb removes nits.

NO TEXT  
AREA



**Kills Lice & Eliminates Nits\***  
in 3 Simple Steps  
*Mata los piojos y elimina las liendres\**  
en 3 sencillos pasos

**STEP 1: APPLY • APLIQUE**



Apply shampoo on dry hair for 10 minutes.  
Aplique el shampoo sobre el pelo seco por 10 minutos.

**STEP 2: REMOVE • RETIRE**



Remove lice and nits with comb provided.  
Retire los piojos y liendres con el peine incluido.

**STEP 3: REPEAT • REPITA**



Repeat treatment 7-10 days later.  
Repita el tratamiento 7-10 días después

**Detailed Instructions Inside**  
*Instrucciones detalladas en el interior*

**BILINGUAL HOW-TO VIDEOS:**  
Videos bilingües de instrucciones:





**You Tube**

Visit **HERKLIN USA** on YouTube for step-by-step videos.  
Visita **HERKLIN USA** en YouTube para videos paso a paso.



**INCLUYE:**  
Shampoo y  
peine para  
piojos y  
liendres

**LICE COMB INCLUDED**  
Incluye peine liendreras

**8 fl oz (236 mL)**

\*Proper use of nit comb removes nits.  
\*El uso adecuado del peine liendreras elimina las liendres.

**NO TEXT  
AREA**



LOT NO.

EXPIRES

**NO TEXT  
AREA**

**NO TEXT  
AREA**

**NO TEXT  
AREA**

**STOP LICE FROM SPREADING**

*Controla la propagación de piojos*



**DON'T share combs, brushes or hats.**

No comparta peines, cepillos o sombreros.



**CHECK hair periodically to detect lice early.**

**Drug Facts** (continued)

- look for tiny nits near scalp, beginning at back of neck and behind ears
- examine small sections of hair at a time
- unlike dandruff which moves when touched, nits stick to the hair
- if either lice or nits are found, treat with this product

**Treat**

- apply thoroughly to dry hair or other affected area. For head lice, first apply behind ears and to back of neck



Check early.

REVISE el cabello periódicamente para detectar los piojos temprano.



WASH ALL clothes, sheets and towels recently used, in hot water.

LAVAR TODA la ropas, las sábanas y las toallas usadas recientemente, en agua caliente.

### Drug Facts

Active ingredients	Purposes
Piperonyl butoxide 4% . . . . .	Lice treatment
Pyrethrum extract (equivalent to 0.33% pyrethrins) . . . . .	Lice treatment

**Uses** treats head, pubic (crab), and body lice

#### Warnings

For external use only

Do not use

- near eyes
  - inside nose, mouth, or vagina
  - on lice in eyebrows or eyelashes.
- See a doctor if lice are present in these areas.

Ask a doctor before use if you are

- allergic to ragweed, May cause breathing difficulty or an asthmatic attack.

When using this product

- keep eyes tightly closed and protect eyes with a washcloth or towel
- if product gets in eyes, flush with water right away
- scalp itching or redness may occur

Stop use and ask a doctor if

- breathing difficulty occurs
- eye irritation occurs
- skin or scalp irritation continues or infection occurs

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

#### Directions

- Important: Read warnings before use
- adults and children 2 years and over:

Inspect

- check each household member with a magnifying glass in bright light for lice/nits (eggs) ▶

Inspect hair, then apply treatment carefully to back of head.

- allow product to remain for 10 minutes, but no longer
- use warm water to form a lather, shampoo, then thoroughly rinse
- for head lice, towel dry hair and comb out tangles

#### Remove lice and their eggs (nits)

- use a fine-tooth or special lice/nit comb. Remove any remaining nits by hand (using a throw-away glove).
- hair should remain slightly damp while removing nits
- if hair dries during combing, dampen slightly with water
- for head lice, part hair into sections. Do one section at a time starting on top of head. Longer hair may take 1 to 2 hours.
- lift a 1- to 2-inch wide strand of hair. Place comb as close to scalp as possible and comb with a firm, even motion away from scalp.
- pin back each strand of hair after combing
- clean comb often. Wipe nits away with tissue and discard in a plastic bag. Seal bag and discard to prevent lice from coming back.
- after combing, thoroughly recheck for lice/nits. Repeat combing if necessary.
- check daily for any lice/nits that you missed
- a second treatment must be done in 7 to 10 days to kill any newly hatched lice
- if infestation continues, see a doctor for other treatments
- children under 2 years: ask a doctor

#### Other information

- do not freeze
- store at controlled room temperature, 20 °C to 25 °C (68 °F to 77 °F)
- Questions or comments call (515) 276-1586
- see package insert for additional information

#### Inactive ingredients

ammonium laureth sulfate, fragrance, PEG-25 hydrogenated castor oil, polyquaternium-10, purified water, SD-40 alcohol

MADE IN U.S.A.

Distributed by: MarcasUSA, LLC  
El Segundo CA, 90245  
HerklinUSA.us



58-253-08v3.0  
HER1002A0317

NO TEXT AREA

NO TEXT AREA

NO TEXT AREA

# HERKLIN

pipерonyl butoxide and pyrethrum extract shampoo

## Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:75940-171
<b>Route of Administration</b>	TOPICAL		

## Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>Piperonyl butoxide</b> (UNII: LWK91TU9AH) (Piperonyl butoxide - UNII:LWK91TU9AH)	Piperonyl butoxide	40 mg in 1 mL
<b>Pyrethrum extract</b> (UNII: ZUM06L90GV) (Pyrethrum extract - UNII:ZUM06L90GV)	Pyrethrum extract	0.033 mg in 1 mL

## Inactive Ingredients

Ingredient Name	Strength
<b>PEG-25 hydrogenated castor oil</b> (UNII: 0ZNO9PJJ9J)	
<b>polyquaternium-10 (125 MPA.S at 2%)</b> (UNII: L45WU8S981)	
<b>alcohol</b> (UNII: 3K9958V90M)	
<b>water</b> (UNII: 059QF0K00R)	

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:75940-171-04	1 in 1 CARTON	10/29/2017	
1		236 mL in 1 BOTTLE; Type 0: Not a Combination Product		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH FINAL	part358G	10/29/2017	

**Labeler** - MarcusUSA (016139820)

## Establishment

Name	Address	ID/FEI	Business Operations
Weeks & Leo Co.Inc		005290028	MANUFACTURE(75940-171)

Revised: 11/2017

MarcusUSA