

60 SECOND FLUORIDE GEL- sodium fluoride gel
Darby Dental Supply, LLC

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.

Active Ingredient:

Fluoride Ion 1.23%

Available from 2.09% Sodium Fluoride and Hydrofluoric Acid

Purpose:

Fluoride Treatment Gel

Indications and Usage:

- A stable thixotropic fluoride treatment gel used to help prevent dental decay.
- For Professional Use Only. This product is not intended for home or unsupervised use.

Warnings:

- Keep out of reach of children.
- Do not swallow. If product is accidentally swallowed in quantities greater than would normally occur with a treatment gel, seek medical help or contact a Poison Control Center right away.
- Read directions carefully before using.

Dosage and Administration:

Shake well before use. This is a one minute or four minute fluoride gel for in-office patient use. It is normally used as a preventative caries treatment two times a year.

1. After thorough prophylaxis, fill two single or one dual tray, one third full with gel. Air dry teeth and insert trays into the mouth.
2. Instruct patient to bite down lightly but firmly for one minute (80% effectiveness) or four minutes (100% effectiveness).
3. Remove trays. Instruct patient to expectorate any excess gel and not to eat or drink for at least 30 minutes.

Other Information:

Do not store 25°C/77°F. Do not freeze.

Inactive Ingredients:

Citric Acid, Flavor, Magnesium Aluminum Silicate, Phosphoric Acid, Polysorbate 20, Sodium Benzoate, Sodium Saccharin, Titanium Dioxide, Water, Xanthan Gum, Xylitol. May contain Blue #1, Green #3, Red #3, Red #40, Yellow #5 (tartazine). Yellow #6 as a color additive.



60 SECOND FLUORIDE GEL
WITH XYLITOL

Acidulated Phosphate Fluoride Gel
1.23% Fluoride Ion | Gluten Free

16 oz. (454 g)



Active Ingredient: Fluoride Ion 1.23%
Purpose: Fluoride Treatment Gel Available from 2.09% Sodium Fluoride and Hydrofluoric Acid.

Indications and Usage:
• A stable thixotropic fluoride treatment gel used to help prevent dental decay.
• For Professional Office Use Only. This product is not intended for home or unsupervised consumer use.

Warnings
• Keep out of reach of children.
• Do not swallow. If product is accidentally swallowed in quantities greater than would normally occur with a treatment gel, seek medical help or contact a Poison Control Center right away.
• Read directions carefully before using.

Dosage and Administration:
Shake well before use. This is a one minute or four minute fluoride gel for in-office patient use. It is normally used as a preventative caries treatment two times a year.
1. After thorough prophylaxis, fill two single or one dual tray, one third full with gel. Air dry teeth and insert trays into the mouth.
2. Instruct patient to bite down lightly but firmly for one minute (80% effectiveness) or four minutes (100% effectiveness).
3. Remove trays. Instruct patient to expectorate any excess gel and not to eat or drink for at least 30 minutes.

Other Information:
• Do not store above 25°C/77°F. Do not freeze.

Inactive Ingredients:
Citric Acid, Flavor, Magnesium Aluminum Silicate, Phosphoric Acid, Polysorbate 20, Sodium Benzoate, Sodium Saccharin, Titanium Dioxide, Water, Xanthan Gum, Xylitol. May contain Blue #1, Green #3, Red #3, Red #40, Yellow #5 (tartrazine), Yellow #6 as a color additive.

To reorder:
call 800.645.2310 or visit darby.com
Distributed by: Darby Dental Supply, LLC,
Jericho, NY 11753

FOR PROFESSIONAL USE ONLY
IMPORTANT: READ DIRECTIONS FOR PROPER USE

MADE IN THE USA 99092197 08/2019

60 SECOND FLUORIDE GEL

sodium fluoride gel

Product Information

Product Type	HUMAN PRESCRIPTION DRUG	Item Code (Source)	NDC:66467-2220
Route of Administration	DENTAL		

Active Ingredient/Active Moiety

Ingredient Name		Basis of Strength	Strength	
SODIUM FLUORIDE (UNII: 8ZYQ1474W7) (FLUORIDE ION - UNII:Q80VPU4080)		FLUORIDE ION	5.6 g in 454 g	
Inactive Ingredients				
Ingredient Name			Strength	
CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)				
MAGNESIUM ALUMINUM SILICATE (UNII: 6M3P64V0NC)				
PHOSPHORIC ACID (UNII: E4GA8884NN)				
POLYSORBATE 20 (UNII: 7T1F30V5YH)				
SODIUM BENZOATE (UNII: OJ245FE5EU)				
SACCHARIN SODIUM (UNII: SB8ZUX40TY)				
WATER (UNII: 059QF0KO0R)				
XANTHAN GUM (UNII: TTV12P4NEE)				
XYLITOL (UNII: VCQ006KQ1E)				
FD&C RED NO. 40 (UNII: WZB9127XOA)				
FD&C YELLOW NO. 6 (UNII: H77VEI93A8)				
FD&C YELLOW NO. 5 (UNII: I753WB2F1M)				
FD&C RED NO. 3 (UNII: PN2ZH5LOQY)				
FD&C GREEN NO. 3 (UNII: 3P3ONR6O1S)				
FD&C BLUE NO. 1 (UNII: H3R47K3TBD)				
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)				
Product Characteristics				
Color	pink	Score		
Shape		Size		
Flavor	BUBBLE GUM	Imprint Code		
Contains				
Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:66467-2220-1	454 g in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	08/01/2019	
Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
unapproved drug other		08/01/2019		

Labeler - Darby Dental Supply, LLC (825137818)