

BUPROPIDEX- dextromethorphan hydrobromide tablet

DXM Pharmaceutical, Inc.

Active ingredient

(in each tablet) Dextromethorphan HBr 15 mg

Purpose

Cough suppressant

Uses

Temporarily relieves cough due to minor throat and bronchial irritation as may occur with the common cold.

Warning

Do not use if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

Ask a doctor before use if you have

- a cough that is accompanied by excessive phlegm (mucus), or
- a persistent or chronic cough such as occurs with smoking, asthma, or emphysema.

Stop use and ask a doctor if a cough persists for more than 1 week, tends to recur, or is accompanied by fever, rash, or persistent headache. A persistent cough may be a sign of a serious condition.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222)

Directions

- only use this product according to these directions or as directed by a doctor
- do not exceed 8 tablets in any 24-hour period.
- this adult product is not intended for use in children under 12 years of age.

age	dose
adults and children 12 years and over	take 2 tablets every 6 to 8 hours, as needed
children under 12	do not use

years

DO NOT USE

Other information

- store at 20-25°C (68-77°F). Do not refrigerate.
- TAMPER EVIDENT: Do not use if safety seal under child-resistant cap is broken or missing.

Inactive ingredients

magnesium stearate, microcrystalline cellulose, sodium starch glycolate

Questions or comments?

Call weekdays between 10 a.m. to 4 p.m. CST, at 833-289-7626 or visit our website www.RoboCough.com to report serious adverse events associated with the use of this product. Please call a doctor for medical advice.

Distributed by:

DXM Pharmaceutical, Inc. 2717 Commercial Center Blvd., Suite E200
Katy, TX 77 494

Copyright 2023. Patent Pending. www.RoboCough.com.

Product label

NDC 71598-200-15

BupropiDex

COUGH SUPPRESSANT

DEXTROMETHORPHAN HBR

15 MG

200 Tablets
per bottle

MADE IN
USA

Drug Facts

Active ingredient (in each tablet)

Dextromethorphan HBr, 15 mg.....Cough suppressant

Purpose

USES ■ temporarily relieves cough due to minor throat and bronchial irritation as may occur with the common cold.

Warnings Do not use if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

Ask a doctor before use if you have

- a cough that is accompanied by excessive phlegm (mucus), or
- a persistent or chronic cough such as occurs with smoking, asthma, or emphysema.

Stop use and ask a doctor if a cough persists for more than 1 week, tends to recur, or is accompanied by fever, rash, or persistent headache. A persistent cough may be a sign of a serious condition.

DXM Pharmaceutical, Inc., 2717 Commercial Center Blvd., Suite E200, Katy, TX 77494
www.RoboCough.com



X0041G900Y

NEW - BupropiDex Cough suppressant

Lot Number

Exp Date

PEEL and LIFT HERE to read Drug Facts
NOT RECOMMENDED FOR HOUSEHOLDS WITH CHILDREN
© 2023 DXM Pharmaceutical, Inc.

Drug Facts (continued)

If pregnant or breast-feeding, ask a health professional before use.
Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222)

Directions

- only use this product according to these directions or as directed by a doctor
- do not exceed 8 tablets in any 24-hour period
- this adult product is not intended for use in children under 12 years of age

Drug Facts (continued)

age	dose
adults and children 12 years and over	take 2 tablets every 6 to 8 hours, as needed
children under 12 years	do not use

Other Information

- store at 20-25°C (68-77°F).
- TAMPER EVIDENT: Do not use if safety seal under child-resistant cap is broken or missing.

Inactive ingredients

magnesium stearate, microcrystalline cellulose, sodium starch glycolate

Drug Facts (continued)

Questions or comments?

Call weekdays between 10 a.m. to 4 p.m. CST, at 833-289-7626 or visit our website www.RoboCough.com to report serious adverse events associated with the use of this product. Please call a doctor for medical advice.

Distributed by:
DXM Pharmaceutical, Inc.
2717 Commercial Center Blvd., Suite E200
Katy, TX 77494
www.RoboCough.com

BUPROPIDEX

dextromethorphan hydrobromide tablet

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:71598-200
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
DEXTROMETHORPHAN HYDROBROMIDE (UNII: 9D2RTI9KYH) (DEXTROMETHORPHAN - UNII:7355X3ROTS)	DEXTROMETHORPHAN HYDROBROMIDE	15 mg

Inactive Ingredients

Ingredient Name	Strength
MAGNESIUM STEARATE (UNII: 70097M6I30)	
MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)	
SODIUM STARCH GLYCOLATE TYPE A (UNII: H8AV0SQX4D)	

Product Characteristics

Color	white	Score	no score
--------------	-------	--------------	----------

Shape	ROUND	Size	6mm
Flavor		Imprint Code	DEX
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:71598-200-15	200 in 1 BOTTLE; Type 0: Not a Combination Product	12/01/2023	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M013	12/01/2023	

Labeler - DXM Pharmacuetical, Inc. (080748277)

Registrant - DXM Pharmacuetical, Inc. (080748277)

Revised: 12/2023

DXM Pharmacuetical, Inc.