PAIN RELIEVER PM EXTRA STRENGTH- acetaminophen diphenhydramine hcl tablet, coated P & L Development, LLC

DRUG FACTS

Active ingredient (in each caplet)
Acetaminophen 500 mg
Diphenhydramine HCL 25 mg

Purpose

Pain reliever

Nighttime sleep-aid

Uses

temporarily relief of occasional headaches and minor aches and pains with accompanying sleeplessness.

Warnings

Liver warning: This product contains acetaminophen. Severe liver damage may occur if you take:

- more than 4,000 mg of acetaminophen in 24 hours
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

Allergy alert: Acetaminophen may cause severe skin reactions. Symptoms may include:

- skin reddening
- blisters
- rash

If a skin reaction occurs, stop use and seek medical help right away.

Do not use

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- with any other product containing diphenhydramine, even one used on skin
- in children under 12 years of age
- if you have ever had an allergic reaction to this product or any of its ingredients

Ask a doctor before use if you have

- liver disease
- a breathing problem such as emphysema or chronic bronchitis
- trouble urinating due to an enlarged prostate gland
- glaucoma

Ask a doctor or pharmacist before use if you are

- taking the blood thinning drug warfarin
- taking sedatives and tranquilizers

When using this product

- drowsiness will occur
- avoid alcoholic drinks
- do not drive a motor vehicle or operate machinery

Stop use and ask a doctor if

- sleeplessness persists continuously for more than 2 weeks. Insomnia may be a symptom of a serious underlying medical illness
- pain gets worse or lasts more than 10 days
- fever gets worse or lats more than 3 days.
- redness or swelling is present
- new symptoms occur

These could be signs of a serious condition.

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

Overdose warning: In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away. Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

Directions

- do not take more than directed (see Overdose warning)
- adults and children 12 years of age and over: take 2 caplets at bedtime do not take more than 2 caplets of this product in 24 hours
- children under 12 years of age: do not use

Other information

- store between 20-25°C (68-77°F)
- avoid high humidity and excessive heat

Inactive ingredients

croscarmellose sodium, FD&C blue #1 aluminum lake, FD&C blue #2 aluminum lake, hypromellose, magnesium stearate, microcrystalline cellulose, polyethylene glycol,

polyvinyl alcohol, povidone K 30, pregelatinized starch, purified water, sillcon dioxide, sodium starch glycolate, talc, titanium dioxide

Questions or comments?

Call **1-877-753-3935** Monday-Friday 9AM-5PM EST

Principal Display Panel

Compare to the active ingredients in Extra Strength Tylenol® PM† extra strength

pain reliever PM

Acetaminophen 500 mg

diphenhydramine HCl 25 mg

pain reliever/nighttime sleep-aid

non habit-forming

for ages 12 years and over

caplets

†This product is not manufactured or distributed by McNeil Consumer Healthcare, distributor of Extra Strength Tylenol® PM.

TAMPER EVIDENT: DO NOT USE IF PRINTED SAFETY SEAL UNDER CAP IS BROKEN OR MISSING.

KEEP OUTER CARTON FOR COMPLETE WARNINGS AND PRODUCT INFORMATION.

Distributed by:

PL Developments

200 Hicks Street, Westbury, NY 11590

Product Label

Exp. Date

Lot No.:

PLD-B596A FC007670



PL Developments 200 Hicks Street Westbury, NY 11590 Distributed by:

Drug Facts (continued)

Purposes

Active ingredients

Drug Facts

in each caplet

When using this product

microcrystalline cellulose, polyethylene glycol, polyviny FD&C blue #1 aluminum lake, FD&C blue #2 aluminum

lake, hypromelloses, magnesium stearate,

alcohol, povidone K30, pregelatinized starch, purified water, silicon dioxide, sodium starch glycolate, talc

nactive ingredients croscarmellose sodium

Drug Facts (continued)

Stop use and ask a doctor

- redness or swelling is present

If pregnant or breast-feeding, ask a health professional

or contact a Poison Control Center (1-800-222-1222) right away. Quick medical attention is critical for adults as well Overdose warning: In case of overdose, get medical help as for children even if you do not notice any signs or Keep out of reach of children.

 adults and children 12 years of age and over warning)

take 2 caplets at bedtime. Do not take more than

■ store between 20-25°C (68-77°F)
■ avoid high humidity and excessive heat

a breathing problem such as emphysema or chronic

Ask a doctor before use if you have

 liver disease bronchitis glaucoma

or any of its ingredients

Ask a doctor or pharmacist before use if you are taking the blood thinning drug warfarin taking sedatives or tranquilizers

drowsiness will occur

Nighttime sleep-aid

Jiphenhydramine HCl 25 mg

- avoid alcoholic drinks

minor aches and pains with accompanying sleeplessness

Liver warning: This product contains acetaminophen

■ more than 4,000 mg of acetaminophen in 24 hours

USes temporary relief of occasional headaches and

do not drive a motor vehicle or operate machinery

- 2 weeks. Insomnia may be a symptom of a serious sleeplessness persists continuously for more than
 - underlying medical illness.
- pain gets worse or lasts more than 10 days fever gets worse or lasts more than 3 days

Consumer Healthcare, distributor of Extra Strength Tylenol® PM This product is not manufactured or distributed by McNeil

I-877-753-3935 Monday-Friday 9AM-5PM EST

콩

Questions or comments?

itanium dioxide

3 or more alcoholic drinks every day while using this

 with other drugs containing acetaminophen Severe liver damage may occur if you take:

Allergy alert: Acetaminophen may cause severe skin

product

These could be signs of a serious condition. new symptoms occur

before use.

If a skin reaction occurs, stop use and seek medical help

skin reddening blisters rash

reactions. Symptoms may include

(prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor

with any other drug containing acetaminophen

Do not use right away.

with any other product containing diphenhydramine,

do not take more than directed (see Overdose

SAFETY SEAL UNDER CAP IS BROKEN OR MISSING.

KEEP OUTER CARTON FOR COMPLETE WARNINGS AND PRODUCT INFORMATION.

TAMPER EVIDENT: DO NOT USE IF PRINTED

children under 12 years of age: do not use caplets of this product in 24 hours.

Other information

trouble urinating due to an enlarged prostate gland

Compare to the active ingredients in Extra Strength Tylenol® PM† NDC 59726-868-10 extra strength

pain reliever pm

if you have ever had an allergic reaction to this product

■ in children under 12 years of age

even one used on skin

Acetaminophen 500 mg diphenhydramine HCI 25 mg pain reliever/nighttime sleep-aid



non habit-forming for ages 12 years and over

100 caplets

READYinCASE Extra Strength Pain Reliever PM

PAIN RELIEVER PM EXTRA STRENGTH

acetaminophen diphenhydramine hcl tablet, coated

Product	Inform	ation
Product		lation

Product Type HUMAN OTC DRUG Item Code (Source) NDC:59726-868

Route of Administration ORAL

Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	
ACETAMINOPHEN (UNII: 36209ITL9D) (ACETAMINOPHEN - UNII: 36209ITL9D)	ACETAMINOPHEN	500 mg	
DIPHENHYDRAMINE HYDROCHLORIDE (UNII: TC2D6JAD40) (DIPHENHYDRAMINE - UNII:8GTS82S83M)	DIPHENHYDRAMINE HYDROCHLORIDE	25 mg	

Inactive Ingredients	
Ingredient Name	Strength
CROSCARMELLOSE SODIUM (UNII: M28OL1HH48)	
FD&C BLUE NO. 1 (UNII: H3R47K3TBD)	
FD&C BLUE NO. 2 (UNII: L06K8R7DQK)	
HYPROMELLOSES (UNII: 3NXW29V3WO)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)	
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)	
POLYVINYL ALCOHOL, UNSPECIFIED (UNII: 532B59J990)	
POVIDONE K30 (UNII: U725QWY32X)	
STARCH, CORN (UNII: O8232NY3SJ)	
WATER (UNII: 059QF0KO0R)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
SODIUM STARCH GLYCOLATE TYPE A CORN (UNII: AG9B65PV6B)	
TALC (UNII: 7SEV7J4R1U)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
ALUMINUM OXIDE (UNII: LMI2606933)	

Product Characteristics			
Color	blue	Score	no score
Shape	CAPSULE	Size	18mm
Flavor		Imprint Code	P525
Contains			

Packaging			
# Hom Code	Daskana Dasavintian	Marketing Start	Marketing End

#	item Code	Раскаде резсприон	Date	Date
1	NDC:59726- 868-10	1 in 1 BOX	03/26/2021	
1		100 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product		
2	NDC:59726- 868-50	1 in 1 BOX	03/26/2021	
2		50 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M013	03/26/2021	

Labeler - P & L Development, LLC (800014821)

Revised: 4/2024 P & L Development, LLC