

## **NO CONCEALER CONCEALER - titanium dioxide and zinc oxide cream**

**Allure Labs, Inc**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----

### **Drug Facts**

Active Ingredients:

Titanium Dioxide 4.8%

Zinc Oxide 5.88%

PURPOSE:

Sunscreen

Uses:

- Helps prevent sunburn

Warning:

- For External Use Only
  
- Do not use on damaged or broken skin

WHEN USING THIS PRODUCT:

- keep out of eyes. Rinse with water to remove

STOP USE AND ASK DOCTOR IF

rash or irritation develops and lasts

KEEP OUT OF REACH OF CHILDREN

- if swallowed get medical help or contact a poison control center right away

DIRECTIONS:

Dr. Perricone recommends dispensing one pump, warming between ring fingers and patting gently along the lower eye contours, as well as upper eye lid and inner contours of eyes if desired. Any excess can also be applied on targeted areas of the face to cover imperfections. Apply generously and evenly 15 minutes before sun exposure Use a water resistant sunscreen if swimming or sweating Reapply atleast every two hours Not for use on children

Protect the product in this container from excessive heat and direct sun

Aluminum Hydroxide, Butylene Glycol, C12-15 Alkyl benzoate, Caprylyl Glycol, Ceramide 2, Cetaryl Oliviate, Cetyl PEG/PPG-10/1 Dimethicone, Chrysin, Cyclopentasiloxane, Cyclotetrasiloxane, Dimethicone, Dimethicone/PEG-10/15 Crosspolymer, Dimethicone/Vinyl Dimethicone Crosspolymer, Dimethyl MEA, Ethylhexylglycerin, Glucosyl Herperidin, Glycerin, Hexyl Laurate, Hexylene Glycol, Hyaluronic Acid, Hydroxypropyl Cyclodextrin, Hydroxysuccinimide, Iron Oxides, Linoleamidopropyl PG-Dimonium Chloride Phosphate, Mica, Nylon-12, Palmitoyl Oligopeptide, Palmitoyl Terapeptide-7, Palmitoyl Tripeptide-38, PEG/18/18 Dimethicone, PEG-10 Rapeseed Sterol, Phenoxyethanol, Polyglyceryl-3 Polydimethylsiloxyethyl Dimethicone, Polyglyceryl-4, Isostearate, PPG-12/SMDI Copolymer, Propylene Glycol, Silica, Silica Dimethyl Silylate, Sodium PCA, Sorbiana Oliviate, Stearic Acid, Tetrahexyldecyl Ascorbate, Titanium Dioxide, Tocopheryl Acetate, Tribehenin, Triethoxycaprylsilane, Triethoxysilylethyl Polydimethylsiloxyethyl Hexyl Dimethicone,

Water.

Distributed By (US): NV Perricone LLC Meriden CT 06450 Made in USA

Distributed By (UK): NV Perricone MD Cosmeceuticals Ltd London W1S 2YE UK

www.perriconemd.com 1-888-823-7837

Combo 2180 5/20/11 04:41:19 2:11:10 PM

**Drug Facts**

<b>Active ingredient</b>	<b>Purpose</b>
Titanium Dioxide 4.8%	Sunscreen
Zinc Oxide 1.8%	Sunscreen

**Uses:** Helps prevent sunburn.

**Warnings**

For external use only.  
Do not use on damaged or broken skin.  
When using this product:  
■ Avoid eye contact. Rinse with water to remove.  
■ Stop use and ask a doctor if:  
■ Irry, redness, or itching develops and lasts.  
■ Keep out of reach of children.  
■ If swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

■ For Perricone recommends depending on pump, warming between ring fingers and patting gently along the lower eye contours, as well as upper eye lid and inner contours of the eyes if desired. Any excess can also be applied on targeted areas of the face to cover imperfections.  
■ Apply generously and evenly 15 minutes before sun exposure.  
■ Use a water resistant sunscreen if swimming or sweating.  
■ Reapply at least every 2 hours.  
■ Not for use on children.  
■ Sun Protection Measures: Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease the risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:  
■ Wear hats in the sun, especially from 10 a.m. - 2 p.m.  
■ Wear long-sleeved shirts, pants, hats, and sunglasses.


**Other Information**

■ Store the product in this container from excessive heat and direct sun.

**Inactive Ingredients**

Aluminum Hydroxide, Butylene Glycol, C12-15 Alkyl Benzoate, Caprylyl Glycol, Cetearyl Alcohol, Cetyl PEG/PPG-18 Dimethicone, Chrysin, Cyclopentasiloxane, Cyclohexylsiloxane, Dimethicone, Dimethicone/PEG-10/15 Copolymer, Dimethicone/PPG Dimethicone Copolymer, Dimethyl MEA, Ethylhexyl Palmitate, Ethylhexylglycerin, Glycerol Stearate, Glyceryl Stearate, Hexyl Laurate, Hexylene Glycol, Hydroxy Acid, Hydroxypropyl Cyclobutane, Hydroxyacetamide, Iron Oxides, Lactic Acid, Lactic Acid/PPG-18 Dimethicone, Methyl Methacrylate, Methyl Methacrylate, PEG-10 Dimethicone, PEG-10 Dimethicone, Polyglyceryl-3 Polydimethylsilyloxyethyl Dimethicone, Polyglyceryl-4 Isodecylate, PPG-15Methyl Dimethicone, Propylene Glycol, Salicylic Acid, Stearic Acid, Tetraethylammonium Chloride, Titanium Dioxide, Triethylhexylammonium Chloride, Triethoxydimethylsilane, Triethoxydimethylsilane, Water

**Questions:** 1-888-823-7837



**Decades of Research**

Perricone MD products are unique in that they are patented, researched and formulated by Nicholas Perricone, M.D., board certified dermatologist and anti-aging expert. They deliver powerful efficacious benefits with visible results.

Distributed By: NV Perricone LLC, Meriden CT 06450, Made in USA  
Distributed By: NV Perricone MD Cosmeceuticals LTD London, W1S 2YE UK

This carton is fully recyclable. It's manufactured using wind power and printed in a carbon neutral facility.

**Product Benefits**

This multi-tasking concealer delivers flawless coverage with one universal shade. It perfectly camouflages skin imperfections and dark circles for instantly brighter, more awakened looking eyes. Formulated with powerful anti-aging technology to help reduce the signs of aging and stress while protecting against UVA and UVB damage with a non-chemical, mineral-based SPF 35.

**No Concealer Concealer**

*Camouflages imperfections, smoothes and brightens.*

**Broad Spectrum SPF 35 sunscreen.**

e 9 g / 0.3 oz

Paraben Free  
Patent Numbers  
5,554,647

**carbon neutral**

perriconemd.com  
1888 823 7837

<b>NO CONCEALER CONCEALER</b>		
titanium dioxide and zinc oxide cream		
<b>Product Information</b>		
<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b> NDC:62742-4059
<b>Route of Administration</b>	TOPICAL	
<b>Active Ingredient/Active Moiety</b>		
<b>Ingredient Name</b>	<b>Basis of Strength</b>	<b>Strength</b>
<b>Titanium Dioxide</b> (UNII: 15FIX9 V2JP) (Titanium Dioxide - UNII:15FIX9 V2JP)	Titanium Dioxide	48 mg in 1 g
<b>Zinc Oxide</b> (UNII: SOI2LOH54Z) (Zinc Oxide - UNII:SOI2LOH54Z)	Zinc Oxide	58.8 mg in 1 g

**Inactive Ingredients**

	<b>Ingredient Name</b>	<b>Strength</b>
	<b>Aluminum Hydroxide</b> (UNII: 5QB0T2IUN0)	
	<b>Butylene Glycol</b> (UNII: 3XUS85K0RA)	
	<b>ALKYL (C12-15) BENZOATE</b> (UNII: A9EJ3J61HQ)	
	<b>CAPRYLYL GLYCOL</b> (UNII: 00YIU5438U)	
	<b>CERAMIDE 2</b> (UNII: C04977SRJ5)	
	<b>CETEARYL OLIVATE</b> (UNII: 58B69Q84JO)	
	<b>CETYL PEG/PPG-10/1 DIMETHICONE (HLB 4)</b> (UNII: 8INO2K35FA)	
	<b>CHRYSIN</b> (UNII: 3CN01F5ZJ5)	
	<b>CYCLOMETHICONE 5</b> (UNII: 0THT5PC10R)	
	<b>DIMETHICONE</b> (UNII: 92RU3N3Y1O)	
	<b>DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE)</b> (UNII: 9E4CO0W6C5)	
	<b>DEANOL</b> (UNII: 2N6K9DRA24)	
	<b>ETHYLHEXYL PALMITATE</b> (UNII: 2865993309)	
	<b>ETHYLHEXYLGLYCERIN</b> (UNII: 147D247K3P)	
	<b>GLUCOSYL HESPERIDIN</b> (UNII: 432C95B6YE)	
	<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
	<b>HEXYL LAURATE</b> (UNII: 4CG9F9W01Q)	
	<b>HEXYLENE GLYCOL</b> (UNII: KEH0A3F75J)	
	<b>HYALURONIC ACID</b> (UNII: S270N0TRQY)	
	<b>HYDROXYPROPYL .BETA.-CYCLODEXTRIN</b> (UNII: 1I96OHX6EK)	
	<b>N-HYDROXYSUCCINIMIDE</b> (UNII: MJE3791M4T)	
	<b>FERRIC OXIDE RED</b> (UNII: 1K09F3G675)	
	<b>LINOLEAMIDOPROPYL PG-DIMONIUM CHLORIDE PHOSPHATE</b> (UNII: 5Q87K461JO)	
	<b>MICA</b> (UNII: V8A1AW0880)	
	<b>NYLON-12</b> (UNII: 446U8J075B)	
	<b>PALMITOYL OLIGOPEPTIDE</b> (UNII: HO4ZT5S86C)	
	<b>PALMITOYL TETRAPEPTIDE-7</b> (UNII: Q41S464P1R)	
	<b>PALMITOYL LYSYLDIOXYMETHIONYLLYSINE</b> (UNII: T7A529FB8O)	
	<b>PEG/PPG-18/18 DIMETHICONE</b> (UNII: 9H0AO7T794)	
	<b>PEG-10 RAPESEED STEROL</b> (UNII: 258O76T85M)	
	<b>PHENOXYETHANOL</b> (UNII: HIE492ZZ3T)	
	<b>POLYGLYCERYL-4 ISOSTEARATE</b> (UNII: 820DPX33S7)	
	<b>PPG-12/SMDI COPOLYMER</b> (UNII: 1BK9DDD24E)	
	<b>PROPYLENE GLYCOL</b> (UNII: 6DC9Q167V3)	
	<b>SILICON DIOXIDE</b> (UNII: ETJ7Z6XBU4)	
	<b>SODIUM PYRROLIDONE CARBOXYLATE</b> (UNII: 469OTG57A2)	
	<b>SORBITAN OLIVATE</b> (UNII: MDL271E3GR)	
	<b>STEARETH-20</b> (UNII: L0Q8IK9E08)	
	<b>TETRAHEXYLDECYL ASCORBATE</b> (UNII: 9LBV3F07AZ)	
	<b>.ALPHA.-TOCOPHEROL ACETATE</b> (UNII: 9E8X80D2L0)	
	<b>TRIBEHENIN</b> (UNII: 8OC9U7TQZ0)	
	<b>STEARIC ACID</b> (UNII: 4ELV7Z65AP)	
	<b>WATER</b> (UNII: 059QF0KO0R)	

**Packaging**

<b>#</b>	<b>Item Code</b>	<b>Package Description</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
----------	------------------	----------------------------	-----------------------------	---------------------------

1	NDC:62742-4059-2	1 in 1 CARTON		
1	NDC:62742-4059-1	9 g in 1 BOTTLE, PUMP		
<b>Marketing Information</b>				
<b>Marketing Category</b>	<b>Application Number or Monograph Citation</b>		<b>Marketing Start Date</b>	<b>Marketing End Date</b>
OTC monograph final	part352		12/09/2013	

**Labeler** - Allure Labs, Inc (926831603)

Revised: 12/2013

Allure Labs, Inc