

## **LIDOPATCH PAIN RELIEF- lidocaine and menthol patch**

**JAR Laboratories**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----

### **LidoPatch™**

#### ***Drug Facts***

<b><i>Active Ingredients</i></b>	<b><i>Purpose</i></b>
Lidocaine 3.99%	Topical analgesic
Menthol 1.25%	Topical analgesic

#### **Uses**

Temporarily relieves minor pain associated with: arthritis, simple backache, bursitis, tendonitis, muscle strains, sprains & bruises.

#### **Warnings**

**For external use only.**

**Do not use if you are allergic or sensitive to lidocaine or menthol. Do not use if pouch is damaged or opened.**

#### **When using this product**

- use only as directed
- avoid contact with eyes or mucous membranes
- do not apply to open wounds or sensitive skin
- do not bandage tightly or use a heating pad

#### **Stop use and ask a doctor if**

- excessive redness or irritation is present
- condition worsens
- pain persists for more than 7 days
- symptoms clear up and occur again within a few days

If **pregnant or breast-feeding**, ask a health professional before use.

Keep out of Reach of children. If swallowed, get medical help or contact a Poison control Center right away.

#### **Directions**

- adults: apply patch to affected area for a maximum of 12 hours. Do not use more than 1 patch every 24 hours.
- children: consult your physician
- remove protective film, gently apply to affected area.

**Inactive Ingredients**

Alcohol, Glycerin, Imidazolidinyl Urea, Methyl propylparben, (Poly) vinyl pyrrolidone, Water, Sorbitol solution

**Questions?**

*Email [info@lidopatch.com](mailto:info@lidopatch.com)*

**Manufactured by: JAR Laboratories, Elmhurst, IL**

**PRINCIPAL DISPLAY PANEL - 3 Topical Patch Carton**

**GET PAIN  
RELIEF NOW!**

**LidoPatch™**

**CONTAINS LIDOCAINE  
PAIN  
RELIEF  
PATCH**

- ▣ ***ONE PATCH FOR 24 HOUR PAIN RELIEF***
- ▣ ***FOR RELIEF OF LOCALIZED PAIN***
- ▣ ***FAST ACTING***
- ▣ ***ULTRA THIN, FLEXIBLE, TRIM TO FIT***

**3 TOPICAL PATCHES PER BOX**



LidoPatch



LidoPatch

3 TOPICAL PATCHES (4" X 5 1/2") IN INDIVIDUAL SEALED POUCHES



LidoPatch

CONTAINS LIDOCAINE

# PAIN RELIEF PATCH

GET PAIN RELIEF NOW!



LidoPatch

3 TOPICAL PATCHES (10CM X 14CM) IN INDIVIDUAL SEALED POUCHES

- ✓ SAME ACTIVE INGREDIENT AS LEADING PRESCRIPTION PATCH
- ✓ ONE PATCH FOR 24 HOUR PAIN RELIEF
- ✓ FOR RELIEF OF LOCALIZED PAIN
- ✓ FAST ACTING
- ✓ ULTRA THIN, FLEXIBLE, TRIM TO FIT

3 TOPICAL PATCHES PER BOX

## Drug Facts

Active Ingredients

Purpose

Lidocaine 3.99%..... Topical analgesic  
Menthol 1.25 %..... Topical analgesic

### Uses

Temporarily relieves minor pain associated with: arthritis, simple backache, bursitis, tendonitis, muscle strains, sprains & bruises.

### Warnings

For external use only. Do not use if you are allergic or sensitive to lidocaine or menthol. Do not use if pouch is damaged or opened.

### When using this product

- use only as directed
- avoid contact with eyes or mucous membranes
- do not apply to open wounds or sensitive skin
- do not bandage tightly or use a heating pad

### Stop use and ask a doctor if

- excessive redness or irritation is present
- condition worsens
- pain persists for more than 7 days
- symptoms clear up and occur again within a few days

If pregnant or breast-feeding, ask a health professional before use. Keep out of Reach of children. If swallowed, get medical help or contact a Poison control Center right away.

### Directions

- adults: apply patch to affected area for a maximum of 12 hours. Do not use more than 1 patch every 24 hours.
- children: consult your physician
- remove protective film, gently apply to affected area.

### Inactive Ingredients

Alcohol, Glycerin, Imidazolidinyl Urea, Methyl propylparben, Poly vinyl pyrrolidone, Water, Sorbitol solution

**Questions? Email [info@lidopatch.com](mailto:info@lidopatch.com)**

Manufactured by: JAR Laboratories, Elmhurst, IL

## LIDOPATCH PAIN RELIEF

lidocaine and menthol patch

### Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:10882-527
Route of Administration	TRANSDERMAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>lidocaine</b> (UNII: 98PI200987) (lidocaine - UNII:98PI200987)	lidocaine	40 mg
<b>menthol</b> (UNII: L7T10EIP3A) (menthol - UNII:L7T10EIP3A)	menthol	50 mg

### Inactive Ingredients

Ingredient Name	Strength
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>COPOVIDONE K25-31</b> (UNII: D9C330MD8B)	
<b>IMIDUREA</b> (UNII: M629807ATL)	
<b>PROPYLPARABEN</b> (UNII: Z8IX2SC1OH)	
<b>ALCOHOL</b> (UNII: 3K9958V90M)	
<b>SORBITOL</b> (UNII: 506T60A25R)	
<b>WATER</b> (UNII: 059QF0K00R)	

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:10882-527-03	3 in 1 CARTON		
1		1 in 1 POUCH		
2	NDC:10882-527-07	7 in 1 CARTON		
2		1 in 1 POUCH		
3	NDC:10882-527-30	30 in 1 CARTON		
3		1 in 1 POUCH		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH NOT FINAL	part348	12/13/2012	

**Labeler** - JAR Laboratories (968952239)

### Establishment

Name	Address	ID/FEI	Business Operations
Zhuhai Guojia New Macromolecule Materiel Co., LTD		679871251	MANUFACTURE(10882-527)

Revised: 1/2014

JAR Laboratories