LEADER LUBRICANT EYE- mineral oil, and white petrolatum ointment Leader

Leader Lubricant Eye Ointment

Active ingredients Purpose

Mineral oil 42.5%..... Eye Lubricant

White petrolatum 57.3%...... Eye Lubricant

Uses

- For the temporary relief of burning, irritation, and discomfort due to dryness or the eye or exposure to wind or sun.
- May be used as a protectant against further irritation

Warnings

- For external use only.
- To avoid contamination, do not touch tip of container to any surface.
- Keep tube tightly closed.

Stop use and ask a doctor if:

- You experience eye pain, changes in vision, continued redness or irritation of the eye.
- The condition worsens or persists for more than 72 hours. .

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away at 1-800-222-1222.

Directions

- Wash your hands.
- Pull down the lower lid of the affected eye and gently apply a small amount (1/4") of ointment to the inside of the eyelid.

Other information

- store away from heat
- protect from freezing
- use before expiration date on the tube
- store at 59°-86° (15°-30°)

Inactive ingredient

lanolin alcohol

Directions

- Wash your hands.
- Pull down the lower lid of the affected eye and gently apply a small amount (1/4") of ointment to the inside of the eyelid.

Leader Lubricant Eye Ointment

Principal Display Panel

LEADER?

NDC 70000-0513-1

Sterile | Preservative-Free

Lubricant Eye Ointment

Mineral Oil, 42.5% | White Petrolatum, 57.3% Eye Lubricant

NET WT 0.125 OZ (3.5 g)

Drug Facts
Active ingredients
Mineral oil 42.5%, White petrolatum 57.3%
Inactive ingredients Lanolin alcohol.
Directions • Refer to outer carton for complete information.
• Wash your hards. • Pull down the lower lid of the affected eye and gently apply a small amount (1/4") of ointment to the inside of the eyeld.

no varnish



LEADER LUBRICANT EYE

mineral oil, and white petrolatum ointment

Product Information				
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:70000-0513	
Route of Administration	OPHTHALMIC			

Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	
MINERAL OIL (UNII: T5L8T28FGP) (MINERAL OIL - UNII:T5L8T28FGP)	MINERAL OIL	425 mg in 1 g	
PETROLATUM (UNII: 4T6H12BN9U) (PETROLATUM - UNII:4T6H12BN9U)	PETROLATUM	573 mg in 1 g	

Inactive Ingredients			
Ingredient Name	Strength		
LANOLIN ALCOHOLS (UNII: 884C3FA9HE)			

P	Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date	
1	NDC:70000- 0513-1	1 in 1 BOX	08/30/2019		
1		3.5 g in 1 TUBE; Type 0: Not a Combination Product			

Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
OTC Monograph Drug	M018	08/30/2019		

Labeler - Leader (063997360)

Revised: 1/2024 Leader