

**BOSLEY PROFESSIONAL STRENGTH HAIR REGROWTH TREATMENT REGULAR
STRENGTH FOR WOMEN- minoxidil liquid**

Pure Source, LLC

**BOSLEY PROFESSIONAL STRENGTH HAIR REGROWTH TREATMENT Regular Strength
For Women**

**BOSLEY PROFESSIONAL STRENGTH HAIR REGROWTH TREATMENT Regular Strength
For Women**

Active Ingredient

Minoxidil 2.0% w/v

Purpose

Hair regrowth treatment for men

Use

to regrow hair on the scalp

Warnings

For external use only

Flammable: keep away from fire or flame

Do not use if

- your degree of hair loss is different than that shown on the side of this carton, because this product may not work for you.
- you have no family history of hair loss
- your hair loss is sudden and/or patchy
- your hair loss is associated with childbirth
- you do not know the reason for your hair loss
- you are under 18 years of age. Do not use on babies and children.
- your scalp is red, inflamed, infected, irritated, or painful
- you use other medications on the scalp.

Ask a doctor before use if you have

heart disease

When using this product

- do not apply on other parts of the body
- avoid contact with the eyes. In case of accidental contact, rinse eyes with large amounts of cool tap water.
- some people have experienced changes in hair color and/or texture.
- It takes time to regrow hair. you may need to use this product 2 times a day for at least 4 months before you see results.
- the amount of hair regrowth is different for each person. This product will not work for everyone.

Stop use and ask a doctor if

- chest pain, rapid heartbeat, faintness or dizziness occurs
- sudden unexplained weight gain occurs
- your hands or feet swell
- scalp irritation or redness occurs
- unwanted facial hair growth occurs
- you do not see hair regrowth in 4 months

May be harmful if used when pregnant or breast feeding.

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- apply one ML with dropper 2 times a day directly onto the scalp in the hair loss area
- using more or more often will not improve results
- continued use is necessary to increase and keep your hair regrowth or hair loss will begin again

Other information

- see hair loss pictures on side of this carton
- before use read all information on carton and enclosed leaflet
- keep the carton, it contains important information
- in clinical studies with mostly white women aged 18-55 years with mild to moderate degrees of hair loss, the following response to minoxidil topical solution 2% was reported: 19% of women reported moderate hair regrowth after using woman's minoxidil topical solution 2% for 8 months: 19% had moderate regrowth: 40% had minimal regrowth. This compares with 7% of women reporting hair regrowth after using the placebo, the liquid without minoxidil in it, for 8 months (7% had moderate regrowth, 33% had minimal regrowth).
- store at controlled room temperature 20 degree to 25 degree C (68 degree to 77 degree F)

Inactive ingredients

alcohol 30% v/v, propylene glycol 50% v/v, purified water

Questions or comments?

questions: call your health professional or Bosley at 1(800)BOSLEY1

**BOSLEY PROFESSIONAL STRENGTH HAIR REGROWTH TREATMENT Regular Strength
For Women 2-60ml (65121-101-02)**

BOSLEY

PROFESSIONAL STRENGTH

(*Minoxidil Topical Solution 2%)
Regular Strength for Women

Drug Facts

Active Ingredient Purpose
Minoxidil 2.0% w/v Hair regrowth treatment

Use To regrow hair on the scalp

Warnings

For external use only
Flammable: keep away from fire or flame

Do not use if

- your degree of hair loss is different than that shown on the side of this carton, because this product may not work for you.
- you have no family history of hair loss
- your hair loss is sudden and/or patchy
- your hair loss is associated with childbirth
- you do not know the reason for your hair loss
- you are under 18 years of age. Do not use on babies and children.
- your scalp is red, inflamed, itched, irritated, or painful
- you use other medications on the scalp

Ask a doctor before use if you have heart disease

When using this product

- do not apply on other parts of the body
- avoid contact with the eyes. In case of accidental contact, rinse eyes with large amounts of cool tap water.
- some people have experienced changes in hair color and/or texture
- it takes time to regrow hair; you may need to use this product 2 times a day for at least 4 months before you see results.
- the amount of hair regrowth is different for each person. This product will not work for everyone.

Stop use and ask a doctor if:

- chest pain, rapid heartbeat, faintness, or dizziness occurs
- sudden, unexplained weight gain occurs
- your hands or feet swell
- scalp irritation or redness occurs
- unwanted facial hair growth occurs
- you do not see hair regrowth in 4 months

May be harmful if used when pregnant or breast feeding. Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Drug Facts (continued)

Directions

- apply one ML with dropper 2 times a day directly onto the scalp in the hair loss area
- use more often will not improve results
- continue use is necessary to increase and keep your hair regrowth or hair loss will begin again

Other information

- see hair loss pictures on side of this carton and enclosed leaflet
- keep the carton. It contains important information
- in clinical studies with mostly white women aged 18-45 years with mild to moderate degrees of hair loss, the following response to minoxidil topical solution 2% was reported: 19% of women reported moderate hair regrowth after using woman's minoxidil topical solution 2% for 8 months; 19% had moderate regrowth; 40% had minimal regrowth. This compares with 7% of women reporting hair regrowth after using the placebo, the liquid without minoxidil. In 1, for 8 months (7% had moderate regrowth, 33% had minimal regrowth).
- store at controlled room temperature 20° to 25°C (68° to 77° F)

Inactive Ingredients alcohol 60% v/v, propylene glycol 20% v/v, purified water

Questions or comments?
questions: call your health professional or Bosley at 1(800)BOSLEY1

For information Call:
(800)BOSLEY1 www.bosleypro.com
©2012 Bosley Inc. All rights reserved.
Manufactured for Schenck Hair Research, LLC
171 W. Orange Grove Ave.
Suite A
Pleasanton, CA 94570
Made in U.S.A.



BOSLEY

PROFESSIONAL STRENGTH

(*Minoxidil Topical Solution 2%)

HAIR REGROWTH TREATMENT
REGULAR STRENGTH FOR WOMEN
(Read enclosed leaflet before use)

This package contains:

- Two 60ML (2FL OZ) bottles of Bosley® Professional Strength- Regular Strength for Women Hair Regrowth Treatment (Two Months Supply)
- One child-resistant dropper applicator

This package also contains an educational leaflet

BOSLEY

PROFESSIONAL STRENGTH


(*Minoxidil Topical Solution 2%)

HAIR REGROWTH TREATMENT
Regular Strength For Women

Clinically Proven to Help Regrow Hair Revitalizes Hair Follicles

Two Months Supply
2 – 60 ML, (2 FL.OZ.) Bottles

Bosley® Professional Strength™ Regular Strength for Women Hair Regrowth Treatment (Minoxidil Topical Solution 2%) is for women who have a general thinning of hair on the top of the scalp (vertex only as shown below). Bosley® Professional Strength™ Regular Strength for Women Minoxidil Topical Solution 2% has been shown to regrow hair in women with the following degrees of thinning hair or hair loss.



If women have more hair loss than shown above, Bosley® Professional Strength™ Minoxidil Topical Solution 2% for Women may not work.

Do not use if you have patchy hair loss as shown below



BOSLEY PROFESSIONAL STRENGTH HAIR REGROWTH TREATMENT

REGULAR STRENGTH FOR WOMEN

minoxidil liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:65121-101
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
MINO XIDIL (UNII: 5965120 SH1) (MINO XIDIL - UNII:5965120 SH1)	MINO XIDIL	20 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
ALCOHOL (UNII: 3K9958V90M)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
WATER (UNII: 059QF0K00R)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:65121-101-02	2 in 1 CARTON	02/09/2017	
1		60 mL in 1 BOTTLE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
ANDA	ANDA076239	08/15/2013	

Labeler - Pure Source, LLC (080354456)

Establishment

Name	Address	ID/FEI	Business Operations
Pure Source, LLC		080354456	manufacture(65121-101)

Revised: 2/2017

Pure Source, LLC