

SENNOSIDE 8.6MG- sennoside 8.6mg tablet, film coated
Strive Pharmaceuticals Inc.

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Laxative - Laxante (Sennoside 8.6mg)

Sennoside 8.6mg

croscarmellose sodium, dibasic calcium phosphate, hydroxypropyl methyl cellulose, magnesium stearate, polyethylene glycol

- do not take more than directed
- take with full glass of water
- take preferably at bedtime or as directed by a doctor

Age	Starting dosage	Maximum dosage
adults and children 12 years of age and over	2 tablets once a day	4 tablets twice a day
children 6 to under 12 years	1 tablet once a day	2 tablets twice a day
children 2 to under 6 years	1/2 tablet once a day	1 tablet twice a day
children under 2 years	ask a doctor	ask a doctor

- relieves occasional constipation (irregularity)
- generally causes a bowel movement in 6-12 hours

Do not use

laxative products for longer than 1 week unless directed by a doctor

Ask a doctor before use if you have

- stomach pain
- nausea
- vomiting
- notice a sudden change in bowel habits that continue over a period of 2 weeks

Stop use and ask a doctor if

you have rectal bleeding or fail to have a bowel movement after use of a laxative. These may indicate a serious condition.

If pregnant or breast-feeding

ask a health professional before use

Keep out of reach of children

Overdose Warning: In case of accidental overdose, get medical help or contact a Poison Control Center right away. Prompt medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms

Keep out of reach of children

Incase of accidental overdose, get medical help or contact a Poison Contril Center right away. Prompt medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

Laxative

- Store at room temperature between 20 °C - 25 °C (68 °F - 77 °F).



LOT: _____

EXP: _____

DRUG FACTS

Active ingredient (in each tablet)	Purpose
Sennoside 8.6 mg.	Laxative

Uses:

- relieves occasional constipation (irregularity)
- generally causes a bowel movement in 6-12 hours

Warnings:

Do not use:

- laxative products for longer than 1 week unless directed by a doctor

Ask a doctor before use if you have

- stomach pain
- nausea
- vomiting
- noticed a sudden change in bowel habits that continue over a period of 2 weeks

Stop use and ask a doctor if you have rectal bleeding or fail to have a bowel movement after use of a laxative. These may indicate a serious condition.

If pregnant or breast-feeding, ask a health professional before use.

LIFT PANEL FOR CONTINUED DRUG FACTS ▶

DRUG FACTS (Continued)

Keep out of reach of children:
In case of accidental overdose, get medical help or contact a Poison Control Center right away. Prompt medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

Directions:

- do not take more than directed • take with full glass of water
- take preferably at bedtime or as directed by a doctor

Age	Starting dosage	Maximum dosage
adults and children 12 years of age and over	2 tablets once a day	4 tablets twice a day
children 6 to under 12 years	1 tablet once a day	2 tablets twice a day
children 2 to under 6 years	1/2 tablet once a day	1 tablet twice a day
children under 2 years	ask a doctor	ask a doctor

Other Information:

- Store at room temperature between 20-25°C (68-77°F).

Inactive Ingredients:
Croscarmellose sodium, dibasic calcium phosphate, hydroxypropyl methyl cellulose, magnesium stearate, microcrystalline cellulose, polyethylene glycol.

DRUG FACTS (Continued)

Questions Or Comments ?
1-833-665-9444

READ AND KEEP INNER PACKAGE FOR COMPLETE PRODUCT INFORMATION.
Distributed By: O4 GLOBAL TRADING USA LLC, 2241 S Watson Rd, Suite 121 Arlington, TX 76010.
www.onlyfor.com
Packaged By: Shree Pharmaceuticals Inc., East Brunswick, NJ 08816

TAMPER EVIDENT: DO NOT USE IF: PACKAGE IS OPENED OR IF A BLISTER UNIT IS TORN, BROKEN OR SHOWS ANY SIGN OF TAMPERING

Tear at screen
push through foil

www.onlyfor.com CT2LXN4-REV.102018

SENNOSIDE 8.6MG

sennoside 8.6mg tablet, film coated

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:70692-112
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
SENNOSIDES A AND B (UNII: 1B5FPI42EN) (SENNOSIDES A AND B - UNII:1B5FPI42EN)	SENNOSIDES A AND B	8.6 mg

Inactive Ingredients

Ingredient Name	Strength
CELLULOSE, MICROCRYSTALLINE (UNII: OP1R32D61U)	
CROSCARMELLOSE SODIUM (UNII: M28OL1HH48)	
DIBASIC CALCIUM PHOSPHATE DIHYDRATE (UNII: O7TSZ97GEP)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
POLYETHYLENE GLYCOL 400 (UNII: B697894SGQ)	
HYPROMELLOSES (UNII: 3NXW29V3WO)	

Product Characteristics

Color	gray	Score	no score
Shape	ROUND (BICONVEX)	Size	5mm
Flavor		Imprint Code	S3
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:70692-112-41	4 in 1 PACKAGE; Type 0: Not a Combination Product	12/20/2018	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part334	12/20/2018	

Labeler - Strive Pharmaceuticals Inc. (080028013)

Revised: 11/2020

Strive Pharmaceuticals Inc.