

**EQUATE SUNSCREEN SPF 50 BABY BROAD SPECTRUM- avobenzone,
homosalate, octisalate, octocrylene spray
WAL-MART STORES INC**

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Equate Sunscreen SPF 50 BABY Broad Spectrum Spray

Active Ingredients

Avobenzone 3.0%
Homosalate 13.0%
Octisalate 5.0%
Octocrylene 2.0%

Purpose

Sunscreen

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see ***Directions***), decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings

For external use only

Do not use

- on damaged or broken skin.

When using this product

- keep out of eyes. Rinse with water to remove.
- Keep away from face to avoid breathing it.
- do not puncture or incinerate. Contents under pressure.
- do not store at temperatures above 120° F.

Stop use and ask a doctor if

rash occurs.

Keep out of reach of children

If swallowed, get medical help or contact a Poison Control Center right away

Directions

- Spray liberally and spread evenly by hand 15 minutes before sun exposure
- Hold can 4-6 inches away from the skin to apply
- Do not spray directly into face. Spray into hands then apply to face
- Do not apply in windy conditions
- Use in a well-ventilated area
- reapply:
 - after 80 minutes of swimming or sweating
 - immediately after towel drying
 - at least every 2 hours
 - children under 6 months of age: Ask a doctor
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m. - 2 p.m.
 - wear long-sleeved shirts, pants, hats, and sunglasses

Other information

- protect the product in this container from excessive heat and direct sun
- may stain or damage some fabrics, materials or surfaces

Inactive Ingredients

water, butyloctyl salicylate, sorbitol, VP/eicosene copolymer, stearic acid, aloe barbadensis leaf juice, panthenol, tocopherol, sorbitan isostearate, dimethicone, polyglyceryl-3 distearate, disodium EDTA, acrylates/C10-30 alkyl acrylate crosspolymer,

styrene/acrylates copolymer, triethanolamine, benzyl alcohol, phenoxyethanol, capryloyl glycine, undecylenoyl glycine

equate™

Sunscreen

SPF
50

**Broad Spectrum
SPF 50**

- Water resistant (80 minutes)
- Pediatrician tested

BABY

OCTINOXATE,
OXYBENZONE
& PARABEN
FREE*

NET WT 6.3 OZ (178 g)

SPF
50

**BABY
Sunscreen**

Broad Spectrum SPF 50 Spray

Drug Facts

Active ingredients

Avobenzone 3.0%
Homosalate 13.0%
Octisalate 5.0%
Octocrylene 2.0%

Purpose

Sunscreen

Uses • helps prevent sunburn • if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use • on damaged or broken skin.

When using this product • keep out of eyes. Rinse with water to remove. • Keep away from face to avoid breathing it. • do not puncture or incinerate. Contents under pressure. • do not store at temperatures above 120° F.

Stop use and ask a doctor if • rash occurs.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Spray liberally and spread evenly by hand 15 minutes before sun exposure
- Hold can 4-6 inches away from the skin to apply
- Do not spray directly into face. Spray into hands then apply to face
- Do not apply in windy conditions
- Use in a well-ventilated area
- reapply:
 - after 80 minutes of swimming or sweating
 - immediately after towel drying
 - at least every 2 hours
- children under 6 months of age: ask a doctor
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad-spectrum SPF of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m. - 2 p.m.
 - wear long-sleeve shirts, pants, hats, and sunglasses

Other information

- protect this product from excessive heat and direct sun
- may stain or damage some fabrics, materials or surfaces

Inactive ingredients

water, butyloctyl salicylate, sorbitol, VP/eicosene copolymer, stearic acid, aloe barbadensis leaf juice, panthenol, tocopherol, sorbitan isostearate, dimethicone, polyglyceryl-3 distearate, disodium EDTA, acrylates/C10-30 alkyl acrylate crosspolymer, styrene/acrylates copolymer, triethanolamine, benzyl alcohol, phenoxyethanol, capryloyl glycine, undecylenoyl glycine

Blended and Filled in the U.S.A.
with Imported and Domestic Ingredients

Satisfaction guaranteed - For questions
or comments please call **1-888-287-1915**.

DISTRIBUTED BY: Wal-Mart Stores, Inc.,
Bentonville, AR 72716



*No parabens separately added
to preserve this product

DOT-SP 14786



105246

TC/DOT-2Q 5703



equate™

Sunscreen

SPF
50

**Broad Spectrum
SPF 50**

- Water resistant (80 minutes)
- Pediatrician tested

BABY

OXYBENZONE & PARABEN FREE*

NET WT 6.3 OZ (178 g)

SPF
50

**BABY
Sunscreen**

Broad Spectrum SPF 50 Spray

Drug Facts

Active ingredients	Purpose
Avobenzone 3.0% Homosalate 13.0% Octisalate 5.0% Octocrylene 2.0%	Sunscreen

Uses • helps prevent sunburn • If used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use • on damaged or broken skin.

When using this product • keep out of eyes. Rinse with water to remove. • Keep away from face to avoid breathing it. • do not puncture or incinerate. Contents under pressure. • do not store at temperatures above 120° F.

Stop use and ask a doctor if • rash occurs.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Spray liberally and spread evenly by hand 15 minutes before sun exposure
- Hold can 4-6 inches away from the skin to apply
- Do not spray directly into face. Spray into hands then apply to face
- Do not apply in windy conditions
- Use in a well-ventilated area
- reapply:
 - after 80 minutes of swimming or sweating
 - immediately after towel drying
 - at least every 2 hours
- children under 6 months of age: ask a doctor
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad-spectrum SPF of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m. - 2 p.m.
 - wear long-sleeve shirts, pants, hats, and sunglasses

Other information

- protect this product from excessive heat and direct sun
- may stain or damage some fabrics, materials or surfaces

Inactive ingredients

water, butyloctyl salicylate, sorbitol, VP/eicosene copolymer, stearic acid, aloe barbadensis leaf juice, panthenol, tocopherol, sorbitan isostearate, dimethicone, polyglyceryl-3 distearate, disodium EDTA, acrylates/C10-30 alkyl acrylate crosspolymer, styrene/acrylates copolymer, triethanolamine, benzyl alcohol, phenoxyethanol, capryloyl glycine, undecylenoyl glycine

Blended and Filled in the U.S.A. with Imported and Domestic Ingredients

Satisfaction guaranteed - For questions or comments please call 1-888-287-1915.

DISTRIBUTED BY: Wal-Mart Stores, Inc., Bentonville, AR 72716



*No parabens separately added to preserve this product

DOT-SP 14786



TC/DOT-2Q 5703

EQUATE SUNSCREEN SPF 50 BABY BROAD SPECTRUM

avobenzone, homosalate, octisalate, octocrylene spray

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:49035-893
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
AVOBENZONE (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX)	AVOBENZONE	30 mg in 1 g
HOMOSALATE (UNII: V06SV4M95S) (HOMOSALATE - UNII:V06SV4M95S)	HOMOSALATE	130 mg in 1 g
OCTISALATE (UNII: 4X49Y0596W) (OCTISALATE - UNII:4X49Y0596W)	OCTISALATE	50 mg in 1 g
OCTOCRYLENE (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM)	OCTOCRYLENE	20 mg in 1 g

Inactive Ingredients

Ingredient Name	Strength
POLYGLYCERYL-3 DISTEARATE (UNII: ZI1LK470XV)	
EDETATE DISODIUM (UNII: 7FLD91C86K)	
CARBOMER COPOLYMER TYPE A (ALLYL PENTAERYTHRITOL CROSSLINKED) (UNII: 71DD5V995L)	
STYRENE/ACRYLAMIDE COPOLYMER (500000 MW) (UNII: 5Z4DPO246A)	
TROLAMINE (UNII: 9O3K93S3TK)	
BENZYL ALCOHOL (UNII: LKG8494WBH)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
CAPRYLOYL GLYCINE (UNII: 8TY5YO42NJ)	
UNDECYLENOYL GLYCINE (UNII: 4D20464K2J)	
WATER (UNII: 059QF0KO0R)	
BUTYLOCTYL SALICYLATE (UNII: 2EH13UN8D3)	
SORBITOL (UNII: 506T60A25R)	
VINYLPYRROLIDONE/EICOSENE COPOLYMER (UNII: 035MV9S1C3)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
ALOE VERA LEAF (UNII: ZY81Z83H0X)	
PANTHENOL (UNII: WW9CM0067Z)	
.ALPHA.-TOCOPHEROL, DL- (UNII: 7QWA1RIO01)	
SORBITAN ISOSTEARATE (UNII: 01S2G2C1E4)	
DIMETHICONE (UNII: 92RU3N3Y1O)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:49035-893-50	178 g in 1 CAN; Type 0: Not a Combination Product	11/11/2016	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part352	11/11/2016	

Labeler - WAL-MART STORES INC (051957769)

Revised: 10/2022

WAL-MART STORES INC