PAIN RELIEVER PM EXTRA STRENGTH- acetaminophen, diphenhydramine hcl tablet, coated TOP CARE (Topco Associates LLC)

Drug Facts

Active ingredients (in each geltab)

Acetaminophen 500 mg

Diphenhydramine HCl 25 mg

Purposes

Pain reliever

Nighttime sleep-aid

Uses

temporary relief of occasional headaches and minor aches and pains with accompanying sleeplessness

Warnings

Liver warning: This product contains acetaminophen. Severe liver damage may occur if you take:

- more than 4,000 mg of acetaminophen in 24 hours
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

Allergy alert: Acetaminophen may cause severe skin reactions. Symptoms may include:

- skin reddening
- blisters
- rash

If a skin reaction occurs, stop use and seek medical help right away

Do not use

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- with any other product containing diphenhydramine, even one used on skin
- in children under 12 years of age
- if you have ever had an allergic reaction to this product or any of its ingredients

Ask a doctor before use if you have

- liver disease
- a breathing problem such as emphysema or chronic bronchitis
- trouble urinating due to an enlarged prostate gland
- glaucoma

Ask a doctor or pharmacist before use if you are

- taking the blood thinning drug warfarin
- taking sedatives or tranquilizers

When using this product

- drowsiness will occur
- avoid alcoholic drinks
- do not drive a motor vehicle or operate machinery

Stop use and ask a doctor if

- sleeplessness persists continuously for more than 2 weeks. Insomnia may be a symptom of serious underlying medical illness.
- new symptoms occur
- redness or swelling is present
- pain gets worse or lasts more than 10 days
- fever gets worse or lasts more than 3 days

These could be signs of a serious condition.

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

Overdose warning: In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away: Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

Directions

- do not take more than directed (see overdose warning)
- adults and children 12 years and over: take 2 geltabs at bedtime. Do not take more than 2 geltabs of this product in 24 hours.
- children under 12 years: do not use

Other information

- store between 20-25°C (68-86°F)
- avoid high humidity and excessive heat

Inactive ingredients

corn starch, croscarmellose sodium, D&C red #27 aluminum lake, edible black ink, FD&C blue #1 aluminum lake, gelatin, glycerin, hypromellose, maltodextrin, microcrystalline

cellulose, polyethylene glycol, povidone, purified water, silicon dioxide, stearic acid, titanium dioxide

Questions or comments?

Call toll free **1-888-423-0139**

Principal Display Panel

COMPARE TO EXTRA STRENGTH TYLENOL® PM ACTIVE INGREDIENTS**

EXTRA STRENGTH NIGHTTIME

Pain Relief PM

ACETAMINOPHEN, DIPHENHYDRAMINE HCl, 500/25mg

PAIN RELIEVER / NIGHTTIME SLEEP-AID

Non-Habit Forming

GELTABS For Ages 12 Years and Over

**This product is not manufactured or distributed by McNeil Consumer Healthcare, distributor of Extra Strength Tylenol® PM.

TAMPER EVIDENT: DO NOT USE IF PRINTED SAFETY SEAL UNDER CAP IS BROKEN OR MISSING.

KEEP OUTER CARTON FOR COMPLETE WARNINGS AND PRODUCT INFORMATION.

DISTRIBUTED BY TOPCO ASSOCIATES LLC

ELK GROVE VILLAGE, IL 60007

www.topcarebrand.com

Product Label

Exp. Date

Lot No.:

PLD-I30U FC007633

6800 0

0

Orug Facts (continued)

- do not take more than directed (see Overdose warning) adults and children 12 years and over: take 2 geltabs at bedtime. Do not take more than 2 geltabs of this
- children under 12 years: do not use product in 24 hours.

Other information

store between 20-25°C (68-77°F)

avoid high humidity and excessive heat

croscarmellose sodium, D&C red #27 aluminum lake, Inactive ingredients com starch,

edible black ink, FD&C blue #1 aluminum lake, gelatin cellulose, polyethylene glycol, povidone, purified water glycerin, hypromellose, maltodextrin, microcrystalline

Questions or comments? Call toll free 1-888-423-0139

silicon dioxide, stearic acid, titanium dioxide

Consumer Healthcare, distributor of Extra Strength Tylenol® PM This product is not manufactured or distributed by McNeil

DISTRIBUTED BY TOPCO ASSOCIATES LLC ELK GROVE VILLAGE, IL 60007 @TOPCO PLVA0321 QUESTIONS? 1-888-423-0139 topcare@topco.com www.topcarebrand.com

YQUALITY GUARANTEED

as for children even if you do not notice any signs or

If you have ever had an allergic reaction to this product

or any of its ingredients

COMPARE TO EXTRA STRENGTH TYLENOL® PM ACTIVE INGREDIENTS

■ in children under 12 years of age

even one used on skin

TAMPER EVIDENT: DO NOT USE IF PRINTED SAFETY SEAL UNDER CAP IS BROKEN OR MISSING.

KEEP OUTER CARTON FOR COMPLETE WARNINGS AND PRODUCT INFORMATION

Orug Facts (continued)

Ask a doctor before use if you have

liver disease

Purposes

Active ingredients

Drug Facts

NDC 36800-466-50

in each geltab

- a breathing problem such as emphysema or chronic bronchitis
- trouble urinating due to an enlarged prostate gland glaucoma

.Nighttime sleep-aid

Niphenhydramine HCI 25 mg.

Ask a doctor or pharmacist before use if you are

minor aches and pains with accompanying sleeplessness

+TopCare.

STRENGTH

MINOPHEN, DIPHENHYDRAMINE HCI, 500/25mg

iver warning: This product contains acetaminophen.

■ more than 4,000 mg of acetaminophen in 24 hours

 with other drugs containing acetaminophen Severe liver damage may occur if you take:

Uses Temporary relief of occasional headaches and

- taking the blood thinning drug warfarin taking sedatives or tranquilizers
- When using this product
 - drowsiness will occur
- avoid alcoholic drinks
- do not drive a motor vehicle or operate machinery

3 or more alcoholic drinks every day while using this

Allergy alert: Acetaminophen may cause severe skir

product

reactions. Symptoms may include:

Stop use and ask a doctor if

- sleeplessness persists continuously for more than 2 weeks. Insomnia may be a symptom of a serious underlying medical illness
- new symptoms occur

fa skin reaction occurs, stop use and seek medical flelp

■ blisters
■ rash

skin reddening

- redness or swelling is present
- pain gets worse or lasts more than 10 days
 - fever gets worse or lasts more than 3 days These could be signs of a serious condition.

f pregnant or breast-feeding, ask a health professional

whether a drug contains acetaminophen, ask a doctor

with any other product containing diphenhydramine

or pharmacist

(prescription or nonprescription). If you are not sure

with any other drug containing acetaminophen

Do not use

ight away

or contact a Poison Control Center (1-800-222-1222) right away. Quick medical attention is critical for adults as well Overdose warning: In case of overdose, get medical help Keep out of reach of children.

information or call 1-888-423-0139

Scan here for more

GELTABS

Non-Habit Forming

PAIN RELIEVER / NIGHTTIME SLEEP-AID

For Ages 12 Years and Over

actual size

TOPCARE HEALTH Extra Strength Pain Relief PM

PAIN RELIEVER PM EXTRA STRENGTH

acetaminophen, diphenhydramine hcl tablet, coated

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:36800-466
Route of Administration	ORAL		

Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	
ACETAMINOPHEN (UNII: 36209ITL9D) (ACETAMINOPHEN - UNII: 36209ITL9D)	ACETAMINOPHEN	500 mg	
DIPHENHYDRAMINE HYDROCHLORIDE (UNII: TC2D6JAD40) (DIPHENHYDRAMINE - UNII:8GTS82S83M)	DIPHENHYDRAMINE HYDROCHLORIDE	25 mg	

Inactive Ingredients			
Ingredient Name	Strength		
STARCH, CORN (UNII: O8232NY3SJ)			
D&C RED NO. 27 (UNII: 2LRS185U6K)			
FD&C BLUE NO. 1 (UNII: H3R47K3TBD)			
GELATIN (UNII: 2G86QN327L)			
GLYCERIN (UNII: PDC6A3C0OX)			
HYPROMELLOSES (UNII: 3NXW29V3WO)			
MALTODEXTRIN (UNII: 7CVR7L4A2D)			
CELLULOSE, MICROCRYSTALLINE (UNII: OP1R32D61U)			
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)			
POVIDONE (UNII: FZ 989GH94E)			
WATER (UNII: 059QF0KO0R)			
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)			
STEARIC ACID (UNII: 4ELV7Z65AP)			
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)			
CROSCARMELLOSE SODIUM (UNII: M280L1HH48)			
ALUMINUM OXIDE (UNII: LMI26O6933)			

Product Characteristics			
Color	white, blue	Score	no score
Shape	ROUND	Size	13mm
Flavor		Imprint Code	BP50
Contains			

Packaging			
# Item Code	Package Description	Marketing Start Date	Marketing End Date

	NDC:36800- 466-10	1 in 1 BOX	11/05/2021	
1		100 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product		
	NDC:36800- 466-50	1 in 1 BOX	11/05/2021	
2		50 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M013	11/05/2021	

Labeler - TOP CARE (Topco Associates LLC) (006935977)

Revised: 6/2024 TOP CARE (Topco Associates LLC)