EXT HAIR REGROWTH TREATMENT FOR MEN 2%- minoxidil 2% solution TTEM, LLC

EXT Hair Regrowth Treatment for Men 2%

Minoxidil 2% w/v

USE

Use to regrow hair on the top of the scalp (vertex only, see pictures on side of the carton).

Hair regrowth treatment

For external use only

Flammable: Keep away from fire or flame

Do not use if

- you are a woman your amount of hair loss is dierent than that shown on the side of this carton, or your hair loss is on the front of the scalp. EXT Hair Regrowth Treatment is not intended for frontal baldness or receding hairline. you have no family history of hair loss your hair loss is sudden and/or patchy you do not know the reason for your hair loss you are under 18 years of age. Do not use on babies and children. your scalp is red, inflamed, infected, irritated, or painful
- you use other medicines on the scalp

 Ask a doctor before use if you have heart disease

When using this product

- do not apply on other parts of the body
- avoid contact with the eyes. In case of accidental contact, rinse eyes with large amounts of cool tap water.
- some people have experienced changes in hair color and/or texture
- it takes time to regrow hair. Results may occur at 2 months with twice a day usage. For some men, you may need to use this product for at least 4 months before you see results.
- the amount of hair regrowth is dierent for each person. This product will not work for everyone.

Stop use and ask a doctor if

- side eects occur. You may report side eects to FDA at 1.800.FDA.1088
- chest pain, rapid heartbeat, faintness, or dizziness occurs
 sudden, unexplained weight gain occurs
 your hands or feet swell
 scalp irritation or redness occurs
 unwanted facial hair growth occurs
 you do not see hair regrowth in 4 months

May be harmful if used when pregnant or breast-feeding.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

DIRECTIONS


Directions

- apply one mL with dropper 2 times a day directly onto the scalp in the area of hair loss
- using more or more often will not improve results
- continued use is necessary to increase and keep your hair regrowth, or hair loss will begin again.

Other information

- see hair loss pictures on side of this carton
- before use, read all information on carton and enclosed leaflet
- keep this carton. It contains important information.
- ■in clinical studies of mostly white men aged 18-49 years with moderate degrees of hair loss, the following response to minoxidil topical solution 2% was reported: 26% of men reported moderate to dense hair regrowth after using minoxidil topical solution 2% for 4 months (26% had moderate to dense regrowth; 33% had minimal regrowth). This compares with 11% of men reporting hair regrowth after using the placebo, the liquid without minoxidil in it, for 4 months (11% had moderate to dense regrowth; 31% had minimal regrowth).
- store at controlled room temperature between 68° 77°F (20°-25°C). Keep tightly closed.

Inactive ingredients alcohol, propylene glycol, purified water



HC - Men Box 2% Minoxidil - 07/2019

EXT HAIR REGROWTH TREATMENT FOR MEN 2%

minoxidil 2% solution

Product Information				
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:70150-002	
Route of Administration	TOPICAL			

Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	
MINOXIDIL (UNII: 5965120SH1) (MINOXIDIL - UNII:5965120SH1)	MINOXIDIL	2 g in 100 mL	

Inactive Ingredients		
Ingredient Name	Strength	
ISOPROPYL ALCOHOL (UNII: ND2M416302)		
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)		
WATER (UNII: 059QF0KO0R)		

F	Packaging				
#	tem Code	Package Description	Marketing Start Date	Marketing End Date	
1	NDC:70150-002- 01	1 in 1 BOX	09/10/2019		
1		60 mL in 1 BOTTLE; Type 0: Not a Combination Product			

Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
ANDA	ANDA078176	09/10/2019		

Labeler - TTEM, LLC (079997910)

Revised: 1/2023 TTEM, LLC