REVITADERM WOUND CARE - benzalkonium chloride gel Blaine Labs Inc.

Active Ingredients

Active Ingredients

Benzalkonium Chloride (0.1%)

Purpose

Purpose

Antimicrobial

Keep Out Of Reach Of Children

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Uses

Uses

- * 1st and 2nd Degree Burns
- * Stasis Ulcers
- * Pressure Ulcers
- * Diabetic Ulcers
- * Lacerations
- * Abrasions
- * Skin Tears
- * Surgical Incision Sites
- * Device Insertion Sites
- * Graft Sites
- * Donor Sites

Warnings

Warnings

For external use only.

Ask a doctor before use

Ask a doctor before use

RevitaDERM Wound Care Gel is for external use only. Avoid contact with eyes. If you get

it in your eyes, rinse immediately with cool tap water. RevitaDERM Wound Care Gel may become discolored when it mixes with fluid from the wound. This is normal and not a cause for concern. Do NOT use more than the recommended dose or use for longer than prescribed without checking with your doctor. Talk with your doctor before you use any other medicines or cleansers on your skin. RevitaDERM Wound Care Gel does not contain sunscreen. Ask you doctor before you use RevitaDERM Wound Care Gel if you must be outside for a long period of time. If your symptoms do not get better or if they get worse, check with your doctor.

Directions

Directions

Evenly apply RevitaDERM Wound Care approximately 1/8 inch to 1/4 inch thick to the wound area. Cover wound with appropriate dressing. Repeat as necessary to keep the wound moist.

Inactive Ingredients

Inactive ingredients

Aloe Barbadensis (Aloe) Leaf Juice, Aloe Barbadensis (Aloe) oil extract, Carbomer, Collagen, Elastin, Glycerin, Hyaluronic Acid, Triethanolamine, Phenoxyethanol, Methylparaben, Ethylparaben, Propylparaben, Butylparaben, Isobutylparaben.

Product Label


Blaine Labs

RevitaDERM WOUND CARE GEL

3 fl. oz. PHYSICIAN FORMULA

NDC: 63347-120-01

(800) 307-8818 Info@BlaineLabs.com www.BlaineLabs.com Blaine Labs, Inc. Santa Fe Springs, CA 90670 Rev. 20120820




WOUND CARE GE

0

II all Plabs





■ Diabetic Ulcers ■ Pressure Ulcers
■ Stasis Ulcers ■ 1st and 2nd Degree Burns
■ Lacerations ■ Abrasions ■ Skin Tears

Surgical Incision Sites Device Insertion Sites

Graft Sites Donor Sites

Directions

Evenly apply Revita DERM® Wound Care approximately 1/8" to 1/4" thick to the wound area. Cover wound with appropriate dressing. Repeat as necessary to beep the wound moist.

Warnings

for external use only.

Aska doctor before use

NewtaDERM® Wound Care Gel is for external use only. Newton contact with eyes. If you get it in your eyes, the immediately with cool tap water. RevitaDERM® Wound Care Gel may become discolored when it miss with the fluid from the wound. This is normal and not a cause for concern. Do NOT use more than the recommended dose or use for longer than prescribed without checking with your doctor. Talk with your doctor before you use any other medicines or deansers on your skin. RevitaDERM® Wound Care Gel does not contain sunscreen. Ask your doctor before you use RevitaDERM® Wound Care Gel if you must be outside for a long period of time. If your symptoms do not get better or if they get worse, deck with your doctor.

ten out of reach of children. If swallowed, get nedical help or contact a Poison Control Center right way.

Blaine Labs, Inc.
Sata Fe Springs, CA 90670
Info@BlaineLabs.com
www.BlaineLabs.com

NDC: 63347-120-01 PHYSICIAN FORMULA

Rev. 20120820



res

REVITADERM WOUND CARE

benzalkonium chloride gel

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:63347-120
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	
BENZALKONIUM CHLORIDE (UNII: F5UM2KM3W7) (BENZALKONIUM - UNII:7N6JUD5X6Y)	BENZALKONIUM CHLORIDE	170 mg in 89 mL	

Inactive Ingredients		
Ingredient Name	Strength	
ALOE VERA LEAF (UNII: ZY81Z83H0X)		
CARBOMER INTERPOLYMER TYPE A (ALLYL SUCROSE CROSSLINKED) (UNII: 59TL3WG5CO)		
HYDROLYZED ELASTIN, BOVINE, ALKALINE (1000 MW) (UNII: ZR28QKN0WT)		
GLYCERIN (UNII: PDC6A3C0OX)		
HYALURONIC ACID (UNII: S270N0TRQY)		
TROLAMINE (UNII: 903K93S3TK)		
PHENOXYETHANOL (UNII: HIE492ZZ3T)		
METHYLPARABEN (UNII: A2I8C7HI9T)		
ETHYLPARABEN (UNII: 14255EXE39)		
PROPYLPARABEN (UNII: Z8IX2SC1OH)		
BUTYLPARABEN (UNII: 3QPI1U3FV8)		
ISOBUTYLPARABEN (UNII: 0QQJ25X58G)		

Packaging			
# Home Code	Dockoro Docarintian	Marketing Start	Marketing End

# Item Code	Package Description	Date	Date
	89 mL in 1 TUBE; Type 0: Not a Combination Product	05/24/2012	
Marketing Information			
Marketing I	nformation		
Marketing I Marketing Category	nformation Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
Marketing	Application Number or Monograph Citation	_	_

Labeler - Blaine Labs Inc. (017314571)

Registrant - Blaine Labs Inc. (017314571)

Establishment				
Name	Address	ID/FEI	Business Operations	
Blaine Labs Inc.		017314571	manufacture(63347-120)	

Revised: 12/2023 Blaine Labs Inc.