

BRILLIA ADULT- lapine s-100 immune globulin 12 hpc, 30 hpc, 200 hpc pill Hadaf LLC

Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.

Brillia (Adult)

Active ingredients

Lapine S-100 immune globulin 12C, 30C, and 200C

Inactive Ingredients

Lactose monohydrate, Magnesium stearate, Microcrystalline cellulose

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Uses

- reduce feelings of anxiety, restlessness, and stress
- reduce feelings of irritability
- reduce feelings of impulsivity
- improve concentration of attention
- enhance clarity

Directions

- Adults (18 years and older) to hold 1-2 tablets in the mouth until completely dissolved.
- Should be taken 2-4 times daily for 3 months
- Recommended to stop for 1-2 months (if symptoms do not return) after each 3 month regimen.
- Take no later than 2 hours before bedtime as this product has activating properties

Purpose

Improve emotional regulation, focus, and attention

Warnings

- **Ask a doctor or pharmacist before use if you are** lactose-intolerant
- **Stop use and ask a doctor if** symptoms persist or worsen
- **If pregnant or breast-feeding,** ask a health professional before use.
- **Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control right away.
- **Allergic (hypersensitivity) reactions may occur** in very rare cases.
- **Do not use if known sensitivity to Brillia** or any of its ingredients exists.

Other Information:

- Store in original package below 25°C or 77°F
- Do not use if blister pack is torn or broken

To report serious or adverse events, call 1-888-411-6952.



PST-3853 EST-4145
111339-2

LOT NO.:
EXP. DATE:

Info@DiscoverBrillia.com

Questions or comments?
1-888-411-6952 or email Info@DiscoverBrillia.com
Made in Lithuania.
Distributed by Hadat, LLC:
6929 N. Hayden Road, Suite C4-469
Scottsdale, AZ 85250-7970

To report serious or adverse events,
call 1-888-411-6952.

Inactive ingredients
Lactose monohydrate, Magnesium stearate,
Microcrystalline cellulose.

Other information
• Do not use if blister pack is torn or broken.
• Store in original package below 25°C or 77°F.

Directions
Adults (18 years and older) to hold 1-2 tablets
in the mouth until completely dissolved.
• Should be taken 2-4 times daily for 3 months.
• Recommended to stop for 1-2 months
(if symptoms do not return) after each
3-month regimen.
• Take no later than 2 hours before bedtime as
this product has activating properties.

Drug Facts (continued)


Drug Facts	Warnings
Active ingredients Lapine S-100 immune globulin 12C } Lapine S-100 immune globulin 30C } Lapine S-100 immune globulin 200C } improve emotional regulation, focus and attention	Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away. Allergic (hypersensitivity) reactions may occur in very rare cases. Do not use if known sensitivity to Brillia or any of its ingredients exists.
Purpose improve emotional regulation, focus and attention	Stop use and ask a doctor if symptoms persist or worsen. If pregnant or breast-feeding, ask a health professional before use.
Uses • Reduce feelings of anxiety, restlessness and stress • Reduce feelings of irritability • Reduce feelings of impulsivity • Improve concentration of attention • Enhance clarity	Ask a doctor or pharmacist before use if you are lactose-intolerant.

Brillia®
FOR ADULTS

SHINE BRIGHTER

HOMEOPATHIC

- + Enhance clarity
- + Improve concentration of attention
- Reduce feelings of:
 - Anxiety & stress
 - Restlessness
 - Irritability
 - Impulsivity



3 72123 00002 2





BRILLIA ADULT

lapine s-100 immune globulin 12 hpc, 30 hpc, 200 hpc pill

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:72123-003
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
LAPINE S-100 IMMUNE GLOBULIN (UNII: A4FH976KAQ) (LAPINE S-100 IMMUNE GLOBULIN - UNII:A4FH976KAQ)	LAPINE S-100 IMMUNE GLOBULIN	12 [hp_C]

Inactive Ingredients

Ingredient Name	Strength
LACTOSE MONOHYDRATE (UNII: EWQ57Q8I5X)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)	

Product Characteristics

Color	white	Score	score with uneven pieces
Shape	ROUND (round)	Size	9mm
Flavor		Imprint Code	B
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:72123-003-01	3 in 1 BOX	09/17/2019	
1		20 in 1 BLISTER PACK; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved homeopathic		01/19/2018	

Labeler - Hadaf LLC (094114708)

Establishment

Name	Address	ID/FEI	Business Operations
Santonika Uab		520214047	manufacture(72123-003)

Revised: 1/2022

Hadaf LLC