BANANA BOAT SIMPLY PROTECT SENSITIVE MINERAL ENRICHED SUNSCREEN UVA/UVB BROAD SPECTRUM SPF 50- homosalate,octisalate,octocrylene,zinc oxide spray

Edgewell Personal Care Brands, LLC

Active Ingredients

Homosalate 9.0%, Octisalate 3.0%, Octocrylene 6.0%, Zinc Oxide 7.3%

Purpose

Sunscreen

Uses

• helps prevent sunburn • if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings

For external use only.

May stain some fabrics.

Flammable

Contents under pressure. Do not puncture or incinerate container. Do not expose to heat or store at temperatures above 120°F. Do not use in the presence of a flame or spark. Keep away from sources of ignition - No smoking. **Intentional misuse** by deliberately concentrating and inhaling the contents can be harmful or fatal.

Do not use

on damaged or broken skin.

When using this product

keep away from face to avoid breathing it • keep out of eyes. Rinse with water to removed.

Stop use and ask a doctor

if rash occurs.

Keep out of reach of children.

If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions

• Shake well • Hold container 4 to 6 inches from the skin to apply • Spray liberally and spread evenly by hand 15 minutes before sun exposure • Do not spray directly into face. Spray on hands and then apply to face • Do not apply in windy conditions • Use in well-ventilated area • Reapply: • after 80 minutes of swimming or sweating • Immediately after towel drying • At least every 2 hours • Children under 6 months: Ask a doctor • Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF value of 15 or higher and other sun protection measures including: • limit time in the sun, especially from 10 a.m.-2 p.m. • wear long-sleeved shirts, pants, hats, and sunglasses

Inactive ingredients

Water, Isobutane, Isododecane, Cetyl PEG/PPG-10/1 Dimethicone, Caprylic/Capric Triglyceride, Butyloctyl Salicylate, Phenoxyethanol, Polyhydroxystearic acid, Triethoxycaprylylsilane, Sodium Citrate.

Other information

protect this product from excessive heat and direct sun

Questions or comments?

Call 1-800-SafeSun, Mon-Fri

Principal Display Panel

BANANA
BOAT®
sensitive
mineral
enriched
MINERAL ENRICHED SUNSCREEN LOTION SPRAY
UVA/UVB BROAD SPECTRUM SPF 50+
50+
HYPOALLERGENIC
WITH NATURALLY SOURCED ZINC
NO OXYBENZONE & PARABENS
Water Resistant
(80 Minutes)
SHAKE WELL BEFORE USE
NET WT 6 OZ. (170 g)



sensitive mineral

MINERAL ENRICHED \$ SUNSCREEN LOTION SPRAY UVA/UVB BROAD SPECTRUM SPF 50+



HYPOALLERGENIC

WITH NATURALLY SOURCED ZINC NO OXYBENZONE & PARABENS

> Water Resistant (80 Minutes)

SHAKE WELL BEFORE USE NET WT 6 OZ. (170 g)







SHAKE WELL BEFORE USE

FREE FROM Oxybenzone Octinoxate See List of Ingredients

Drug Facts

Active Ingredients

Homosalate 9.0%, Octisalate 3.0%, Octocrylene 6.0%, Zinc Oxide 7.3%.

15 min

Purpose

Uses ■ helps prevent sunburn ■ if used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings

For external use only.

Flammable: Contents under pressure. Do not puncture or incinerate container. Do not expose to heat or store at temperatures above 120°F. Do not use in the presence of a flame or spark. Keep away from sources of ignition – No smoking. Intentional misuse by deliberately concentrating and inhaling the contents can be harmful or fatal.

Do not use on damaged or broken skin.

When using this product keep away from face to avoid breathing it * keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs.

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away. May stain some fabrics.

Directions

■ Shake well ■ Hold container 4 to 6 inches from the skin to apply ■ Spray liberally ■ Shake well ■ Hold container 4 to 6 inches from the skin to apply ■ Spray liberally and spread evenly by hand 15 minutes before sun exposure ■ Do not spray directly into face. Spray on hands and then apply to face ■ Do not apply in windy conditions ■ Use in a well-ventilated area ■ Reapply: *after 80 minutes of swimming or sweating ■ Immediately after towel drying ■ At least every 2 hours ■ Children under 6 months: Ask a doctor ■ Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF value of 15 or higher and other sun protection measures including: *limit time in the sun, especially from 10 a.m.-2 p.m.

* wear long-sleeved shirts, pants, hats, and sunglasses

Inactive ingredients: Water, Isobutane, Isododecane, Cetyl PEG/PPG-10/1 Dimethicone, Caprylic/Capric Triglyceride, Butyloctyl Salicylate, Phenoxyethanol, Polyhydroxystearic acid, Triethoxycaprylylsilane, Sodium Citrate.

Other Information

protect this product from excessive heat and direct sun

Questions or comments: Call 1-800-SafeSun, Mon-Fri

Distributed by: EDGEWELL PERSONAL CARE BRANDS, LLC Shelton, CT 06484 www.bananaboat.com @ 2022 Edgewell.





DOT 29 M5655



55% MORE

FAMILY SIZE!

9.5 OZ VS 6 OZ

BANANA

BOAT®

sensitive

mineral

enriched

MINERAL ENRICHED SUNSCREEN LOTION SPRAY

UVA/UVB BROAD SPECTRUM SPF 50+

50 +

HYPOALLERGENIC

WITH NATURALLY SOURCED ZINC

NO OXYBENZONE & PARABENS Water Resistant (80 Minutes) SHAKE WELL BEFORE USE NET WT 9.5 OZ. (269 g)







sensitive mineral enriched

MINERAL ENRICHED \$ SUNSCREEN LOTION SPRAY UVA/UVB BROAD SPECTRUM SPF 50+



WITH NATURALLY SOURCED ZINC NO OXYBENZONE & PARABENS

> Water Resistant (80 Minutes)

SHAKE WELL BEFOREUSE NET WT 9.50Z. (269g)



REEF FRIENDLY

Hawaii Compliant: No Oxybenzone or Octinoxate

See List of Ingredients About 4 applications per 170g can

Drug Facts

Active Ingredients Homosalate 9.0%, Octisalate 3.0%, Octoorylene 6.0%, Zinc Oxide 7.3%...

Pumose

Uses III helps prevent surburn III if used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun.

Wamings

For external use only.

Flammable: Contents under pressure. Do not puncture or incinerate container. Do not expose to best or store attemperatures above 120°F. Do not use in the presence of a flame or spark. Keep away from sources of ignition—No smoking, Intentional nisuse by deliberately concentrating and inhaling the contents can be harmful or fatal.

Do not use on damaged or broken skin.

When using this product keep away from face to avoid breathing it • keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs.

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away. May stain some fabrics.

Directions

Directions

Shake well Shold container 4 to 8 inches from the skin to apply Spray liberally and spread evenly by hand 16 minutes before run exposure Spray on teaching the spray of freetly into face. Spray on tends and then apply to face Spray on tends and then apply to face Spray on tends or distinct the spray of th

Inactive ingredients: Water, Isobutane, Isododecane, Cetyl PEG/PFG-10/1 Dinethioone, Caprylio/Capric Triglyceride, Buryloctyl Safeylate, Phenoxyethanol, Polyhydroxystearic acid, Triethoxycaprylylaitene, Sodium Citrate.

Other Information

In protect this product from excessive heat and direct sun

Questions or comments of Call 1-800-SafeSun, Mon-Fri

Distributed by: EDGEWELL PERSONAL CARE BRANDS, LLC Shelton, CT 06484 www.bananaboat.com © 2019 Edgewell.





BANANA BOAT SIMPLY PROTECT SENSITIVE MINERAL ENRICHED SUNSCREEN UVA/UVB BROAD SPECTRUM SPF 50

homosalate,octisalate,octocrylene,zinc oxide spray

Product	Inform	ation
Product	11110111	lation

Product Type HUMAN OTC DRUG Item Code (Source) NDC:63354-261

Route of Administration TOPICAL

Active Ingredient/Active Moiety				
Ingredient Name	Basis of Strength	Strength		
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	7.3 g in 100 g		
HOMOSALATE (UNII: V06SV4M95S) (HOMOSALATE - UNII:V06SV4M95S)	HOMOSALATE	9 g in 100 g		
OCTISALATE (UNII: 4X49Y0596W) (OCTISALATE - UNII:4X49Y0596W)	OCTISALATE	3 g in 100 g		
OCTOCRYLENE (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM)	OCTOCRYLENE	6 g in 100 g		

Inactive Ingredients		
Ingredient Name	Strength	
WATER (UNII: 059QF0KO0R)		
ISODODECANE (UNII: A8289P68Y2)		
ANHYDROUS TRISODIUM CITRATE (UNII: RS7A450LGA)		
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)		
POLYHYDROXYSTEARIC ACID (2300 MW) (UNII: YXH47AOU0F)		
PHENOXYETHANOL (UNII: HIE492ZZ3T)		
BUTYLOCTYL SALICYLATE (UNII: 2EH13UN8D3)		
CETYL PEG/PPG-10/1 DIMETHICONE (HLB 2) (UNII: V2W71V8T0X)		
ISOBUTANE (UNII: BXR49TP611)		
MEDIUM-CHAIN TRIGLYCERIDES (UNII: C9H2L21V7U)		

Packaging				
# Item Code	Package Description	Marketing Start Date	Marketing End Date	
NDC:63354-261-	170 g in 1 CAN; Type 0: Not a Combination Product	09/23/2019		
NDC:63354-261- 37	269 g in 1 CAN; Type 0: Not a Combination Product	09/23/2019		

Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
OTC Monograph Drug	M020	09/23/2019		

Edgewell Personal Care Brands, LLC

Revised: 11/2023