

## VITAMIN E 300- tocopherol injection Durvet, Inc.

*Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.*

### Vitamin E 300

### INJECTABLE TOCOPHEROL

(300 I.U. Vitamin E per mL)

### FOR USE IN ANIMALS ONLY

#### Dosage and Administration:

Intramuscular or subcutaneous administration only. May be repeated as needed. If dose is greater than 5 mL, equally divide the dose and inject at two different sites.

<b>SUGGESTED DOSAGE:</b>		<b>International</b>
<b>SWINE</b>	<b>mL</b>	<b>Units (I.U.)</b>
Sows and Gilts		
2 wks pre-partum	4-6	1200-1800
2 wks pre-breeding	4-8	1200-1800
Pigs		
At birth	1-2	300-600
At weaning	2-3	800-900
<b>CATTLE (Dairy and Beef)</b>		
Cows and Heifers		
2-3 wks pre-partum	8-10	2400-3000
At calving	8-10	2400-3000
Calves		
At birth	4-6	1200-1800
At weaning	4-6	1200-1800
Yearlings	5-6	1500-1800
<b>SHEEP</b>		
Ewes		
2-3 wks pre-partum	4-5	1200-1500
At lambing	4-5	1200-1500
Lambs		
At birth	2-3	800-900
At weaning	2-3	800-900
Finishing Lambs	3-4	900-1200

Manufactured for:  
**DURVET, INC.**  
Blue Springs, Missouri 64014  
www.durvet.com

TAKE TIME  OBSERVE LABEL  
DIRECTIONS  
V-4363-05

### INDICATIONS

Vitamin E-300 Injectable Tocopherol (natural-source vitamin E) is a clear, sterile, water emulsifiable solution of d-alpha-tocopherol for use as an aid in the prevention and treatment of vitamin E deficiencies in swine, cattle and sheep. This product is intended as a supplemental source of natural vitamin E.

Natural tocopherols in feedstuffs can be destroyed through processing, ensiling, and storage. A reduced vitamin E intake can result in marginal deficiencies that may not be

visible. Intramuscular or subcutaneous injections offer an efficient and rapid method to increase the vitamin E status of animals.

**Each mL contains:**

**ACTIVE INGREDIENTS:** 300 I.U. of vitamin E (as d-alpha-tocopherol, a natural source of vitamin

**INACTIVE INGREDIENTS:** 2% benzyl alcohol (preservative) in a water emulsifiable base.

**Warnings:**

Do not add water to this solution. Not for human use. Keep out of reach of children.

**Store between 15° and 30° C (59°-86° F) in a dark place.**

**CAUTION:**

Do not exceed recommended dosage. Occasionally, reactions of an anaphylactic or allergic nature may occur. Should such reactions occur, treat immediately with injection of epinephrine or antihistamines.

**Vitamin E 300**

**FOR USE IN ANIMALS ONLY**  
**ADMINISTRATION AND DOSAGE:**  
 Intramuscular or subcutaneous administration only. If dose is greater than 5 mL, equally divide the dose and inject at two different sites.

**SUGGESTED DOSAGE:**

	mL	International Units (I.U.)
<b>SWINE</b>		
Sows and Gilts		
2 wks pre-partum	4-6	1200-1800
2 wks pre-breeding	4-8	1200-1800
Pigs		
At birth	1-2	300-600
At weaning	2-3	600-900
<b>CATTLE (Dairy and Beef)</b>		
Cows and Heifers		
2-3 wks pre-partum	8-10	2400-3000
At calving	8-10	2400-3000
Calves		
At birth	4-6	1200-1800
At weaning	4-6	1200-1800
Yearlings	5-6	1500-1800
<b>SHEEP</b>		
Ewes		
2-3 wks pre-partum	4-5	1200-1500
At lambing	4-5	1200-1500
Lambs		
At birth	2-3	600-900
At weaning	2-3	600-900
Finishing Lambs	3-4	900-1200

Manufactured for:  
**DURVET, INC.**  
 Blue Springs, Missouri 64014  
 www.durvvet.com

**TAKE TIME** **OBSERVE LABEL DIRECTIONS**  
 V-4363-05

NDC 3079B-894-13

**Vitamin E 300**

**INTRAMUSCULAR OR  
 SUBCUTANEOUS INJECTION ONLY**

**NET CONTENTS:  
 250 mL  
 (8.5 FL. OZ.)**

**KEEP OUT OF REACH OF CHILDREN**

**Each mL contains:**  
**ACTIVE INGREDIENTS:** 300 IU's of Vitamin E (as d-alpha-tocopherol, a natural source of Vitamin E).  
**INACTIVE INGREDIENTS:** 2% Benzyl Alcohol (preservative) in a water emulsifiable base.

**INDICATIONS:** Injectable Tocopherol (natural-source vitamin E) is a clear, sterile, non-aqueous solution of d-alpha-tocopherol for use as an aid in the prevention and treatment of vitamin E deficiencies in swine, cattle, and sheep.  
 The product is intended as a supplemental source of natural vitamin E.

Natural tocopherols in feedstuffs can be destroyed through processing, ensiling and storage. A reduced vitamin E intake can result in marginal deficiencies that may not be visible. Intramuscular or subcutaneous injections offer an efficient and rapid method to increase vitamin E status of animals.

**WARNING:** Do not add water to solution. Not for human use. Keep out of reach of children. **Store between 15° and 30° C (59°-86° F) in a dark place.**

**CAUTION:** Do not exceed recommended dosage. Occasionally, reactions of an anaphylactic or allergic nature may occur. Should such reactions occur, treat immediately with injection of epinephrine or antihistamines. REV 01-17

Lot No.: \_\_\_\_\_ EXP. DATE: \_\_\_\_\_

7 45801 22403 2

**VITAMIN E 300**

tocopherol injection

**Product Information**

<b>Product Type</b>	OTC ANIMAL DRUG	<b>Item Code (Source)</b>	NDC:30798-694	
<b>Route of Administration</b>	INTRAMUSCULAR, SUBCUTANEOUS			
<b>Active Ingredient/Active Moiety</b>				
<b>Ingredient Name</b>		<b>Basis of Strength</b>	<b>Strength</b>	
ALPHA-TOCOPHEROL (UNII: H4N855PNZ1) (.ALPHA.-TOCOPHEROL - UNII:H4N855PNZ1)		ALPHA-TOCOPHEROL	300 mg in 300 mL	
<b>Packaging</b>				
<b>#</b>	<b>Item Code</b>	<b>Package Description</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
1	NDC:30798-694-13	250 mL in 1 VIAL		
<b>Marketing Information</b>				
<b>Marketing Category</b>	<b>Application Number or Monograph Citation</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>	
unapproved drug other		01/31/2017		

**Labeler** - Durvet, Inc. (056387798)

Revised: 12/2023

Durvet, Inc.