

**CLENZIDERM NORMAL TO OILY SKIN ACNE THERAPEUTIC SYSTEM- salicylic acid and benzoyl peroxide
OMP, INC.**

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

**CLENZIDERM NORMAL TO OILY SKIN
ACNE THERAPEUTIC SYSTEM**

Daily Care Foaming Cleanser

DRUG FACTS

Active Ingredient

Salicylic Acid 2%

Purpose

Acne treatment gel

Uses

- for the treatment of acne
- dries up acne pimples
- helps prevent new acne pimples.

Warnings

For external use only.

When using this product

- using other topical acne medications at the same time or immediately following use of this product may increase dryness or irritation of the skin. If this occurs, only one medication should be used unless directed by a doctor.

Stop use and ask a doctor if

- irritation becomes severe.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- use AM and PM
- wet face
- gently massage product all over face for 20–30 seconds avoiding eye area
- rinse thoroughly and pat dry
- wait 10–15 minutes to allow skin to dry completely.

Other Information

- store away from heat and direct sunlight

- store at controlled room temperature: 15°–25°C (59°–77°F).

Inactive Ingredients

Butyl Avocadate, Cetyl Hydroxyethylcellulose, Cocamidopropyl Betaine, Disodium EDTA, Ethoxydiglycol, Ext. Violet 2 (CI 60730), Fragrance, Menthol, Menthyl Lactate, Sodium Laureth Sulfate, Sodium Lauryl Sulfate, Water (Aqua).

Questions?

(800) 636-7546 Mon–Fri 9:00 am–4:00 pm Pacific Time

Pore Therapy

DRUG FACTS

Active Ingredient

Salicylic Acid 2%

Purpose

Acne treatment

Uses

- for the treatment of acne
- dries up acne pimples
- helps prevent new acne pimples.

Warnings

For external use only.

When using this product

- using other topical acne medications at the same time or immediately following use of this product may increase dryness or irritation of the skin. If this occurs, only one medication should be used unless directed by a doctor.

Stop use and ask a doctor if

- irritation becomes severe.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- cleanse the skin thoroughly before applying medication
- cover the entire affected area with a thin layer one to three times daily
- because excessive drying of the skin may occur, start with one application daily, then gradually increase to two or three times daily if needed or as directed by a doctor
- if bothersome dryness or peeling occurs, reduce application to once a day or every other day.

Other Information

- store away from heat and direct sunlight
- store at controlled room temperature: 15°–25°C (59°–77°F).

Inactive Ingredients

Benzalkonium Chloride, Benzyl Alcohol, Ethoxydiglycol, Ext. Violet 2 (CI 60730), Fragrance, Glycerin, Menthol, Menthoxypropanediol, Menthyl Lactate, SD Alcohol 40-B (Alcohol Denat.), Water (Aqua).

Questions?

(800) 636-7546 Mon–Fri 9:00 am–4:00 pm Pacific Time

Therapeutic Lotion

DRUG FACTS

Active Ingredient

Benzoyl Peroxide 5%

Purpose

Acne treatment lotion

Uses

- for the treatment of acne
- dries up acne pimples
- helps prevent new acne pimples.

Warnings

For external use only.

Stop use and ask a doctor if

- irritation becomes severe.

When using this product

- skin irritation and dryness is more likely to occur if you use another topical acne medication at the same time. If irritation occurs, only use one topical acne medication at a time
- avoid unnecessary sun exposure and use a sunscreen
- avoid contact with the eyes, lips, and mouth
- avoid contact with hair and dyed fabrics, which may be bleached by this product
- skin irritation may occur, characterized by redness, burning, itching, peeling, or possibly swelling. Irritation may be reduced by using the product less frequently or in a lower concentration
- **if pregnant or breast-feeding**, ask a health care professional before use.

Do not use if you

- have very sensitive skin
- are sensitive to benzoyl peroxide.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- clean the skin thoroughly before applying this product
- cover the entire affected area with a thin layer one to three times daily
- because excessive drying of the skin may occur, start with one application daily, then gradually increase to two or three times daily if needed or as directed by a doctor
- if bothersome dryness or peeling occurs, reduce application to once a day or every other day
- if going outside, apply sunscreen after using this product. If irritation or sensitivity develops, stop use of both products and ask a doctor.

Other Information

- store away from heat and direct sunlight
- store at controlled room temperature: 15°–25°C (59°–77°F).

Inactive Ingredients

Benzyl Benzoate, BHT, Dicaprylyl Ether, Dimethyl Isosorbide, Disodium EDTA, Hydroxyethyl Acrylate/Sodium Acryloyldimethyl Taurate Copolymer, Phenoxyethanol, Polysorbate 60, Propylene Glycol, Squalane, Water (Aqua).

Questions?

1-800-636-7546 Mon–Fri 9:00 am–4:00 pm PST

Distributed by OMP, Inc., Long Beach, CA 90806

PRINCIPAL DISPLAY PANEL - Kit Carton

OBAGI®

CLENZIderm M.D.™

ACNE THERAPEUTIC SYSTEM


- Daily Care Foaming Cleanser
- Pore Therapy
- Therapeutic Lotion

Normal to Oily Skin

This Obagi® CLENZiderm M.D.™
Acne Therapeutic System includes:

- Daily Care Foaming Cleanser
4 FL. OZ. (118 ml)
- Pore Therapy
4 FL. OZ. (118 ml)
- Therapeutic Lotion
1.6 FL. OZ. (47 ml)

CLENZiderm M.D.™



CLENZiderm M.D.™

ACNE THERAPEUTIC SYSTEM

Normal to Oily Skin

- Daily Care Foaming Cleanser
- Pore Therapy
- Therapeutic Lotion



CLENZiderm M.D.™

This Obagi® CLENZiderm M.D.™
Acne Therapeutic System includes:

- Daily Care Foaming Cleanser
4 FL. OZ. (118 ml)
- Pore Therapy
4 FL. OZ. (118 ml)
- Therapeutic Lotion
1.6 FL. OZ. (47 ml)

OBAGI | I

OBAGI | I

CLENZIDERM

ACNE THERAPEUTIC SYSTEM

- Daily Care Foaming C
- Pore Therapy 4 Fl. O
- Therapeutic Lotion 1

CLENZIDERM M.D.™

CLENZIDERM M.D.™ Acne Therapeutic System for normal to oily skin is clinically proven to work on 3 different causes of acne.

- Daily Care Foaming Cleanser
Removes dirt and excess oil, leaving skin clean and refreshed.
- Pore Therapy
Unclogs pores and helps clear skin of acne-causing bacteria.
- Therapeutic Lotion
Salicylic Technology® delivers medication deep within your pores where acne starts, helping to clear acne quickly while minimizing dryness.

DRUG FACTS

Active Ingredient
Salicylic Acid 2%

Purpose
Acne treatment gel

Uses
For the treatment of acne. opens up acne pores. helps prevent new acne pimples.

Warnings
For external use only.

When using this product using other topical acne medications at the same time or immediately following use of this product may increase dryness or irritation of the skin. This occurs, only one medication should be used unless directed by a doctor.

Stop use and ask a doctor if irritation becomes severe, redness occurs, or if you have a rash.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions Rub the skin thoroughly twice a day using medication. Use after and use before shaving.

Other Information Some may have hair loss and direct sunlight. Avoid use for 2-3 days after waxing or electrolysis.

Questions? (800) 696-7516 Mon-Fri 9:00 am-4:00 pm Pacific Time

DRUG FACTS

Active Ingredient
Salicylic Acid 2%

Purpose
Acne treatment

Uses
For the treatment of acne. opens up acne pores. helps prevent new acne pimples.

Warnings
For external use only.

When using this product using other topical acne medications at the same time or immediately following use of this product may increase dryness or irritation of the skin. This occurs, only one medication should be used unless directed by a doctor.

Stop use and ask a doctor if irritation becomes severe, redness occurs, or if you have a rash.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions Rub the skin thoroughly twice a day using medication. Use after and use before shaving.

Other Information Some may have hair loss and direct sunlight. Avoid use for 2-3 days after waxing or electrolysis.

Questions? (800) 696-7516 Mon-Fri 9:00 am-4:00 pm Pacific Time

DRUG FACTS

Active Ingredient
Benzoyl Peroxide 5%

Purpose
Acne treatment lotion

Uses
For the treatment of acne. opens up acne pores. helps prevent new acne pimples.

Warnings
For external use only.

When using this product irritation becomes severe, redness occurs, or if you have a rash.

Stop use and ask a doctor if irritation becomes severe, redness occurs, or if you have a rash.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions Rub the skin thoroughly twice a day using medication. Use after and use before shaving.

Other Information Some may have hair loss and direct sunlight. Avoid use for 2-3 days after waxing or electrolysis.

Questions? (800) 696-7516 Mon-Fri 9:00 am-4:00 pm Pacific Time

Store at controlled room temperature:
15°C-25°C (59°F-77°F).
Patent # 7390431-1; 7445729-1
CLENZIDERM M.D. is a trademark and Obagi the Obagi logo, and Salicylic Technology are registered trademarks of OMP, Inc. Distributed by OMP, Inc., Long Beach, CA 90806
©2011 Obagi Medical Products, Inc. All rights reserved.
www.obagi.com Made in U.S.A. 40721210V 2212

OBAGI


CLENZIDERM M.D.™

ACNE THERAPEUTIC SYSTEM

- Daily Care Foaming Cleanser 4 FL. OZ. (118 ml)
- Pore Therapy 4 FL. OZ. (118 ml)
- Therapeutic Lotion 1.6 FL. OZ. (47 ml)

4
Cleanser 4 FL. OZ. (118 ml)
Pore Therapy 4 FL. OZ. (118 ml)
Therapeutic Lotion 1.6 FL. OZ. (47 ml)

1 M.D.™



CLENZIDERM NORMAL TO OILY SKIN ACNE THERAPEUTIC SYSTEM

salicylic acid and benzoyl peroxide kit

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:62032-511
---------------------	----------------	---------------------------	---------------

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:62032-511-02	1 in 1 CARTON		

Quantity of Parts

Part #	Package Quantity	Total Product Quantity
Part 1	1 BOTTLE, PLASTIC	118 mL
Part 2	1 BOTTLE, PLASTIC	118 mL
Part 3	1 BOTTLE, PLASTIC	47 mL

Part 1 of 3

CLENZIDERM DAILY CARE FOAMING CLEANSER ACNE TREATMENT

salicylic acid liquid

Product Information

Item Code (Source)	NDC:62032-111
--------------------	---------------

Route of Administration	TOPICAL
-------------------------	---------

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
SALICYLIC ACID (UNII: O414PZ4LPZ) (SALICYLIC ACID - UNII:O414PZ4LPZ)	SALICYLIC ACID	20 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
SODIUM LAURETH SULFATE (UNII: BPV390UAP0)	
DIETHYLENE GLYCOL MONOETHYL ETHER (UNII: A1A1I8X02B)	
SODIUM LAURYL SULFATE (UNII: 368GB5141J)	
COCAMIDOPROPYL BETAINE (UNII: 5OCF3O11KX)	
CETYL HYDROXYETHYLCELLULOSE (350000 MW) (UNII: T7SWE4S2TT)	
EDETATE DISODIUM (UNII: 7FLD91C86K)	
MENTHOL (UNII: L7T10EIP3A)	
MENTHYL LACTATE, (-)- (UNII: 2BF9E65L7I)	
EXT. D&C VIOLET NO. 2 (UNII: G5UX3K0728)	
WATER (UNII: 059QF0KO0R)	

Product Characteristics

Color	PURPLE	Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:62032-111-60	118 mL in 1 BOTTLE, PLASTIC		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH FINAL	part333D	02/01/2007	

Part 2 of 3**CLENZIDERM PORE THERAPY ACNE TREATMENT**

salicylic acid liquid

Product Information

Item Code (Source)	NDC:62032-110
Route of Administration	TOPICAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
SALICYLIC ACID (UNII: O414PZ4LPZ) (SALICYLIC ACID - UNII:O414PZ4LPZ)	SALICYLIC ACID	20 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
ALCOHOL (UNII: 3K9958V90M)	
DIETHYLENE GLYCOL MONOETHYL ETHER (UNII: A1A118X02B)	
BENZYL ALCOHOL (UNII: LKG8494WBH)	
3-((L-MENTHYL)OXY)PROPANE-1,2-DIOL (UNII: KD6TZ2QICH)	
GLYCERIN (UNII: PDC6A3C0OX)	
BENZALKONIUM CHLORIDE (UNII: F5UM2KM3W7)	
MENTHOL (UNII: L7T10EP3A)	
MENTHYL LACTATE, (-)- (UNII: 2BF9E65L7I)	
EXT. D&C VIOLET NO. 2 (UNII: G5UX3K0728)	
WATER (UNII: 059QF0KO0R)	

Product Characteristics

Color	PURPLE	Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:62032-110-60	118 mL in 1 BOTTLE, PLASTIC		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH FINAL	part333D	02/01/2007	

Part 3 of 3

CLENZIDERM THERAPEUTIC

benzoyl peroxide lotion

Product Information

Item Code (Source)	NDC:62032-113
--------------------	---------------

Route of Administration	TOPICAL
-------------------------	---------

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
BENZOYL PEROXIDE (UNII: W9WZN9A0GM) (BENZOYL PEROXIDE - UNII:W9WZN9A0GM)	BENZOYL PEROXIDE	50 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
BENZYL BENZOATE (UNII: N863NB338G)	
DICAPRYLYL ETHER (UNII: 77JZM5516Z)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
SQUALANE (UNII: GW89575KF9)	
POLYSORBATE 60 (UNII: CAL22UVI4M)	
DIMETHYL ISOSORBIDE (UNII: SA6A6V432S)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
EDETATE DISODIUM (UNII: 7FLD91C86K)	
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)	
WATER (UNII: 059QF0KO0R)	

Product Characteristics

Color	WHITE	Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:62032-113-65	47 mL in 1 BOTTLE, PLASTIC		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH FINAL	part333D	07/01/2007	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH FINAL	part333D	01/01/2012	

Labeler - OMP, INC. (790553353)

Establishment

Name	Address	ID/FEI	Business Operations
PURETEK CORPORATION		785961046	MANUFACTURE(62032-511) , LABEL(62032-511) , PACK(62032-511)

Establishment

Name	Address	ID/FEI	Business Operations
Ei INC.		105803274	MANUFACTURE(62032-511) , LABEL(62032-511) , PACK(62032-511) , ANALYSIS(62032-511)

Revised: 5/2012

OMP, INC.