

**TRIPLEANTIBIOTICAPAINSCARITCH- family wellness
bacitracin,neomycin,polymyxinb,pramoxinehcl ointment
Trifecta Pharmaceutical USA LLC**

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Triple Antibiotic Pain Scar Itch

DRUG FACTS

Active Ingredient

Bacitracin 500 Units

Purpose

First Aid Antibiotic

Active Ingredient

Neomycin 3.5mg

Purpose

First Aid Antibiotic

Active Ingredient

Polymyxin B 10,000 Units

Purpose

First Aid Antibiotic

Active Ingredient

Pramoxine HCL 10mg

Purpose

Pain Reliever

Uses

Helps prevent infection in and temporarily relieves pain due to minor cuts, scrapes and burns.

Warnings

For external use only. Do not use:

- If you are allergic to any of the ingredients
- in or near the eyes
- on large areas of the body

Ask a Doctor before Use

Ask Doctor before use if you have:

- Deep or puncture wounds
- Animal bites
- Serious burns

Stop Use and ask a Doctor if:

- Condition persists or gets worse
- Symptoms last for more than 7 days or clear up and come back within a few days
- A rash or other allergic reaction develops

When using this product

Do not use longer than 1 week

Keep out of Reach of Children

If Swallowed, get medical help or contact a Poison Control Center right away

Directions

Adults and children 2 years and older:

- Clean the affected area
- Apply a small amount of this product (an amount equal to the surface area of the tip of a finger) on the area 1 to 3 times daily
- May be covered with a sterile bandage

Children under 2 years: ask a doctor

Other Information

- To Open: Unscrew cap, pull tab to remove foil seal
- Store at 20° to 25°C (68° to 77°F)

- See carton or tube crimp for lot number and expiration date

Inactive Ingredient:

Cocoa Butter, Levant Cottonseed Oil, Olive Oil, Petrolatum, Sodium pyruvate, vitamin E

Questions?

Call 1-888-296-9067 Weekdays 9AM - 4PM EST

DISTRIBUTED BY: MIDWOOD BRANDS, LLC.


500 Volvo Parkway, Chesapeake, VA. 23320

NOT SATISFIED?

Return package and unused product within 30 days to any Family Dollar store for a refund (with receipt) or exchange.

This product is not manufactured or distributed by Johnson & Johnson Corporation, owner of the registered trademark Neosporin® Plus Pain Relief.

Packaging



DRUG FACTS
Active ingredient (in each gram)
Bacitracin 500 units
Neomycin 3.5 mg
Polymyxin B 10,000 units
Pramoxine hydrochloride 10mg
Pain reliever

Purposes
First aid antibiotic
First aid antibiotic
Pain reliever

Uses
helps prevent infection in and temporarily relieves pain due to minor: • cuts • scrapes • burns

Warnings
For external use only. Do not use • if you are allergic to any of the ingredients • in or near the eyes • on large areas of the body
Do not use • if you are allergic to any of the ingredients • in or near the eyes • on large areas of the body

Directions
Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.
adults and children 2 years and older:
• clean affected area • apply a small amount (equal to the surface area of tip of finger) on area 1 to 3 times daily.
• may be covered with a sterile bandage.
children under 2 years: ask a doctor.

Other Information
• To open: unscrew cap, pull tab to remove foil seal.
• Store at 20° to 25° C (68° to 77° F).
• See carton or tube crimp for lot number and expiration date.

INNER TUBE

COMPARE TO NEOSPORIN® PLUS PAIN ITCH SCAR ACTIVE INGREDIENTS*

FAMILY wellness™ PAIN • SCAR • ITCH
Bacitracin Zinc • Neomycin Sulfate • Polymyxin B Sulfate • Pramoxine HCl
TRIPLE ANTIBIOTIC OINTMENT AND PAIN RELIEF
NET WT. 1 oz. (28.4g)

Active ingredient (in each gram)
Bacitracin 500 units
Neomycin 3.5 mg
Polymyxin B 10,000 units
Pramoxine hydrochloride 10mg

Purposes
First aid antibiotic
First aid antibiotic
Pain reliever

Directions
adults and children 2 years and older:
• clean affected area • apply a small amount (equal to the surface area of tip of finger) on area 1 to 3 times daily • may be covered with a sterile bandage.
children under 2 years: ask a doctor.

Uses: helps prevent infection in and temporarily relieves pain due to minor: • cuts • scrapes • burns

Warnings
For external use only. Do not use • if you are allergic to any of the ingredients • in or near the eyes • on large areas of the body. Ask a doctor before use if you have • deep or puncture wounds • animal bites • serious burns. When using this product • do not use longer than 1 week. Stop use and ask a doctor if • condition lasts or gets worse • symptoms last for more than 7 days or clear up and come back within a few days • a rash or other allergic reaction develops. Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Other Information: • To open: unscrew cap, pull tab to remove foil seal • Store at 20° to 25° C (68° to 77° F) • See carton or tube crimp for lot number and expiration date.

Inactive ingredients: Cocoa butter, Levant cottonseed oil, Olive oil, Petrolatum, Sodium pyruvate, Vitamin E

Questions?
Call 1-888-296-5067
Weekdays 9 AM to 4 PM EST

DISTRIBUTED BY: MIDWOOD BRANDS, LLC 500 VOLVO PARKWAY CHESAPEAKE, VA 23320
NOT 100% SATISFIED? Return package and unused product within 30 days to any Family Dollar store for a refund (with receipt) or exchange.

TRIPLEANTIBIOTICAPAINSCARITCH

family wellness bacitracin,neomycin,polymyxinb,pramoxinehcl ointment

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:69396-045
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
POLYMYXIN B SULFATE (UNII: 19371312D4) (POLYMYXIN B - UNII:J2VZ.07J96K)	POLYMYXIN B	10000 [USP'U] in 100 g
BACITRACIN (UNII: 58H6RWO52I) (BACITRACIN - UNII:58H6RWO52I)	BACITRACIN	500 [USP'U] in 100 g
NEOMYCIN SULFATE (UNII: 057Y626693) (NEOMYCIN - UNII:I16QD7X297)	NEOMYCIN SULFATE	3.5 mg in 100 g
PRAMOXINE HYDROCHLORIDE (UNII: 88AYB867L5) (PRAMOXINE - UNII:068X84E056)	PRAMOXINE HYDROCHLORIDE	10 mg in 100 g

Inactive Ingredients

Ingredient Name	Strength
SODIUM PYRUVATE (UNII: POD38AIF08)	
ALPHA-TOCOPHEROL (UNII: H4N855PNZ1)	
OLIVE OIL (UNII: 6UYK2W1W1E)	
PETROLATUM (UNII: 4T6H12BN9U)	
LEVANT COTTONSEED OIL (UNII: N5CFT140R8)	
COCOA BUTTER (UNII: 512OYT1CRR)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:69396-045-01	1 in 1 BOX	09/22/2019	
1		28.4 g in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part333B	08/30/2019	

Labeler - Trifecta Pharmaceutical USA LLC (079424163)

Revised: 1/2023

Trifecta Pharmaceutical USA LLC