

VIRT-C DHA- ascorbic acid, thiamine mononitrate, riboflavin, niacin, pyridoxine hydrochloride, folic acid, cyanocobalamin, biotin, calcium pantothenate, ferrous fumarate, iron, magnesium sulfate, zinc sulfate, cupric sulfate, doconexent, and icosapent capsule, gelatin coated
Virtus Pharmaceuticals

Virt-C DHA

DESCRIPTION

Virt-C DHA is an orally administered prescription dietary supplement and should be administered under the supervision of a licensed medical practitioner.

Supplement Facts		
Serving Size: 1 Softgel		
	Amount Per Serving	% Daily Value for Pregnant & Lactating Women
Vitamin C*	25 mg	42%
Thiamine Mononitrate (B₁)	2 mg	118%
Riboflavin (B₂)	3 mg	150%
Niacin (B₃)*	1.8 mg	9%
Pyridoxine HCl (B₆)	25 mg	1000%
Folic Acid	1 mg	125%
Cyanocobalamin (B₁₂)	12.5 mcg	156%
Biotin (B₇)	300 mcg	100%
d-Calcium Pantothenate (B₅)	5 mg	50%
Ferrous Fumarate (anhydrous) (Equivalent to about 17.5 mg of Elemental iron)	53.5 mg [†]	
Polysaccharide Iron Complex (Equivalent to about 17.5 mg of Elemental iron)	38 mg [†]	‡194%
Magnesium (as magnesium sulfate)	5 mg	1%
Zinc (as zinc sulfate)	10 mg	67%
Copper (as copper sulfate)	2 mg	100%
Omega-3 Fatty Acids[§]	200 mg	¶
Docosahexaenoic Acid (DHA)	156 mg	¶
Eicosapentaenoic Acid (EPA)	39 mg	¶

* Also containing Ascorbic Acid Precursors as (1) Acid Metabolites including niacinamide ascorbate, calcium ascorbate, magnesium ascorbate, potassium ascorbate and sodium ascorbate; (2) Basic Amino Acids including lysine acetate; (3) Flavonoids including hesperidin; and (4) Glutathione.

† Minimum Iron Salt content.

‡ Total Iron: Ferrous Fumarate + Polysaccharide Iron Complex.

§ At least 200 mg Omega-3 Fatty Acids derived from 310 mg fish oil.

¶ Daily Value not established.

Other Ingredients: Lecithin, Beeswax, Soybean Oil, Caramel, Capsule (Gelatin, Glycerin, Water, and Caramel). **Contains Soy and Fish Oil.**

DOSAGE AND ADMINISTRATION

1 softgel daily, in between meals, or as prescribed by a licensed medical practitioner regardless of lactation status.

CAUTION

Ingestion of more than 3 grams per day of omega-3 fatty acids (ALA, EPA, and DHA) may have potential antithrombotic activities, or effects, and may increase bleeding times. Administration of omega-3 fatty acids, including DHA, should be avoided in patients with inherited or acquired bleeding diathesis, including those taking anticoagulants. Exercise caution to ensure that the prescribed dosage of DHA does not exceed 1 gram (1000 mg) per day.

WARNING: Accidental overdose of iron-containing products is a leading cause of fatal poisoning in children under 6. Keep this product out of reach of children. In case of accidental overdose, call a doctor or poison control center immediately.

CAUTION

High levels of folic acid may, especially in older adults, hide signs of Vitamin B-12 deficiency (such as pernicious anemia), a condition that can cause nerve damage.

Store at controlled room temperature 20°-25°C (68°-77°F); excursions permitted to 15°-30°C (59°-86°F). Protect from light and moisture. Dispense in a tight, light-resistant container.

Call your licensed medical practitioner about side effects. You may report side effects by calling Virtus at 1-888-848-3593 or FDA at 1-800-FDA-1088.

HOW SUPPLIED

Supplied as oblong, dark black color softgel imprinted with "V355" dispensed in 30 count bottles.

Manufactured for:

Virtus Pharmaceuticals, LLC

Langhorne, PA 19047

1-888-848-3593

Rev. 07/2019

PRINCIPAL DISPLAY PANEL - 30 Softgel Bottle Label

VIRTUS®

PHARMACEUTICALS

76439-331-30

Virt-C DHA

PRENATAL/POSTNATAL

**Prescription Folic Acid-Containing
Dietary Supplement
with Omega-3 Fatty Acids**

R_x
30 Softgels
 Made in the USA



76439-331-30

Virt-C DHA

PRENATAL/POSTNATAL

Prescription Folic Acid-Containing
 Dietary Supplement
 with Omega-3 Fatty Acids

R_x
 30 Softgels

Made in the USA

DESCRIPTION: Virt-C DHA is an orally administered prescription dietary supplement and should be administered under the supervision of a licensed medical practitioner.

Supplement Facts

Amount Per Serving	% Daily Value for Pregnant & Lactating Women
Vitamin C*	25 mg 42%
Thiamine Mononitrate (B1)	2 mg 118%
Riboflavin (B2)	3 mg 150%
Niacin (B3)**	1.8 mg 9%
Pyridoxine HCl (B6)	25 mg 1000%
Folic Acid	1 mg 125%
Cyanocobalamin (B12)	12.5 mcg 156%
Biotin (B7)	300 mcg 100%
d-Calcium Pantothenate (B5)	5 mg 50%
Ferrous Fumarate (anhydrous) (Equivalent to about 17.5 mg of Elemental Iron)	53.5 mg†
Polysaccharide Iron Complex (Equivalent to about 17.5 mg of Elemental Iron)	38 mg† **194%
Magnesium (as magnesium sulfate)	5 mg 1%
Zinc (as zinc sulfate)	10 mg 67%
Copper (as copper sulfate)	2 mg 100%
Omega-3 Fatty Acids***	200 mg †
Docosahexaenoic Acid (DHA)	156 mg †
Eicosapentaenoic Acid (EPA)	38 mg †

† Daily Value not established.
 ‡ Minimum Iron Salt content.
 * Also containing Ascorbic Acid Precursors as (1) Acid Mesobolites including malic acid, calcium ascorbate, calcium ascorbate, magnesium ascorbate, potassium ascorbate, and sodium ascorbate; (2) Ester Ammonium Ascorbate including lysine ascorbate, lysine ascorbate, and lysine ascorbate.
 ** Total Iron: Ferrous Fumarate + Polysaccharide Iron Complex.
 *** At least 200 mg Omega-3 Fatty Acids derived from 310 mg fish oil.

Other Ingredients: Lecithin, Boeswen, Spheroan Oil, Carnaibel, Capsule (Gelatin, Glycerin, Water, and Carnaibel). Contains Soy and Fish Oil.
DOSE AND ADMINISTRATION: 1 softgel daily, in between meals, or as prescribed by a licensed medical practitioner regardless of lactation status.
CAUTION: Ingestion of more than 3 grams per day of omega-3 fatty acids (ALA, EPA, and DHA) may have potential antithrombotic activities, or effects, and may increase bleeding times. Administration of omega-3 fatty acids, including fish oil, should be avoided in patients with labile or acquired bleeding diatheses. Patients should be monitored for bleeding. Patients should be advised to avoid concurrent dosage of DHA (do not exceed 1 gram/1000 mg) per day.

WARNING: Accidental overdose of iron-containing products is a leading cause of fatal poisoning in children under 6. KEEP THIS PRODUCT OUT OF REACH OF CHILDREN. In case of accidental overdose, call a doctor or poison control center immediately.
CAUTION: High levels of fish acid may, especially in older adults, side signs of Vitamin B-12 deficiency (such as pernicious anemia), a condition that can cause nerve damage.
STORAGE: Store at controlled room temperature 20° to 25°C (68° to 77°F); excursions permitted to 15° to 30°C (59° to 86°F). Protect from light and moisture. Dispense in a light, light-resistant container.
Call your licensed medical practitioner about side effects. You may report side effects by calling Virtus at 1-888-848-3393 or FDA at 1-800-FDA-1088.

HOW SUPPLIED: Supplied as oblong, white to off-white softgel capsules with 1000 printed on the front and back.
 1000 printed on the front and back.
 Made in the USA
 Virtus Pharmaceuticals, LLC
 Langhorne, PA 19047
 1-888-848-3393
 Rev. 07/2019



Lot:
 Exp:

VIRT-C DHA

ascorbic acid, thiamine mononitrate, riboflavin, niacin, pyridoxine hydrochloride, folic acid, cyanocobalamin, biotin, calcium pantothenate, ferrous fumarate, iron, magnesium sulfate, zinc sulfate, cupric sulfate, doconexent, and icosapent capsule, gelatin coated

Product Information

Product Type	DIETARY SUPPLEMENT	Item Code (Source)	NHRIC:76439-331
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ASCORBIC ACID (UNII: PQ6CK8PD0R) (ASCORBIC ACID - UNII:PQ6CK8PD0R)	ASCORBIC ACID	25 mg
THIAMINE MONONITRATE (UNII: 8K0I04919X) (THIAMINE ION - UNII:4ABT0J945J)	THIAMINE	2 mg
RIBOFLAVIN (UNII: TLM2976OFR) (RIBOFLAVIN - UNII:TLM2976OFR)	RIBOFLAVIN	3 mg
NIACIN (UNII: 2679MF687A) (NIACIN - UNII:2679MF687A)	NIACIN	1.8 mg
PYRIDOXINE HYDROCHLORIDE (UNII: 68Y4CF58BV) (PYRIDOXINE - UNII:KV2JZ1B16Z)	PYRIDOXINE HYDROCHLORIDE	25 mg
FOLIC ACID (UNII: 935E97BOY8) (FOLIC ACID - UNII:935E97BOY8)	FOLIC ACID	1 mg
CYANOCOBALAMIN (UNII: P6YC3EG204) (CYANOCOBALAMIN - UNII:P6YC3EG204)	CYANOCOBALAMIN	12.5 ug
BIOTIN (UNII: 6SO6U10H04) (BIOTIN - UNII:6SO6U10H04)	BIOTIN	300 ug
CALCIUM PANTOTHENATE (UNII: 568ET80C3D) (PANTOTHENIC ACID - UNII:19F5HK2737)	PANTOTHENIC ACID	5 mg
FERROUS FUMARATE (UNII: R5L488RY0Q) (FERROUS CATION - UNII:GW8958IOWR)	FERROUS CATION	53.5 mg
IRON (UNII: E1UOL152H7) (IRON - UNII:E1UOL152H7)	IRON	38 mg
MAGNESIUM SULFATE, UNSPECIFIED FORM (UNII: DE08037SAB) (MAGNESIUM CATION - UNII:T6V3LHY838)	MAGNESIUM SULFATE, UNSPECIFIED FORM	5 mg
ZINC SULFATE, UNSPECIFIED FORM (UNII: 89DS0H96TB) (ZINC CATION - UNII:13S1S8SF37)	ZINC SULFATE, UNSPECIFIED FORM	10 mg

