

**OXYGEN- oxygen gas**  
**Premier Oxygen LLC**

*Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.*

-----

**GENERAL WARNINGS AND PRECAUTIONS**

WARNING: HIGH PRESSURE OXIDIZING GAS. VIGOROUSLY ACCELERATES COMBUSTION. KEEP OIL AND GREASE AWAY. OPEN VALVE SLOWLY. STORE AND USE WITH ADEQUATE VENTILATION. USE ONLY WITH EQUIPMENT CLEANED FOR OXYGEN SERVICE AND RATED FOR CYLINDER PRESSURE. USE A BACK FLOW PREVENTATIVE DEVICE IN THE PIPING. CLOSE VALVE AFTER EACH USE AND WHEN EMPTY. CYLINDER TEMPERATURE SHOULD NOT EXCEED 52 C (125 F). USE IN ACCORDANCE WITH THE MATERIAL SAFETY DATA SHEET. DO NOT REMOVE THIS PRODUCT LABEL.

**OXYGEN COMPRESSED LABEL**

OXYGEN COMPRESSED USP UN 1072 OXYGEN - 2 MEDICAL GAS Rx ONLY. WARNING: FOR EMERGENCY USE ONLY WHEN ADMINISTERED BY PROPERLY TRAINED PERSONNEL FOR OXYGEN DEFICIENCY AND RESUSCITATION. FOR ALL OTHER MEDICAL APPLICATIONS Rx ONLY. CAUTION FEDERAL LAW PROHIBITS DISPENSING WITHOUT PRESCRIPTION. UNINTERRUPTED USE OF HIGH CONCENTRATIONS OF OXYGEN OVER A LONG DURATION WITHOUT MONITORING ITS EFFECT ON OXYGEN CONCENTRATION OF ARTERIAL BLOOD MAY BE HARMFUL. USE ONLY WITH PRESSURE REDUCING EQUIPMENT AND APPARATUS DESIGNED FOR OXYGEN. DO NOT ATTEMPT TO USE ON PATIENTS WHO HAVE STOPPED BREATHING UNLESS USED IN CONJUNCTION WITH RESUSCITATIVE EQUIPMENT. PRODUCED BY AIR LIQUEFACTION  
41014 (R07/05) CAS 7782-44-7



res

## OXYGEN REFRIGERATED LIQUID LABEL

### REFRIGERATED LIQUID OXYGEN, REFRIGERATED LIQUID

**USP  
UN1073**

**OXYGEN  
2**

(R-K14) 116046

**DANGER:** ALWAYS KEEP CONTAINER IN UPRIGHT POSITION.  
DO NOT CHANGE OR FORCE FIT CONNECTIONS.  
MAY CAUSE OR INTENSIFY FIRE: OXIDIZER.  
CONTAINS REFRIGERATED GAS; MAY CAUSE CRYOGENIC  
BURNS OR INJURY.  
COMBUSTIBLES IN CONTACT WITH LIQUID OXYGEN MAY  
EXPLODE ON IGNITION OR IMPACT.

Do not handle until all safety precautions have been read  
and understood.

Keep and store away from clothing and other combustible  
materials.

Keep valves and fittings free from grease and oil.

Use and store only outdoors or in a well-ventilated place.

Wear cold insulating gloves, face shield, and eye protection.

In case of fire: Stop leak if safe to do so.

Use a back flow preventive device in the piping.

Use only with equipment of compatible materials of construction and rated for cylinder pressure.

Use only with equipment cleaned for oxygen service.

**DO NOT** change or force fit connections.

Avoid spills. Do not walk on or roll equipment over spills.

Close valve after each use and when empty.

Always keep container in upright position.

Read and follow the Safety DataSheet (SDS) before use.

**WARNING:** For emergency use only when administered by properly trained personnel for oxygen

deficiency and resuscitation. For all other medical applications. Rx only.

Uninterrupted use of high concentrations of oxygen over a long duration.

without monitoring its

effect on oxygen content O1 arterial blood, may be harmful. Do not attempt to use on patients who

have stopped breathing unless used in conjunction with resuscitative equipment. Keep out of reach

of children.

Federal law requires that this container be refilled with oxygen USP only by establishments

registered as a drug manufacturer in accordance with the Federal Food, Drug and Cosmetic Act.

**FIRSTAID: IF ON SKIN:** Thaw frosted parts with lukewarm water. Do not rub affected area. Get immediate medical advice/attention.

**DO NOT REMOVE THIS PRODUCT LABEL.**

Premier Oxygen, LLC  
2185 NE Spalding Avenue  
Grants Pass, OR 97526  
(888) 977•9339



**↑ ALWAYS KEEP CONTAINER IN UPRIGHT POSITION. ↑**  
**DO NOT CHANGE OR FORCE FIT CONNECTIONS.**

**DANGER:** MAY CAUSE OR INTENSIFY FIRE; OXIDIZER.  
CONTAINS REFRIGERATED GAS; MAY CAUSE CRYOGENIC  
BURNS OR INJURY.  
COMBUSTIBLES IN CONTACT WITH LIQUID OXYGEN MAY  
EXPLODE ON IGNITION OR IMPACT.

Do not handle until all safety precautions have been read  
and understood.  
Keep and store away from clothing and other combustible  
materials.  
Keep valves and fittings free from grease and oil.  
Use and store only outdoors or in a well-ventilated place.  
Wear cold insulating gloves, face shield, and eye protection.  
In case of fire: Stop leak if safe to do so.  
Use a back flow preventive device in the piping.  
Use only with equipment of compatible materials of construction  
and rated for cylinder pressure.  
Use only with equipment cleaned for oxygen service.  
DO NOT change or force fit connections.  
Avoid spills. Do not walk on or roll equipment over spills.  
Close valve after each use and when empty.  
Always keep container in upright position.  
Read and follow the Safety Data Sheet (SDS) before use.

**WARNING:** For emergency use only when administered by properly trained personnel for oxygen  
deficiency and resuscitation. For all other medical applications, **Rx only**.  
Uninterrupted use of high concentrations of oxygen over a long duration, without monitoring its  
effect on oxygen content of arterial blood, may be harmful. Do not attempt to use on patients who  
have stopped breathing unless used in conjunction with resuscitative equipment. Keep out of reach  
of children.  
Federal law requires that this container be refilled with oxygen USP only by establishments  
registered as a drug manufacturer in accordance with the Federal Food, Drug and Cosmetic Act.

**FIRST AID:** **IF ON SKIN:** Thaw frosted parts with lukewarm water. Do not  
rub affected area. Get immediate medical advice/attention.

**DO NOT REMOVE THIS PRODUCT LABEL.**

**Premier Oxygen, LLC**

2185 NE Spalding Avenue  
Grants Pass, OR 97526  
**(888) 977-9339**



res

## OXYGEN

oxygen gas

**Product Information**

<b>Product Type</b>	HUMAN PRESCRIPTION DRUG	<b>Item Code (Source)</b>	NDC:67932-1313	
<b>Route of Administration</b>	RESPIRATORY (INHALATION)			
<b>Active Ingredient/Active Moiety</b>				
	<b>Ingredient Name</b>	<b>Basis of Strength</b>	<b>Strength</b>	
	OXYGEN (UNII: S88TT14065) (OXYGEN - UNII:S88TT14065)	OXYGEN	99.5 L in 100 L	
<b>Packaging</b>				
<b>#</b>	<b>Item Code</b>	<b>Package Description</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
1	NDC:67932-1313-1	165 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/1988	
2	NDC:67932-1313-2	425 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/1988	
3	NDC:67932-1313-3	680 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/1988	
4	NDC:67932-1313-4	255 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/1988	
5	NDC:67932-1313-5	1750 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/1988	
6	NDC:67932-1313-8	26 L in 1 DEWAR; Type 0: Not a Combination Product	01/01/1988	
<b>Marketing Information</b>				
<b>Marketing Category</b>	<b>Application Number or Monograph Citation</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>	
unapproved medical gas		01/01/1988		

**Labeler** - Premier Oxygen LLC (013568474)

**Registrant** - Premier Oxygen LLC (013568474)

### Establishment

Name	Address	ID/FEI	Business Operations
Premier Oxygen LLC		013568474	manufacture(67932-1313)

### Establishment

Name	Address	ID/FEI	Business Operations
Premier Oxygen LLC		140880423	manufacture(67932-1313)