NASAL DECONGESTANT- phenylephrine hcl tablet, film coated Amerisource Bergen

Good Neighbor Pharmacy 44-453 Delisted

Active ingredient (in each tablet)

Phenylephrine HCl 10 mg

Purpose

Nasal decongestant

Uses

- temporarily relieves sinus congestion and pressure
- temporarily relieves nasal congestion due to the common cold, hay fever or other upper respiratory allergies

Warnings

Do not use

if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

Ask a doctor before use if you have

- heart disease
- diabetes
- thyroid disease
- high blood pressure
- difficulty in urination due to enlargement of the prostate gland

When using this product

do not exceed recommended dosage.

Stop use and ask a doctor if

- nervousness, dizziness, or sleeplessness occur
- symptoms do not improve within 7 days or occur with fever

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

- adults and children 12 years and over: take 1 tablet every 4 hours. Do not take more than 6 tablets in 24 hours.
- children under 12 years: ask a doctor

Other information

- TAMPER EVIDENT: DO NOT USE IF OUTER PACKAGE IS OPENED OR BLISTER IS TORN OR BROKEN
- store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F)
- see end flap for expiration date and lot number

Inactive ingredients

croscarmellose sodium, dextrose monohydrate, dibasic calcium phosphate dihydrate, FD&C red #40, lecithin, magnesium stearate, maltodextrin, microcrystalline cellulose, silicon dioxide, sodium carboxymethylcellulose, sodium citrate dihydrate, titanium dioxide

Questions or comments?

1-800-426-9391

Principal Display Panel

GOOD NEIGHBOR PHARMACY®

Compare to Sudafed PE® Sinus Congestion active ingredient*

NDC 46122-650-68

MAXIMUM STRENGTH

Nasal Decongestant PE

Phenylephrine HCl 10 mg Nasal Decongestant

Non-drowsy

Relief of:

- Sinus Pressure.
- Sinus & Nasal Congestion

36 Tablets

Actual Size

TAMPER EVIDENT: DO NOT USE IS PACKAGE IS OPENED OR IF BLISTER UNIT IS

TORN, BROKEN OR SHOWS ANY SIGNS OF TAMPERING

*This product is not manufactured or distributed by Johnson & Johnson Corporation, owner of the registered trademark Sudafed $PE^{\mathbb{B}}$ Sinus Congestion. 50844 REV0820A45307

Distributed by AmerisourceBergen 1300 Morris Drive Chesterbrook, PA 19087 Questions or Concerns? www.mygnp.com

GOOD NEIGHBOR PHARMACY BRAND PRODUCTS **SATISFACTION GUARANTEED**

Congestion. Sudafed PE® Sinus registered trademark Corporation, owner of the by Johnson & Johnson manufactured or distributed This product is not



www.mygnp.com

Questions or Concerns? Chesterbrook, PA 19087 1300 Morris Drive AmerisourceBergen Distributed By

Stop use and ask a doctor if

■ heart disease

■ thyroid disease ■ high blood pressure

Ask a doctor before use if you have before taking this product.

■ diabetes

MAXIMUM STRENGTH

econgestant

Guestions or comments? 1-800-426-9391

citrate dihydrate, titanium dioxide cellulose, silicon dioxide, sodium carboxymethylcellulose, sodium lecithin, magnesium stearate, maltodextrin, microcrystalline monohydrate, dibasic calcium phosphate dihydrate, FD&C red #40, Inactive ingredients croscarmellose sodium, dextrose

■ see end flap for expiration date and lot number

■ store at 25°C (77°F); excursions permitted between 15°-30°C OR BLISTER IS TORN OR BROKEN

■ TAMPER EVIDENT: DO NOT USE IF OUTER PACKAGE IS OPENED Uther information

■ children under 12 years: ask a doctor

Do not take more than 6 tablets in 24 hours. adults and children 12 years and over; take 1 tablet every 4 hours. UIYections

or contact a Poison Control Center right away. Keep out of reach of children. In case of overdose, get medical help If pregnant or breast-feeding, ask a health professional before use.

Purpose

Drug Facts (continued)

■ temporarily relieves sinus congestion and pressure

hay fever or other upper respiratory allergies

■ symptoms do not improve within 7 days or occur with fever ■ nervousness, dizziness, or sleeplessness occur

When using this product do not exceed recommended dosage.

qitticulty in urination due to enlargement of the prostate gland

prescription drug contains an MAOI, ask a doctor or pharmacist after stopping the MAOI drug. If you do not know if your

or emotional conditions, or Parkinson's disease), or for 2 weeks

temporarily relieves nasal congestion due to the common cold,

Do not use if you are now taking a prescription monoamine

oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric

Marnings

Phenylephrine HCl 10 mg Nasai decongestant Active ingredient (in each tablet)

Drug Facts

KEEP OUTER PACKAGE FOR COMPLETE PRODUCT INFORMATION

MAXIMUM STRENGTH

Nasal Decongestant

GOOD **NEIGHBOR**

Compare to Sudafed PE® Sinus Congestion active ingredient*

NDC 46122-650-68

MAXIMUM STRENGTH

Nasal Decongestant

Phenylephrine HCI 10 mg Nasal Decongestant

Non-drowsy

Relief of:

- Sinus Pressure,
- Sinus & Nasal Congestion

36 Tablets

Actual Size

Good Neighbor 44-453

EVIDENT: DO NOT IS TORN, BROKEN

OR OR

SHOWS ANY SIGNS OF TAMPERING

No Varnish/No Print Lot # & Expiry Area

NASAL DECONGESTANT

phenylephrine hcl tablet, film coated

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:46122-650

Route of Administration ORAL

Active Ingredient/Active Moiety		
Ingredient Name	Basis of Strength	Strength
PHENYLEPHRINE HYDROCHLORIDE (UNII: 04JA59TNSJ) (PHENYLEPHRINE - UNII: 1WS297W6MV)	PHENYLEPHRINE HYDROCHLORIDE	10 mg

Inactive Ingredients	
Ingredient Name	Strength
CROSCARMELLOSE SODIUM (UNII: M280L1HH48)	
DEXTROSE MONOHYDRATE (UNII: LX22YL083G)	
DIBASIC CALCIUM PHOSPHATE DIHYDRATE (UNII: O7TSZ97GEP)	
FD&C RED NO. 40 (UNII: WZB9127XOA)	
LECITHIN, SOYBEAN (UNII: 1DI56QDM62)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
MALTODEXTRIN (UNII: 7CVR7L4A2D)	
MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
CARBOXYMETHYLCELLULOSE SODIUM, UNSPECIFIED (UNII: K6790BS311)	
TRISODIUM CITRATE DIHYDRATE (UNII: B22547B95K)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	

Product Characteristics			
Color	red	Score	no score
Shape	ROUND	Size	7mm
Flavor		Imprint Code	44;453
Contains			

Packaging					
# Item Code	Package Description	Marketing Start Date	Marketing End Date		
NDC:46122- 650-68	2 in 1 CARTON	07/17/2020	09/22/2025		
1	18 in 1 BLISTER PACK; Type 0: Not a Combination Product				

Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
OTC Monograph Drug	M012	07/17/2020	09/22/2025	

Establishment			
Name	Address	ID/FEI	Business Operations
LNK International, Inc.		832867837	manufacture(46122-650), pack(46122-650)

Establishment			
Name	Address	ID/FEI	Business Operations
LNK International, Inc.		832867894	manufacture(46122-650)

Establishment			
Name	Address	ID/FEI	Business Operations
LNK International, Inc.		868734088	manufacture(46122-650)

Establishment			
Name	Address	ID/FEI	Business Operations
LNK International, Inc.		117025878	manufacture(46122-650)

Revised: 1/2024 Amerisource Bergen