

ASH POLLEN MIX- fraxinus pennsylvanica, fraxinus americana solution
BIRCH POLLEN MIX- betula lenta, betula nigra and betula populifolia solution
PINE POLLEN MIX- pinus taeda, pinus strobus and pinus echinata solution
11 TREE POLLEN MIX- fagus grandifolia, platanus occidentalis, ulmus americana, juglans nigra, salix nigra, populus deltoides, quercus rubra, betula nigra, carya ovata, acer saccharum and fraxinus americana solution
WESTERN WALNUT POLLEN MIX- juglans californica and juglans regia solution
EASTERN 6 TREE POLLEN MIX- fagus grandifolia, populus deltoides, quercus rubra, betula nigra, carya ovata and fraxinus americana solution
JUNIPER POLLEN MIX- juniperus monosperma and juniperus scopulorum solution
WESTERN 10 TREE POLLEN MIX- acacia dealbata, acer negundo, populus fremontii, olea europaea, ulmus pumila, betula occidentalis, juniperus occidentalis, platanus racemosa, quercus garryana and morus alba solution
11 TREE POLLEN MIX- fagus grandifolia, platanus occidentalis, ulmus americana, juglans nigra, salix nigra, populus deltoides, quercus rubra, betula nigra, carya ovata, acer saccharum and fraxinus americana solution
2 MAPLE POLLEN MIX- acer rubrum and acer saccharum solution
3 MAPLE POLLEN MIX- acer rubrum, acer saccharinum and acer saccharum solution
CENTRAL EASTERN 4 TREE POLLEN MIX- ulmus americana, acer negundo, carya illinoensis and quercus virginiana solution
EASTERN OAK POLLEN MIX- quercus velutina, quercus rubra and quercus alba solution
ELM POLLEN MIX- ulmus americana and ulmus pumila solution
HICKORY POLLEN MIX- carya glabra, carya ovata, carya laciniosa and carya tomentosa solution
HICKORY-PECAN POLLEN MIX- carya illinoensis and carya ovata solution
WESTERN 3 TREE POLLEN MIX- olea europaea, ulmus pumila and platanus racemosa solution
MAPLE-BOX ELDER POLLEN MIX- acer saccharum and acer negundo solution
WESTERN OAK POLLEN MIX- quercus kelloggii, quercus agrifolia and quercus garryana solution
11 TREE POLLEN MIX- fagus grandifolia, platanus occidentalis, ulmus americana, juglans nigra, salix nigra, populus deltoides, quercus rubra, betula nigra, carya ovata, acer saccharum and fraxinus americana solution
EASTERN 10 TREE POLLEN MIX- platanus occidentalis, ulmus americana, fagus grandifolia, populus deltoides, quercus rubra, betula nigra, carya ovata, fraxinus americana, acer saccharum and liquidambar styraciflua solution
MAPLE BOX ELDER POLLEN MIX- acer saccharum and acer negundo solution
EASTERN 7 TREE POLLEN MIX- ulmus americana, fagus grandifolia, populus deltoides, quercus rubra, betula nigra, carya ovata and fraxinus americana solution
EASTERN 8 TREE POLLEN MIX- ulmus americana, fagus grandifolia, populus deltoides, quercus rubra, betula nigra, carya ovata, fraxinus americana and acer saccharum solution
EASTERN 8 TREE POLLEN MIX- ulmus americana, fagus grandifolia, populus deltoides, quercus rubra, betula nigra, carya ovata, fraxinus americana and acer saccharum solution
WESTERN 10 TREE POLLEN MIX- acacia dealbata, acer negundo, populus fremontii, olea europaea, ulmus pumila, betula occidentalis, juniperus occidentalis, platanus racemosa, quercus garryana and morus alba solution
Greer Laboratories, Inc.

Non Standardized Allergenic Extracts

Pollens, Molds, Epidermals, Insects, Dusts, Foods, and Miscellaneous Inhalants

HIGHLIGHTS OF PRESCRIBING INFORMATION

These highlights do not include all the information needed to use Non-Standardized Allergenic Extracts (Pollens, Molds, Epidermals, Insects, Foods and Miscellaneous Inhalants) safely and effectively. See full prescribing information for Non-Standardized Allergenic Extracts.

Non-Standardized Allergenic Extracts (Pollens, Molds, Epidermals, Insects, Foods, and Miscellaneous Inhalants)

Solutions for percutaneous, intradermal or subcutaneous administration.

Initial U.S. Approval: 1968

WARNING: SEVERE ALLERGIC REACTIONS

See full prescribing information for complete boxed warning.

- Non-Standardized Allergenic Extracts can cause severe life-threatening systemic reactions, including anaphylaxis. (5.1)
- Do not administer these products to patients with severe, unstable or uncontrolled asthma. (4)
- Observe patients in the office for at least 30 minutes following treatment. Emergency measures and personnel trained in their use must be available immediately in the event of a life-threatening reaction. (5.1)
- Patients with extreme sensitivity to these products, on an accelerated immunotherapy build-up, switching to another lot, receiving high doses of these products, and patients exposed to similar allergens may be at increased risk of a severe allergic reaction. (5.1)
- These products may not be suitable for patients with certain underlying medical conditions that may reduce their ability to survive a systemic allergic reaction, and for patients receiving medications such as beta-blockers that may make them unresponsive to epinephrine or inhaled bronchodilators. (5.1, 5.2)

INDICATIONS AND USAGE

Non-Standardized Allergenic Extracts are indicated for:

- Skin test diagnosis of patients with a clinical history of allergies to one or more of the specific allergens. (1)
- Immunotherapy for reduction of allergen-induced allergic symptoms confirmed by appropriate positive skin tests or in vitro testing for allergen-specific IgE antibodies. (1)

Food extracts have not been proven safe or effective in allergen immunotherapy.

DOSAGE AND ADMINISTRATION

For percutaneous, intradermal or subcutaneous use only.

The extracts are diluted with sterile diluents when used for intradermal testing or subcutaneous immunotherapy. For percutaneous testing, the extracts are diluted with sterile diluents in patients expected to be at greater risk for systemic allergic reaction. Dosages vary by mode of administration and by individual response. See full prescribing information for instructions on preparation, administration, and adjustments of dose. (2.1)

DOSAGE FORMS AND STRENGTHS

Non-Standardized Allergenic Extracts are labeled in weight/volume and/or protein nitrogen units (PNU)/milliliter (a measure of total protein), and are supplied as sterile aqueous stock concentrates at up to 1:10 weight/volume or 40,000 PNU/milliliter, or 50% glycerin stock concentrates at up to 1:20 weight/volume. (3)

CONTRAINDICATIONS

- Severe, unstable or uncontrolled asthma. (4)
- History of any severe systemic or local allergic reaction to an allergen extract. (4)

WARNINGS AND PRECAUTIONS

Severe allergic reactions have occurred following the administration of other allergenic extracts and may occur in individuals following the administration of Non-Standardized Allergenic Extracts in the following situations:

- Extreme sensitivity to Non-Standardized Allergenic Extracts, receipt of high doses of Non-Standardized Allergenic Extracts, or concomitant exposure to similar environmental allergens. (5.1)
- Receiving an accelerated immunotherapy build-up schedule (e.g., “rush” immunotherapy), or changing from one allergenic lot to another. (5.1)

ADVERSE REACTIONS

The most common adverse reactions, occurring in 26 to 82% of all patients who receive subcutaneous immunotherapy, are local adverse reactions at the injection site (e.g., erythema, itching, swelling, tenderness, pain). (6)

Systemic adverse reactions, occurring in $\leq 7\%$ of patients who receive subcutaneous immunotherapy, include generalized skin erythema, urticaria, pruritus, angioedema, rhinitis, wheezing, laryngeal edema, and hypotension. These can be fatal. (6)

To report SUSPECTED ADVERSE REACTIONS, contact GREER Laboratories, Inc. at 1-855-274-1322 or FDA at 1-800-FDA-1088 or www.fda.gov/medwatch.

DRUG INTERACTIONS

- Antihistamines and other medications that suppress histamine, including topical corticosteroids, topical anesthetics and tricyclic antidepressants can interfere with skin test results. (7)

See 17 for PATIENT COUNSELING INFORMATION

FULL PRESCRIBING INFORMATION: CONTENTS*

WARNING: SEVERE ALLERGIC REACTIONS

1 INDICATIONS AND USAGE

2 DOSAGE AND ADMINISTRATION

2.1 Preparation for Administration

2.2 Diagnostic Testing

2.3 Immunotherapy

3 DOSAGE FORMS AND STRENGTHS

4 CONTRAINDICATIONS

5 WARNINGS AND PRECAUTIONS

5.1 Serious Systemic Adverse Reactions

5.2 Epinephrine

5.3 Cross-Reactions and Dose Sensitivity

6 ADVERSE REACTIONS

7 DRUG INTERACTIONS

7.1 Antihistamines

7.2 Topical Corticosteroids and Topical Anesthetics

7.3 Tricyclic Antidepressants

8 USE IN SPECIFIC POPULATIONS

8.1 Pregnancy

8.2 Lactation

8.4 Pediatric Use

8.5 Geriatric Use

11 DESCRIPTION

12 CLINICAL PHARMACOLOGY

12.1 Mechanism of Action

14 CLINICAL STUDIES

15 REFERENCES

16 HOW SUPPLIED/STORAGE AND HANDLING

16.1 How Supplied

16.2 Storage and Handling

17 PATIENT COUNSELING INFORMATION

*Sections or subsections omitted from the Full Prescribing Information are not listed.

FULL PRESCRIBING INFORMATION

WARNING: SEVERE ALLERGIC REACTIONS

- **Non-Standardized Allergenic Extracts can cause severe life-threatening systemic reactions, including anaphylaxis. (5.1)**
- **Do not administer these products to patients with severe, unstable, or uncontrolled asthma. (4)**
- **Observe patients in the office for at least 30 minutes following treatment. Emergency measures and personnel trained in their use must be available immediately in the event of a life-threatening reaction. (5.1)**
- **Patients with extreme sensitivity to these products, those on an accelerated immunotherapy build-up schedule, those switching to another allergenic lot, those receiving high doses of Non-Standardized Allergenic Extracts, or those also exposed to similar allergens may be at increased risk of a severe allergic reaction. (5.1)**
- **These products may not be suitable for patients with certain underlying medical conditions that may reduce their ability to survive a serious allergic reaction. (5.1)**
- **These products may not be suitable for patients who may be unresponsive to epinephrine or inhaled bronchodilators, such as those taking beta-blockers. (5.2)**

1 INDICATIONS AND USAGE

Non-Standardized Allergenic Extracts are indicated for:

- Skin test diagnosis of patients with a clinical history of allergies to one or more of the specific non-standardized allergens.
- Immunotherapy for the reduction of allergen-induced allergic symptoms confirmed by appropriate

positive skin tests or by in vitro testing for allergen-specific IgE antibodies.

Food extracts have not been proven safe or effective in allergen immunotherapy.

2 DOSAGE AND ADMINISTRATION

For percutaneous, intradermal or subcutaneous use only.

The extracts are diluted with sterile diluents when used for intradermal testing or subcutaneous immunotherapy. For percutaneous testing, the extracts are diluted with sterile diluents in patients expected to be at greater risk for systemic allergic reaction. Dosages vary by mode of administration and by individual response.

2.1 Preparation and Administration

Parenteral drug products should be inspected visually for particulate matter and discoloration prior to administration, whenever solution and container permit. Discard solution if either of these conditions exist.

The extracts are diluted with sterile diluents when used for percutaneous and intradermal testing, or for subcutaneous immunotherapy.

Extracts labeled “For Diagnostic Use Only” are intended for percutaneous and intradermal testing only. These extracts have not been shown by adequate data to be safe and effective for therapeutic use. The extracts labeled For Diagnostic Use Only are the foods Barley, Coffee, Oat, Pineapple, Rye, Spinach, Wheat, the insects Flea, House Fly, Mosquito, and the plant and plant parts Cottonseed and Flax.

Undiluted 50% glycerin stock concentrate is used for percutaneous testing. To prepare 10-fold dilutions for percutaneous testing in patients suspected to be at greater risk for systemic allergic reaction, start with the stock concentrate. Proceed as shown in Table 1. The 10-fold dilution series uses 0.5 milliliters of concentrate added to 4.5 milliliters of sterile 50% glycerin diluent. Subsequent dilutions are made in a similar manner.

To prepare 10-fold dilutions for intradermal testing and immunotherapy, start with a 1:10 weight/volume, 1:20 weight/volume, or up to a 40,000 PNU/milliliter stock concentrate. Proceed as shown in Table 1. The 10-fold dilution series uses 0.5 milliliter of concentrate added to 4.5 milliliters of sterile diluent (glycerin-free diluents for intradermal testing, glycerin-free or 10% glycerin-saline diluents for immunotherapy). Subsequent dilutions are made in a similar manner.

Table: 10-fold Dilution Series*

Dilution	Extract	Milliliters of Diluent	Dilution Strength (w/v)	Dilution Strength (w/v)	Dilution Strength (PNU/milliliter)
0	Concentrate		1:10	1:20	20,000
1	0.5 mL Concentrate	4.5	1:100	1:200	2,000
2	0.5 mL Dilution 1	4.5	1:1,000	1:2,000	200
3	0.5 mL Dilution 2	4.5	1:10,000	1:20,000	20
4	0.5 mL Dilution 3	4.5	1:100,000	1:200,000	2
5	0.5 mL Dilution 4	4.5	1:1,000,000	1:2,000,000	0.2
6	0.5 mL Dilution 5	4.5	1:10,000,000	1:20,000,000	0.02

*There is no direct potency correlation across the table between PNU/milliliter and w/v.

Undiluted 50% glycerin stock concentrate is used for percutaneous testing. To prepare 5-fold dilutions for percutaneous testing in patients suspected to be at greater risk for systemic allergic reaction, start with the stock concentrate. Proceed as shown in Table 2. The 5-fold dilution series uses 1 milliliter of concentrate added to 4 milliliters of sterile 50% glycerin diluent. Subsequent dilutions are made in a similar manner.

To prepare 5-fold dilutions for intradermal testing or immunotherapy, start with a 1:10 weight/volume, 1:20 weight/volume, or up to a 40,000 PNU/milliliter stock concentrate. Proceed as shown in Table 2. The 5-fold dilution series uses 1 milliliter of concentrate added to 4 milliliters of sterile diluent (glycerin-free diluents for intradermal testing, glycerin-free or 10% glycerin-saline diluents for immunotherapy). Subsequent dilutions are made in a similar manner.

Table 2: 5-fold Dilution Series*

Dilution	Extract	Milliliters of Diluent	Dilution Strength (w/v)	Dilution Strength (w/v)	Dilution Strength (PNU/milliliter)
0	Concentrate		1:10	1:20	20,000
1	1 mL Concentrate	4	1.50	1:100	4,000
2	1 mL Dilution 1	4	1:250	1:500	800
3	1 mL Dilution 2	4	1:1,250	1:2,500	160
4	1 mL Dilution 3	4	1:6,250	1:12,500	32
5	1 mL Dilution 4	4	1:31,250	1:62,500	6.4
6	1 mL Dilution 5	4	1:156,250	1:312,500	1.28

*There is no direct potency correlation across the table between PNU/milliliter and w/v.

2.2 Diagnostic Testing

Diagnostic testing can be performed via percutaneous or intradermal administration of the Non-Standardized Allergenic Extracts. A positive skin test reaction should be interpreted in relation to the patient's history and known exposure to the specific allergen(s).

Percutaneous Skin Testing

Preparation and Dose

For percutaneous testing (prick or puncture), use glycerinated extract; use the extracts at the highest available stock concentration. In patients suspected to be at greater risk for systemic allergic reaction, use 10-fold or 5-fold dilutions of the concentrate.

Prick test: Place one drop of extract with appropriate controls on the skin and with a skin test device, pierce through the drop into the skin with a slight lifting motion. Alternatively, use skin test devices loaded with the extract from the storage trays in a similar manner or in accordance with the device manufacturer's recommendations.

Puncture test: Place one drop of extract or control on the skin and pierce the skin through the drop with a skin test device perpendicular to the skin. Alternatively, use skin test devices loaded with the extract from the storage trays in a similar manner or in accordance with the device manufacturer's

recommendations.


Interpreting Results

When using percutaneous skin test devices, follow the directions provided with the test devices. A glycerinated histamine control solution (6 milligrams/milliliter or 1 milligram/milliliter histamine base) may be used as the positive control. A 50% glycerin-saline solution may be used as the negative control.


Read and record skin test responses 15 to 20 minutes after exposure. Individual patient reactivity can vary with time, allergen potency, and/or immunotherapy, as well as testing technique. The most reliable method of recording a skin test reaction is to measure the largest diameter of both wheal and erythema. While some correlation exists between the size of the skin test reaction and the degree of sensitivity, other factors should be considered in the diagnosis of allergy to specific allergens (see Figure 1 below).

Figure 1: Measurement of Wheal and Flare

Use a paper or plastic millimeter skin reaction guide as shown below.




Fifteen minutes after application of the skin test, measure the length and midpoint orthogonal width of each flare and wheal from the inner edge of the reaction.




The wheal is a smooth, slightly elevated area which is redder or paler than the surrounding skin. The flare is the red outermost zone of a wheal reaction.

The length of the skin test is defined as the largest diameter and the width of the skin test is defined as the diameter perpendicular to the length at its midpoint. Consider the wheal and flare as separate entities. First, measure the flare and then independently measure the wheal.

Measuring the Flare



Measuring the Wheal



The average diameter measurement in the example above of the flare is $(26 \text{ mm} + 36 \text{ mm}) / 2 = 31 \text{ mm}$ and the average diameter of the wheal is $(10 \text{ mm} + 16 \text{ mm}) / 2 = 13 \text{ mm}$.

Responses to positive controls should be at least 3 millimeters larger than responses to the negative controls.

Negative controls should elicit no reaction or only reactions of small diameter (less than 2 millimeters wheal, less than 5 millimeters erythema).

If either the positive or negative control response does not meet the above criteria, results for the allergenic extracts tested at the same time should be considered invalid and be repeated.


Intradermal Skin Testing

Preparation and Dose

For intradermal testing, dilute stock concentrate to 1:100 to 1:1000 volume to volume of Non-Standardized Allergenic Extracts stock concentrate solution. Dilute the stock concentrate solution with sterile diluent [see Dosage and Administration (2.1)]. Use normal or buffered saline or normal saline with human serum albumin (HSA) diluent. If the result from the initial test dose is negative, subsequent intradermal tests using increasingly stronger doses may be performed up to the maximum recommended strength of 1:25 volume to volume dilution of the extract concentrate solution.

Inject 0.02 milliliters of the extract solution intradermally according to the algorithms shown in Figure 2.

Figure 2: Algorithm for Dilution of Stock Concentrate Solution of Non-Standardized Allergenic Extracts for Intradermal Skin Testing



¹ Corresponds to 1:10,000 - 1:15,625 volume to volume dilution of 1:20 weight/volume glycerinated extract concentrates

² Corresponds to 1:100 - 1:125 volume to volume dilution of 1:20 weight/volume glycerinated extract concentrates

³ Corresponds to 1:50 - 1:100 volume to volume dilution of 1:20 weight/volume glycerinated extract concentrates

⁴ Corresponds to 1:25 - 1:100 volume to volume dilution of 1:20 weight/volume glycerinated extract concentrates

2.3 Immunotherapy

For subcutaneous administration only.

Preparation and Dose

Stock concentrates of Non-Standardized Allergenic Extracts are available in aqueous (up to 1:10 weight/volume or 40,000 PNU/milliliter) and 50% glycerin (up to 1:20 weight/volume) strengths for immunotherapy. Stock concentrates are diluted in normal saline, buffered saline, HSA-saline, or 10% glycerin-saline, depending on the patient's reactivity to the diluent. See Table 1 and Table 2 for dilution preparation.

Administration of Immunotherapy

Administer immunotherapy by subcutaneous injection in the lateral aspect of the upper arm or thigh. Avoid injection directly into any blood vessel.

The optimal interval between doses of allergenic extract varies among individuals. Injections are usually given 1 to 2 times per week until the maintenance dose is reached, at which time the injection interval is increased to 2, then 3, and finally 4 weeks. Dosages vary by mode of administration, and by clinical response and tolerance. The minimum course of treatment may be three to five years, depending on the clinical response.

Guidelines for Immunotherapy

The initial dose of the extract should be based on the skin test reactivity. In patients suspected to be at greater risk for systemic allergic reaction by history and skin test, the initial dose of the extract should

be 0.05 milliliter of a 1:20,000,000 to 1:2,000,000 weight/volume extract dilution. Patients not suspected to be at greater risk for systemic allergic reaction may be started at 0.1 milliliter of a 1:200,000 to 1:20,000 weight/volume extract dilution.

The dose of allergenic extract is increased at each injection by no more than 50% of the previous dose, and the next increment is governed by the response to the last injection.

Select the maximum tolerated maintenance dose based on the patient's clinical response and tolerance. Doses larger than 0.2 milliliter of the stock concentrate are rarely administered because an extract in 50% glycerin diluent can cause discomfort upon injection.

Dosage Modification Guidelines for Immunotherapy

The following conditions may indicate a need to withhold or reduce the dosage of immunotherapy.

- Symptoms of rhinitis and/or asthma
- Infection accompanied by fever
- Exposure to excessive amounts of clinically relevant environmental allergen prior to a scheduled injection
- Large local reactions that persist for longer than 24 hours can be an indication for repeating the previous dose or reducing the dose at the next administration

Any evidence of a systemic reaction is an indication for a significant reduction (at least 75%) in the subsequent dose. Repeated systemic adverse reactions are sufficient reason for the cessation of further attempts to increase the dose.

Local adverse reactions require a decrease in the next dose by at least 50%. Proceed cautiously in subsequent dosing. In situations prompting dose reduction, once the reduced dose is tolerated, a cautious increase in dosage can be attempted.

Changing extract to a different lot or from a different manufacturer: When switching to a different lot of extract, or from another manufacturer's extract, decrease the starting dose. Because manufacturing processes and sources of raw materials differ among manufacturers, the interchangeability of extracts from different manufacturers cannot be assured. In general, a dose reduction of 50 to 75% of the previous dose should be adequate, but each situation must be evaluated separately, considering the patient's history of sensitivity, tolerance of previous injections, and other factors. Dose intervals should not exceed one week when rebuilding the dose.

Unscheduled gaps between treatments: Patients can lose tolerance to allergen injections during prolonged periods between doses, which increases their risk for an adverse reaction. The duration of tolerance between injections varies from patient to patient.

During the build-up phase, when patients receive injections 1 to 2 times per week, repeat or reduce the extract dosage if there has been a substantial time interval between injections. This depends on: 1) the concentration of allergen immunotherapy extract that is to be administered; 2) a previous history of systemic reactions; and 3) the degree of variation from the prescribed interval of time, with longer intervals since the last injection leading to greater reductions in the dose to be administered.

This suggested approach to dose modification, due to unscheduled gaps between treatments during the build-up phase, is not based on published evidence. The individual physician should use this or a similar protocol for the specific clinical setting.

Similarly, if unscheduled gaps occur during maintenance therapy, it may be necessary to reduce the dosage and bring the patient up to maintenance dosing using an established build-up protocol.

Changing from non-stabilized to human serum albumin (HSA) stabilized diluents: Allergenic extracts prepared with diluents containing HSA and 0.4% phenol are more stable than those prepared with diluents that do not contain stabilizers. When switching from a non-stabilized to an HSA-stabilized diluent, consider lowering the dose for immunotherapy.

3 DOSAGE FORMS AND STRENGTHS

Non-Standardized Allergenic Extracts are labeled in weight/volume and/or protein nitrogen units (PNU)/milliliter (a measure of total protein), and are supplied as sterile aqueous stock concentrates at up to 1:10 weight/volume or 40,000 PNU/milliliter, or 50% glycerin stock concentrates at up to 1:20 weight/volume.

4 CONTRAINDICATIONS

Non-Standardized Allergenic Extracts are contraindicated in patients with:

- Severe, unstable or uncontrolled asthma
- History of any severe systemic or local allergic reaction to an allergen extract

5 WARNINGS AND PRECAUTIONS

5.1 Serious Systemic Adverse Reactions

Serious systemic adverse reactions have occurred following the administration of other allergenic extracts and may occur in individuals following the administration of Non-Standardized Allergenic Extracts in the following situations:

- Extreme sensitivity to the specific allergen(s)
- Receipt of an accelerated immunotherapy build-up schedule (e.g., “rush” immunotherapy)
- Receipt of high doses of allergenic extracts or concomitant exposure to similar environmental allergens
- Change from one allergenic extract lot to another allergenic extract lot

High-risk patients have had fatal reactions. Consider using more dilute preparations in patients suspected to be at greater risk of systemic allergic reaction [see *Dosage and Administration* (2.1)].

Administer Non-Standardized Allergenic Extracts in a healthcare setting under the supervision of a physician prepared to manage a severe systemic or a severe local allergic reaction. Observe patients in the office for at least 30 minutes following administration. ¹

5.2 Epinephrine

Non-Standardized Allergenic Extracts may not be suitable for patients with certain medical conditions that may reduce the ability to survive a serious allergic reaction or increase the risk of adverse reactions after epinephrine administration. Examples of these medical conditions include but are not limited to: markedly compromised lung function (either chronic or acute), unstable angina, recent myocardial infarction, significant arrhythmia, and uncontrolled hypertension.

These products may not be suitable for patients who are taking medications that can potentiate or inhibit the effect of epinephrine. These medications include:

Beta-adrenergic blockers: Patients taking beta-adrenergic blockers may be unresponsive to the usual doses of epinephrine used to treat serious systemic reactions, including anaphylaxis. Specifically, beta-adrenergic blockers antagonize the cardiostimulating and bronchodilating effects of epinephrine.

Alpha-adrenergic blockers, ergot alkaloids: Patients taking alpha-adrenergic blockers may be unresponsive to the usual doses of epinephrine used to treat serious systemic reactions, including anaphylaxis. Specifically, alpha-adrenergic blockers antagonize the vasoconstricting and hypertensive effects of epinephrine. Similarly, ergot alkaloids may reverse the pressor effects of epinephrine.

Tricyclic antidepressants, levothyroxine sodium, monoamine oxidase inhibitors, and certain antihistamines: The adverse effects of epinephrine may be potentiated in patients taking tricyclic antidepressants, levothyroxine sodium, monoamine oxidase inhibitors, and the antihistamines chlorpheniramine, and diphenhydramine.

Cardiac glycosides, diuretics: Patients who receive epinephrine while taking cardiac glycosides or diuretics should be observed carefully for the development of cardiac arrhythmias.

5.3 Cross-Reactions and Dose Sensitivity

When determining the final dose of an allergen mixture for immunotherapy, consider cross-reactivity among component extracts.

Determine the initial dilution of allergenic extract, starting dose, and progression of dosage based on the patient's history and results of skin tests ² [see *Dosage and Administration* (2.1)]. Strongly positive skin tests can be indicators for potential adverse reactions.

6 ADVERSE REACTIONS

The most common adverse reactions, occurring in 26 to 82% of all patients who receive subcutaneous immunotherapy are local adverse reactions at the injection site (e.g., erythema, itching, swelling, tenderness, pain). ¹ Systemic adverse reactions, occurring in $\leq 7\%$ of patients who receive subcutaneous immunotherapy, ³ include generalized skin erythema, urticaria, pruritus, angioedema, rhinitis, wheezing, laryngeal edema, and hypotension. These adverse reactions can be fatal. ¹

The allergenic extracts labeled "For Diagnostic Use Only" that contain sodium formaldehyde sulfoxylate (SFS) can cause slight discoloration of the skin at the site of administration. This discoloration can remain for extended amounts of time.

7 DRUG INTERACTIONS

7.1 Antihistamines

Do not perform skin testing with allergenic extracts within 3 to 10 days of use of first-generation H₁-histamine receptor blockers (e.g., clemastine, diphenhydramine) and second-generation antihistamines (e.g., loratadine, cetirizine). These products suppress histamine skin test reactions and could mask a positive response. ²

7.2 Topical Corticosteroids and Topical Anesthetics

Topical corticosteroids can suppress skin reactivity; therefore, discontinue use at the skin test site for 2 to 3 weeks before skin testing. Avoid use of topical local anesthetics at skin test sites as they can suppress flare responses. ²

7.3 Tricyclic Antidepressants

Tricyclic antidepressants can have potent antihistamine effects that can affect skin testing. If tricyclic medication has been recently discontinued, allow 7 to 14 days before initiating skin testing. ²

8 USE IN SPECIFIC POPULATIONS

8.1 Pregnancy

Risk Summary

All pregnancies have a risk of birth defect, loss, or other adverse outcomes. In the U.S. general population, the estimated background risk of major birth defects and miscarriage in clinically recognized pregnancies is 2 to 4% and 15 to 20%, respectively. There are no human or animal data to establish the presence or absence of Non-Standardized Allergenic Extracts-associated risks during pregnancy.

8.2 Lactation

Risk Summary

It is not known whether Non-Standardized Allergenic Extracts are present in human milk. Data are not available to assess the effects of these extracts on the breastfed child or on milk production/excretion. The developmental and health benefits of breastfeeding should be considered along with the mother's clinical need for Non-Standardized Allergenic Extracts and any potential adverse effects on the breastfed child from the extracts or from the underlying maternal condition.

8.4 Pediatric Use

For use of these products in children younger than 5 years of age, consideration should be given to the patient's ability to comply and cooperate with allergen immunotherapy and the potential for difficulty in communicating with the child regarding systemic reactions.¹

8.5 Geriatric Use

Data are not available to determine if subjects 65 years of age and older respond differently to allergen immunotherapy than younger subjects.

11 DESCRIPTION

Non-Standardized Allergenic Extracts are sterile solutions used for percutaneous testing, intradermal testing, or subcutaneous immunotherapy. Aqueous extracts contain the soluble extractants of the source material in water for injection, 0.5% sodium chloride, 0.54% sodium bicarbonate, and 0.4% phenol. Glycerinated extracts contain the soluble extractants of the source material in water for injection and 50% glycerin, 0.25% sodium chloride, 0.27% sodium bicarbonate, and 0.2% phenol. The pH of the extracts range from 6 to 9.

Certain food extracts (Barley, Oat, Pineapple, Rye, Spinach, and Wheat), labeled "For Diagnostic Use Only", contain 0.1% sodium formaldehyde sulfoxylate as an antioxidant.

Source materials used in the manufacture of allergenic extracts are collected from natural sources or from laboratory cultures.

Non-Standardized Allergenic Extracts appear as clear and colorless to dark brown solutions that should be free of particulate matter.

Extracts are labeled either as weight-to-volume based on the weight of the source material to the volume of the extracting fluid, or as PNU/milliliter with one PNU representing 0.00001 mg of protein nitrogen per milliliter.

12 CLINICAL PHARMACOLOGY

12.1 Mechanism of Action

The skin test reaction results from interaction of the introduced allergen and allergen-specific IgE antibodies bound to mast cells, leading to mast cell degranulation and release of histamine, tryptase and other mediators, which results in the formation of the wheal and flare.

The precise mechanisms of action of allergen immunotherapy are not known. Immunologic responses to immunotherapy include changes in allergen-specific IgE levels, allergen-specific IgG levels, and regulatory T cell responses.¹

14 CLINICAL STUDIES

Specific immunotherapy with allergenic extracts is helpful in reducing symptoms associated with exposure to the offending allergens. A summary of effectiveness by the Panel on Review of Allergenic Extracts, an advisory committee to the U.S. Food and Drug Administration, has been published.⁴

15 REFERENCES

1. Cox LJ, Nelson H, Lockey R. Allergen immunotherapy: A practice parameter third update. *J Allergy Clin Immunol*. 2011;127:(1)S1-55.
2. Bernstein IL, Li JT, Bernstein DI, et al. Allergy diagnostic testing: an updated practice parameter. *Ann Allergy Asthma Immunol*. 2008;100:S1-148.
3. Greenberg MA, Kaufman CR, Gonzalez GE, et al. Late and immediate systemic-allergic reactions to inhalant allergen immunotherapy. *J Allergy Clin Immunol*. 1986;77:865-870.
4. Federal Register Proposed Rule: Biological Products: Implementation of Efficacy Review, Allergenic Extracts, Federal Register 1985;50: 3082-3288.

16 HOW SUPPLIED/STORAGE AND HANDLING

16.1 How Supplied

Non-Standardized Allergenic Extracts and mixes may be supplied as aqueous stock concentrates of up to 1:10 weight/volume or 40,000 PNU/milliliter for intradermal and subcutaneous testing. The extracts may also be supplied as 50% glycerin stock concentrates of up to 1:20 weight/volume for use in percutaneous skin testing and subcutaneous immunotherapy. Non-Standardized Allergenic Extracts are labeled in weight/volume and/or PNU/milliliter and may be provided in 5, 10, and 50 milliliter vials. Glycerinated extracts are also supplied in 5 milliliter dropper vials for prick or puncture testing.

Non-Standardized Allergenic Extracts available are as follows:

Pollens □ Grasses

Bahia Grass, *Paspalum notatum*
 Brome, Smooth, *Bromus inermis*
 Canarygrass, Reed, *Phalaris arundinacea*
 Johnson Grass, *Sorghum halepense*
 Quack (Couch) Grass, *Elymus repens*
 Ryegrass, Giant Wild, *Leymus condensatus*
 Ryegrass, Italian, *Lolium multiflorum*
 Velvetgrass, *Holcus lanatus*
 Wheatgrass, Western, *Pascopyrum smithii*

Pollens - Trees

Acacia, *Acacia dealbata*
 Alder, Hazel, *Alnus serrulata*
 Alder, Red, *Alnus rubra*
 Alder, White, *Alnus rhombifolia*
 Ash, Arizona (Velvet), *Fraxinus velutina*
 Ash, Green, *Fraxinus pennsylvanica*
 Ash Mix (Equal parts *Fraxinus pennsylvanica*, *Fraxinus americana*)
 Ash, Oregon, *Fraxinus latifolia*
 Ash, White, *Fraxinus americana*
 Aspen, *Populus tremuloides*
 Beech, American, *Fagus grandifolia*
 Birch, Black-Sweet, *Betula lenta*
 Birch, Mix (Equal parts *Betula lenta*, *Betula nigra*, *Betula populifolia*)
 Birch, River, *Betula nigra*
 Birch, Spring, *Betula occidentalis*
 Birch, White, *Betula populifolia*
 Box Elder, *Acer negundo*

Cedar, Mountain, *Juniperus ashei*
Cedar, Red, *Juniperus virginiana*
Cedar, Salt (Tamarisk), *Tamarix gallica*
Central/Eastern 4 Tree Mix (Equal parts *Ulmus americana*, *Acer negundo*, *Carya illinoensis*, *Quercus virginiana*)
Cottonwood, Arizona (Fremont), *Populus fremontii*
Cottonwood, Black, *Populus trichocarpa*
Cottonwood, Eastern, *Populus deltoides*
Cottonwood, Western, *Populus deltoides* ssp. *monilifera*
Cypress, Arizona, *Callitropsis arizonica*
Cypress, Bald, *Taxodium distichum*
Eastern Oak Mix (Equal parts *Quercus velutina*, *Quercus rubra*, *Quercus alba*)
Eastern 6 Tree Mix (Equal parts *Fagus grandifolia*, *Populus deltoides*, *Quercus rubra*, *Betula nigra*, *Carya ovata*, *Fraxinus americana*)
Eastern 7 Tree Mix (Equal parts *Ulmus americana*, *Fagus grandifolia*, *Populus deltoides*, *Quercus rubra*, *Betula nigra*, *Carya ovata*, *Fraxinus americana*)
Eastern 8 Tree Mix (Equal parts *Ulmus americana*, *Fagus grandifolia*, *Populus deltoides*, *Quercus rubra*, *Betula nigra*, *Carya ovata*, *Fraxinus americana*, *Acer saccharum*)
Eastern 10 Tree Mix (Equal parts *Platanus occidentalis*, *Ulmus americana*, *Fagus grandifolia*, *Populus deltoides*, *Quercus rubra*, *Betula nigra*, *Carya ovata*, *Fraxinus americana*, *Acer saccharum*, *Liquidambar styraciflua*)
Elm, American, *Ulmus americana*
Elm, Cedar, *Ulmus crassifolia*
Elm Mix (Equal parts *Ulmus americana*, *Ulmus pumila*)
Elm, Siberian, *Ulmus pumila*
Eucalyptus, Bluegum, *Eucalyptus globulus*
Hackberry, *Celtis occidentalis*
Hazelnut, American, *Corylus americana*
Hickory Mix (Equal parts *Carya glabra*, *Carya ovata*, *Carya laciniosa*, *Carya tomentosa*)
Hickory-Pecan Mix (Equal parts *Carya illinoensis*, *Carya ovata*)
Hickory, Shagbark, *Carya ovata*
Hickory, Shellbark, *Carya laciniosa*
Hickory, White, *Carya tomentosa*
Juniper Mix (Equal parts *Juniperus monosperma*, *Juniperus scopulorum*)
Juniper, Oneseed, *Juniperus monosperma*
Juniper, Pinchot, *Juniperus pinchotii*
Juniper, Rocky Mountain, *Juniperus scopulorum*
Juniper, Utah, *Juniperus osteosperma*
Juniper, Western, *Juniperus occidentalis*
Locust Blossom, Black, *Robinia pseudoacacia*
Mango Blossom, *Mangifera indica*
Maple-Box Elder Mix (Equal parts *Acer saccharum*, *Acer negundo*)
2 Maple Mix (Equal parts *Acer rubrum*, *Acer saccharum*)
3 Maple Mix (Equal parts *Acer rubrum*, *Acer saccharinum*, *Acer saccharum*)
Maple, Red, *Acer rubrum*
Maple, Silver/Soft, *Acer saccharinum*
Maple, Sugar/Hard, *Acer saccharum*
Melaleuca, *Melaleuca quinquenervia*

Mesquite, Velvet, *Prosopis velutina*
Mulberry, Paper, *Broussonetia papyrifera*
Mulberry, Red, *Morus rubra*
Mulberry, White, *Morus alba*
Oak, Arizona (Gambel), *Quercus gambelii*
Oak, Black, *Quercus velutina*
Oak, Bur, *Quercus macrocarpa*
Oak, California Black, *Quercus kelloggii*
Oak, California Live, *Quercus agrifolia*
Oak, California White, *Quercus lobata*
Oak, Post, *Quercus stellata*
Oak, Red, *Quercus rubra*
Oak, Virginia Live, *Quercus virginiana*
Oak, Water, *Quercus nigra*
Oak, Western White, *Quercus garryana*
Oak, White, *Quercus alba*
Olive, *Olea europaea*
Olive, Russian, *Elaeagnus angustifolia*
Orange Pollen, *Citrus X sinensis*
Palm, Queen, *Syagrus romanzoffiana*
Pecan, *Carya illinoensis*
Peppertree Mix (Equal parts *Schinus molle*, *Schinus terebinthifolius*)
Pine, Australian (Beefwood), *Casuarina equisetifolia*
Pine, Loblolly, *Pinus taeda*
Pine, Longleaf, *Pinus palustris*
Pine Mix (Equal parts *Pinus taeda*, *Pinus strobus*, *Pinus echinata*)
Pine, Ponderosa, *Pinus ponderosa*
Pine, Virginia Scrub, *Pinus virginiana*
Pine, White (Eastern), *Pinus strobus*
Pine, White (Western), *Pinus monticola*
Pine, Yellow, *Pinus echinata*
Poplar, Lombardy's, *Populus nigra*
Poplar, White, *Populus alba*
Privet, *Ligustrum vulgare*
Sweetgum, *Liquidambar styraciflua*
Sycamore, American, *Platanus occidentalis*
Sycamore, California (Western), *Platanus racemosa*
11 Tree Mix (Equal parts *Fagus grandifolia*, *Platanus occidentalis*, *Ulmus americana*, *Juglans nigra*, *Salix nigra*, *Populus deltoides*, *Quercus rubra*, *Betula nigra*, *Carya ovata*, *Acer saccharum*, *Fraxinus americana*)
Walnut, Black, *Juglans nigra*
Walnut, California Black, *Juglans californica*
Walnut, English, *Juglans regia*
Wax Myrtle, *Morella cerifera*
Western Oak Mix (Equal parts *Quercus kelloggii*, *Quercus agrifolia*, *Quercus garryana*)
Western 3 Tree Mix (Equal parts *Olea europaea*, *Ulmus pumila*, *Platanus racemosa*)
Western 10 Tree Mix (Equal parts *Acacia dealbata*, *Acer negundo*, *Populus fremontii*, *Olea europaea*, *Ulmus pumila*, *Betula occidentalis*, *Juniperus occidentalis*, *Platanus racemosa*, *Quercus garryana*, *Morus alba*)

Western Walnut Mix (Equal parts *Juglans californica*, *Juglans regia*)

Willow, Arroyo, *Salix lasiolepis*

Willow, Black, *Salix nigra*

Pollens - Weeds and Garden Plants

Allscale, *Atriplex polycarpa*

Amaranth, Green, *Amaranthus hybridus*

Baccharis Mix (Equal parts *Baccharis sarothroides*, *Baccharis halimifolia*)

Burningbush (Kochia), *Kochia scoparia* spp. *scoparia*

Burrobrush, *Ambrosia salsola*

Central/Western Weed Mix (Equal parts *Kochia scoparia* ssp. *scoparia*, *Chenopodium album*, *Salsola kali*)

Cocklebur, *Xanthium strumarium*

Common Weed Mix (Equal parts *Xanthium strumarium*, *Plantago lanceolata*, *Chenopodium album*, *Amaranthus retroflexus*, *Salsola kali*)

Dock-Sorrel Mix (Equal parts *Rumex acetosella*, *Rumex crispus*)

Dock, Yellow (Curly), *Rumex crispus*

Dogfennel, *Eupatorium capillifolium*

Goldenrod, *Solidago canadensis*

Iodinebush, *Allenrolfea occidentalis*

Lamb's Quarters, *Chenopodium album*

Lenscale (Quailbrush), *Atriplex lentiformis*

Marsh Elder, True (Rough), *Iva annua*

Marshelder, Burweed (Giant Poverty), *Cyclachaena xanthiifolia*

Mixed Amaranths (Equal parts *Amaranthus hybridus*, *Amaranthus palmeri*, *Amaranthus retroflexus*)

Mugwort, Common, *Artemisia vulgaris*

National Weed Mix (Equal parts *Xanthium strumarium*, *Ambrosia trifida*, *Chenopodium album*, *Amaranthus retroflexus*, *Ambrosia artemisiifolia*)

Nettle, *Urtica dioica*

Palmer's Amaranth, *Amaranthus palmeri*

Pigweed, Rough Redroot, *Amaranthus retroflexus*

Pigweed, Spiny, *Amaranthus spinosus*

Plantain, English, *Plantago lanceolata*

Plantain-Sorrel Mix (Equal parts *Plantago lanceolata*, *Rumex acetosella*)

Rabbit Bush, *Ambrosia deltoidea*

Ragweed, Desert, *Ambrosia dumosa*

Ragweed, False, *Ambrosia acanthicarpa*

Ragweed, Giant (Tall), *Ambrosia trifida*

Ragweed, Lanceleaf, *Ambrosia bidentata*

Ragweed, Slender, *Ambrosia confertiflora*

Ragweed, Western, *Ambrosia psilostachya*

Russian Thistle, *Salsola kali*

Sagebrush, Common, *Artemisia tridentata*

Sage Mix (Equal parts *Artemisia tridentata*, *Artemisia ludoviciana*)

Sage, Prairie, *Artemisia ludoviciana*

Saltbush, Annual, *Atriplex wrightii*

Scale/Atriplex Mix (Equal parts *Atriplex polycarpa*, *Atriplex lentiformis*, *Atriplex canescens*)

Sorrel, Sheep (Red), *Rumex acetosella*

Waterhemp, Tall, *Amaranthus tuberculatus*

3 Weed Mix (Equal parts *Xanthium strumarium*, *Chenopodium album*, *Amaranthus retroflexus*)

Western Ragweed Mix (Equal parts *Ambrosia acanthicarpa*, *Ambrosia psilostachya*)

Wingscale, *Atriplex canescens*

Plants and Plant Parts

Cotton Linters, *Gossypium hirsutum*

Cottonseed, *Gossypium hirsutum* (For Diagnostic Use Only)

Flax, *Linum usitatissimum* (For Diagnostic Use Only)

Gum, Arabic, *Acacia senegal*

Gum, Karaya, *Sterculia urens*

Gum, Tragacanth, *Astragalus gummifer*

Kapok, *Ceiba pentandra*

Orris Root, *Iris germanica*

Pyrethrum, *Chrysanthemum cinerariifolium*

Tobacco, Cultivated, Leaf, *Nicotiana tabacum*

Pollens - Cultivated Farm Plants

Alfalfa, *Medicago sativa*

Beet, Sugar, *Beta vulgaris*

Corn, Cultivated, *Zea mays*

Oat, Cultivated, *Avena sativa*

Rape (Mustard), *Brassica napus*

Red Clover, *Trifolium pratense*

Rye, Cultivated, *Secale cereale*

Wheat, Cultivated, *Triticum aestivum*

Pollens - Flowers

Daisy, *Leucanthemum vulgare*

Dandelion, *Taraxacum officinale*

Sunflower, *Helianthus annuus*

Molds, Rusts and Smuts

AHH Mold Mix (Equal parts *Alternaria alternata*, *Bipolaris sorokiniana*, *Cladosporium sphaerospermum*)

Alternaria alternata

Alternaria/Hormodendrum Mix (Equal parts *Alternaria alternata*, *Cladosporium sphaerospermum*)

Aspergillus amstelodami

Aspergillus flavus

Aspergillus fumigatus

Aspergillus Mix (Equal parts *Aspergillus amstelodami*, *Aspergillus flavus*, *Aspergillus fumigatus*,

Aspergillus nidulans, *Aspergillus niger*)

Aspergillus nidulans

Aspergillus niger

Aureobasidium pullulans

Bermuda Grass Smut, *Ustilago cynodontis*

Bipolaris sorokiniana

Botrytis cinerea

Candida albicans

Chaetomium globosum

Cladosporium herbarum

Cladosporium sphaerospermum

Corn Smut, *Ustilago maydis*

Curvularia spicifera

Dematiaceae Mix (Equal parts *Alternaria alternata*, *Aureobasidium pullulans*, *Bipolaris sorokiniana*, *Cladosporium herbarum*, *Curvularia spicifera*, *Helminthosporium solani*)

Epicoccum nigrum

Epidermophyton floccosum

Fusarium Mix (Equal parts *Gibberella fujikuroi*, *Fusarium solani*)

Fusarium solani

Geotrichum candidum

Gibberella fujikuroi

Gliocladium viride

Grain Smut Mix (Equal parts *Ustilago maydis*, *Ustilago tritici*, *Ustilago nuda*, *Ustilago avenae*)

Grass Smut Mix (Equal parts *Ustilago cynodontis*, *Sporisorium cruentum*)

Helminthosporium solani

Hypomyces perniciosus

Loose Kernel Smut, *Sporisorium cruentum*

Loose Smut, Wheat, *Ustilago tritici*

Microsporum canis

Mold Mix #1 (Equal parts *Alternaria alternata*, *Aspergillus niger*, *Bipolaris sorokiniana*, *Cladosporium sphaerospermum*, *Penicillium chrysogenum* var. *chrysogenum*)

Mold Mix #2 (Equal parts *Aureobasidium pullulans*, *Curvularia spicifera*, *Gibberella fujikuroi*, *Mucor plumbeus*, *Rhizopus stolonifer*)

Mold Mix #3 (Equal parts *Alternaria alternata*, *Aspergillus niger*, *Cladosporium sphaerospermum*, *Penicillium chrysogenum* var. *chrysogenum*)

Monilia Mix (Equal parts *Candida albicans*, *Neurospora intermedia*)

Mucor circinelloides f. *circinelloides*

Mucor circinelloides f. *lusitanicus*

Mucor Mix (Equal parts *Mucor circinelloides* f. *lusitanicus*, *Mucor plumbeus*)

Mucor plumbeus

Neurospora intermedia

New Stock Fungi Mix (Equal parts *Sarocladium strictum*, *Alternaria alternata*, *Aspergillus niger*, *Aureobasidium pullulans*, *Bipolaris sorokiniana*, *Botrytis cinerea*, *Candida albicans*, *Chaetomium globosum*, *Cladosporium sphaerospermum*, *Epicoccum nigrum*, *Gibberella fujikuroi*, *Mucor plumbeus*, *Penicillium chrysogenum* var. *chrysogenum*, *Phoma betae*, *Rhizopus stolonifer*, *Trichophyton mentagrophytes*)

Oat Smut, *Ustilago avenae*

Paecilomyces variotii

Penicillium chrysogenum var. *chrysogenum*

Penicillium digitatum

Penicillium Mix (Equal parts *Penicillium camemberti*, *Penicillium chrysogenum*, *Penicillium digitatum*, *Penicillium chrysogenum* var. *chrysogenum*, *Penicillium roqueforti*)

Phoma betae

Phycomycetes Mix (Equal parts *Mucor circinelloides* f. *lusitanicus*, *Rhizopus stolonifer*)

Rhizopus arrhizus

Rhizopus Mix (Equal parts *Rhizopus stolonifer*, *Rhizopus arrhizus*)

Rhizopus stolonifer

Rhodotorula mucilaginosa

Saccharomyces cerevisiae

Sarocladium strictum

Stemphylium solani

Trichoderma harzianum

Trichophyton mentagrophytes

Trichophyton rubrum

Trichothecium roseum

Animal Allergens

Canary Feathers, *Serinus canaria*

Cattle Epithelia, *Bos taurus*

Chicken Feathers, *Gallus gallus*

Dog Epithelia, *Canis lupus familiaris*

Duck Feathers, *Anas platyrhynchos*

Gerbil Epithelia, *Meriones unguiculatus*

Goat Epithelia, *Capra hircus*

Goose Feathers, *Anser anser*

Guinea Pig Epithelia, *Cavia porcellus*

Hamster Epithelia, *Mesocricetus auratus*

Hog Epithelia, *Sus scrofa*

Horse Epithelia, *Equus caballus*

Mixed Feathers (Equal parts *Gallus gallus*, *Anas platyrhynchos*, *Anser anser*)

Mouse Epithelia, *Mus musculus*

Parakeet Feathers, *Melopsittacus undulatus*

Rabbit Epithelia, *Oryctolagus cuniculus*

Rat Epithelia, *Rattus norvegicus*

Silk Worm Cocoon, *Bombyx mori*

Insects (Whole Body)

Ant, Black Carpenter, *Camponotus pennsylvanicus*

Ant, Fire, *Solenopsis invicta*

Ant, Fire, *Solenopsis richteri*

Cockroach, American, *Periplaneta americana*

Cockroach, German, *Blattella germanica*

2 Cockroach Mix (Equal parts *Periplaneta americana*, *Blattella germanica*)

Deer Fly, *Chrysops vittatus*

Flea, *Ctenocephalis felis* (For Diagnostic Use Only)

House Fly, *Musca domestica* (For Diagnostic Use Only)

Mosquito, *Aedes taeniorhynchus* (For Diagnostic Use Only)

Food - Animal Products and Poultry Products

Beef, *Bos taurus*

Chicken Meat, *Gallus gallus*

Egg, White, Chicken, *Gallus gallus*

Egg, Whole, Chicken, *Gallus gallus*

Egg, Yolk, Chicken, *Gallus gallus*

Lamb, *Ovis aries*

Pork, *Sus scrofa*

Turkey Meat, *Meleagris gallopavo*

Food - Dairy Products

Milk, Cow, *Bos taurus*

Food - Fish and Shellfish

Bass, Black, *Centropristis striata*

Catfish, Channel, *Ictalurus punctatus*

Clam, Northern Quahog, *Mercenaria mercenaria*
Cod, Atlantic, *Gadus morhua*
Crab, Blue, *Callinectes sapidus*
Fish Mix (Equal parts *Gadus morhua*, *Paralichthys lethostigma*, *Hippoglossus hippoglossus*, *Scomber scombrus*, *Thunnus albacares*)
Flounder, Southern, *Paralichthys lethostigma*
Lobster, American, *Homarus americanus*
Mackerel, King/Atlantic, *Scomber scombrus*
Oyster, Atlantic/Eastern, *Crassostrea virginica*
Perch, Ocean, *Sebastes alutus*
Salmon, Atlantic, *Salmo salar*
Scallops, Sea, *Placopecten magellanicus*
Shellfish Mix (Equal parts *Mercenaria mercenaria*, *Callinectes sapidus*, *Crassostrea virginica*, *Placopecten magellanicus*, *Farfantepenaeus aztecus*)
Shrimp, Brown, *Farfantepenaeus aztecus*
Trout, Rainbow, *Oncorhynchus mykiss*
Tuna, Yellowfin, *Thunnus albacares*

Food - Plant Source

Almond, *Prunus dulcis*
Apple, *Malus pumila*
Apricot, *Prunus armeniaca*
Banana, *Musa acuminata*
Barley, Whole Grain, *Hordeum vulgare* (For Diagnostic Use Only, Contains SFS*)
Bean, Lima, *Phaseolus lunatus*
Bean, Navy, *Phaseolus vulgaris*
Bean, String Green, *Phaseolus vulgaris*
Blueberry, Velvetleaf, *Vaccinium myrtilloides*
Brazil Nut, *Bertholletia excelsa*
Broccoli, *Brassica oleracea* var. *botrytis*
Buckwheat, *Fagopyrum esculentum*
Cabbage, *Brassica oleracea* var. *capitata*
Cacao Bean, *Theobroma cacao*
Cantaloupe, *Cucumis melo*
Carrot, *Daucus carota*
Cashew Nut, *Anacardium occidentale*
Cauliflower, *Brassica oleracea* var. *botrytis*
Celery, *Apium graveolens* var. *dulce*
Cherry, Sweet, *Prunus avium*
Cinnamon, *Cinnamomum verum*
Coconut, *Cocos nucifera*
Coffee, *Coffea arabica* (For Diagnostic Use Only)
Corn, *Zea mays*
Cranberry, *Vaccinium macrocarpon*
Cucumber, *Cucumis sativus*
Garlic, *Allium sativum*
Ginger, *Zingiber officinale*
Grape, White Seedless, *Vitis vinifera*
Grapefruit, *Citrus X paradisi*

Hazelnut (Filbert), *Corylus americana*
Hops, *Humulus lupulus*
Lemon, *Citrus X limon*
Lettuce, *Lactuca sativa*
Malt (Barley), *Hordeum vulgare*
Mushroom, *Agaricus campestris*
Mustard Seed, *Sinapis alba*
Nutmeg, *Myristica fragrans*
Oat, *Avena sativa* (For Diagnostic Use Only, Contains SFS*)
Olive, Green, *Olea europaea*
Onion, *Allium cepa*
Orange, *Citrus X sinensis*
Pea, Green or English, *Pisum sativum*
Peach, *Prunus persica*
Peanut, *Arachis hypogaea*
Pear, *Pyrus communis*
Pecan, *Carya illinoensis*
Pepper, Black, *Piper nigrum*
Pepper, Green, *Capsicum annuum*
Pineapple, *Ananas comosus* (For Diagnostic Use Only, Contains SFS*)
Potato, Sweet, *Ipomoea batatas*
Potato, White, *Solanum tuberosum*
Raspberry, Red, *Rubus idaeus*
Rice, *Oryza sativa*
Rye, *Secale cereale* (For Diagnostic Use Only, Contains SFS*)
Sesame Seed, *Sesamum indicum*
Soybean, *Glycine max*
Spinach, *Spinacia oleracea* (For Diagnostic Use Only, Contains SFS*)
Squash, Yellow Summer, *Cucurbita pepo* var. *ovifera*
Strawberry, *Fragaria X ananassa*
Tomato, *Solanum lycopersicum*
Vanilla, *Vanilla planifolia*
Walnut, Black, *Juglans nigra*
Walnut, English, *Juglans regia*
Watermelon, *Citrullus lanatus*
Wheat, Whole, *Triticum aestivum* (For Diagnostic Use Only, Contains SFS*)

*SFS – Sodium Formadehyde Sulfoxylate

16.2 Storage and Handling

Maintain at 2 to 8°C (36 to 46°F) during storage and use.

Dilutions of concentrated extracts that result in a glycerin content of less than 50% can reduce extract stability. Extract dilutions at 1:100 volume to volume should be kept no longer than a month, and more dilute solutions no more than a week. The potency of a dilution can be checked by skin test comparison to a fresh dilution of the extract on a known allergic patient.

17 PATIENT COUNSELING INFORMATION

Instruct patient to remain under observation in the office for 30 minutes or longer after an injection.

Caution patient that reactions can occur more than 30 minutes after skin testing or an injection.

Instruct patient to recognize the following symptoms as adverse reactions and to immediately return to the office or immediately seek other medical attention if any of these symptoms occur following skin testing or an injection:

- Unusual swelling and/or tenderness at the injection site
- Hives or itching of the skin
- Swelling of the face and/or mouth
- Sneezing, coughing or wheezing
- Shortness of breath
- Nausea
- Dizziness or faintness

Manufacturer:

U.S. License No. 308

GREER Laboratories, Inc.

Lenoir, NC 28645 U.S.A

Sterile Multiple Dose Vial U.S. Rx Only Store at 2-8°C

ALLERGENIC EXTRACT

BIRCH POLLEN MIX

Equal Parts *B. lenta*, *B. nigra*, *B. populifolia*

Item: P31A09 50 mL 1:20 W/V

Preservative 0.4% Phenol. 30,000 PNU/mL

No U.S. Standard of Potency. See Package Insert for Contents, Dose and Directions for Use.



GTIN (01) 00322840949340
S/N (21) 000000000000
LOT (10) SAMPLE
EXP (17) 01 Jan 2025



H48-1.00

NDC 22840-9493-4

GREER Laboratories, Inc. Lenoir, NC 28645 U.S. License 308

Sterile Multiple Dose Vial U.S. Rx Only Store at 2-8°C

ALLERGENIC EXTRACT

EASTERN 10 TREE POLLEN MIX

Equal Parts 10 Regional Tree Species

Item: GP50A03 10 mL 1:20 W/V

Preservative 0.2% Phenol.

Contains 50% v/v Glycerin. No U.S. Standard of Potency. See Package Insert for Contents, Dose and Directions for Use.



GTIN (01) 00322840946523
S/N (21) 000000000000
LOT (10) SAMPLE
EXP (17) 01 Jan 2025



H17-1.00

NDC 22840-9465-2

GREER Laboratories, Inc. Lenoir, NC 28645 U.S. License 308

Skin Test Only Vial

U.S. Rx Only

Store at 2-8°C

ALLERGENIC EXTRACT

CENTRAL/EASTERN 4 TREE POLLEN MIX

Equal Parts Elm, Maple, Hickory and Oak Species

Item: GP49A01 5 mL 1:20 W/V

Preservative 0.2% Phenol.

Contains 50% v/v Glycerin. No U.S. Standard of Potency. See Package Insert for Contents, Dose and Directions for Use.



GTIN (01) 00322840946851
S/N (21) 000000000000
LOT (10) SAMPLE
EXP (17) 01 Jan 2025



GREER Laboratories, Inc. Lenoir, NC 28645 U.S. License 308

ASH POLLEN MIX

fraxinus pennsylvanica, fraxinus americana solution

Product Information

Product Type	NON-STANDARDIZED ALLERGENIC	Item Code (Source)	NDC:22840-9492
Route of Administration	SUBCUTANEOUS, PERCUTANEOUS, INTRADERMAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
FRAXINUS PENNSYLVANICA POLLEN (UNII: 2WZG2G15WX) (FRAXINUS PENNSYLVANICA POLLEN - UNII:2WZG2G15WX)	FRAXINUS PENNSYLVANICA POLLEN	0.05 g in 1 mL
FRAXINUS AMERICANA POLLEN (UNII: G684LX721Q) (FRAXINUS AMERICANA POLLEN - UNII:G684LX721Q)	FRAXINUS AMERICANA POLLEN	0.05 g in 1 mL

Inactive Ingredients

Ingredient Name	Strength
SODIUM BICARBONATE (UNII: 8MDF5V39QO)	
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
PHENOL (UNII: 339NCG44TV)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:22840-9492-2	10 mL in 1 VIAL, MULTI-DOSE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
BLA	BLA101833	09/15/1981	

BIRCH POLLEN MIX

betula lenta, betula nigra and betula populifolia solution

Product Information

Product Type	NON-STANDARDIZED ALLERGENIC	Item Code (Source)	NDC:22840-9493
Route of Administration	INTRADERMAL, PERCUTANEOUS, SUBCUTANEOUS		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
BETULA LENTA POLLEN (UNII: JQ5HI5004M) (BETULA LENTA POLLEN - UNII:JQ5HI5004M)	BETULA LENTA POLLEN	0.0166666 g in 1 mL
BETULA NIGRA POLLEN (UNII: 93963RFO1P) (BETULA NIGRA POLLEN - UNII:93963RFO1P)	BETULA NIGRA POLLEN	0.0166666 g in 1 mL
BETULA POPULIFOLIA POLLEN (UNII: 23H70FYJ5U) (BETULA POPULIFOLIA POLLEN - UNII:23H70FYJ5U)	BETULA POPULIFOLIA POLLEN	0.0166666 g in 1 mL

Inactive Ingredients

Ingredient Name	Strength
SODIUM BICARBONATE (UNII: 8MDF5V39QO)	
PHENOL (UNII: 339NCG44TV)	
SODIUM CHLORIDE (UNII: 451W47IQ8X)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:22840-9493-2	10 mL in 1 VIAL, MULTI-DOSE; Type 0: Not a Combination Product		
2	NDC:22840-9493-4	50 mL in 1 VIAL, MULTI-DOSE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
BLA	BLA101833	09/15/1981	

PINE POLLEN MIX

pinus taeda, pinus strobus and pinus echinata solution

Product Information

Product Type	NON-STANDARDIZED ALLERGENIC	Item Code (Source)	NDC:22840-9435
Route of Administration	INTRADERMAL, PERCUTANEOUS, SUBCUTANEOUS		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
PINUS ECHINATA POLLEN (UNII: 96LRW14765) (PINUS ECHINATA POLLEN - UNII:96LRW14765)	PINUS ECHINATA POLLEN	6666.6666 [PNU] in 1 mL
PINUS TAEDA POLLEN (UNII: 4O1FFR8ARN) (PINUS TAEDA POLLEN - UNII:4O1FFR8ARN)	PINUS TAEDA POLLEN	6666.6666 [PNU] in 1 mL
PINUS STROBUS POLLEN (UNII: TX1ER5UV3T) (PINUS STROBUS POLLEN - UNII:TX1ER5UV3T)	PINUS STROBUS POLLEN	6666.6666 [PNU] in 1 mL

Inactive Ingredients

Ingredient Name	Strength
GLYCERIN (UNII: PDC6A3C0OX)	
SODIUM BICARBONATE (UNII: 8MDF5V39QO)	
PHENOL (UNII: 339NCG44TV)	
SODIUM CHLORIDE (UNII: 451W47IQ8X)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:22840-9435-4	50 mL in 1 VIAL, MULTI-DOSE; Type 0: Not a Combination Product		
2	NDC:22840-9435-2	10 mL in 1 VIAL, MULTI-DOSE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
BLA	BLA101833	09/15/1981	

11 TREE POLLEN MIX

fagus grandifolia, platanus occidentalis, ulmus americana, juglans nigra, salix nigra, populus deltoides, quercus rubra, betula nigra, carya ovata, acer saccharum and fraxinus americana solution

Product Information

Product Type	NON-STANDARDIZED ALLERGENIC	Item Code (Source)	NDC:22840-9484
Route of Administration	INTRADERMAL, PERCUTANEOUS, SUBCUTANEOUS		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ULMUS AMERICANA POLLEN (UNII: 89BAT511BD) (ULMUS AMERICANA POLLEN - UNII:89BAT511BD)	ULMUS AMERICANA POLLEN	0.0045454 g in 1 mL
PLATANUS OCCIDENTALIS POLLEN (UNII: E03U1K03LK) (PLATANUS OCCIDENTALIS POLLEN - UNII:E03U1K03LK)	PLATANUS OCCIDENTALIS POLLEN	0.0045454 g in 1 mL
JUGLANS NIGRA POLLEN (UNII: 1BV28146ZR) (JUGLANS NIGRA POLLEN - UNII:1BV28146ZR)	JUGLANS NIGRA POLLEN	0.0045454 g in 1 mL
SALIX NIGRA POLLEN (UNII: 6M2JIH93ZN) (SALIX NIGRA POLLEN - UNII:6M2JIH93ZN)	SALIX NIGRA POLLEN	0.0045454 g in 1 mL
FAGUS GRANDIFOLIA POLLEN (UNII: 34X886W1H4) (FAGUS GRANDIFOLIA POLLEN - UNII:34X886W1H4)	FAGUS GRANDIFOLIA POLLEN	0.0045454 g in 1 mL
BETULA NIGRA POLLEN (UNII: 93963RFO1P) (BETULA NIGRA POLLEN - UNII:93963RFO1P)	BETULA NIGRA POLLEN	0.0045454 g in 1 mL
ACER SACCHARUM POLLEN (UNII: V38QUQ7861) (ACER SACCHARUM POLLEN - UNII:V38QUQ7861)	ACER SACCHARUM POLLEN	0.0045454 g in 1 mL
POPULUS DELTOIDES POLLEN (UNII: 476DVV63WP) (POPULUS DELTOIDES POLLEN - UNII:476DVV63WP)	POPULUS DELTOIDES POLLEN	0.0045454 g in 1 mL
FRAXINUS AMERICANA POLLEN (UNII: G684LX721Q) (FRAXINUS AMERICANA POLLEN - UNII:G684LX721Q)	FRAXINUS AMERICANA POLLEN	0.0045454 g in 1 mL
QUERCUS RUBRA POLLEN (UNII: SVW19ET93C) (QUERCUS RUBRA POLLEN - UNII:SVW19ET93C)	QUERCUS RUBRA POLLEN	0.0045454 g in 1 mL
CARYA OVATA POLLEN (UNII: 54UN9R2798) (CARYA OVATA POLLEN - UNII:54UN9R2798)	CARYA OVATA POLLEN	0.0045454 g in 1 mL

Inactive Ingredients

Ingredient Name	Strength
SODIUM BICARBONATE (UNII: 8MDF5V39QO)	
PHENOL (UNII: 339NCG44TV)	
SODIUM CHLORIDE (UNII: 451W47IQ8X)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:22840-9484-2	10 mL in 1 VIAL, MULTI-DOSE; Type 0: Not a Combination Product		
2	NDC:22840-9484-4	50 mL in 1 VIAL, MULTI-DOSE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
BLA	BLA101833	09/15/1981	

WESTERN WALNUT POLLEN MIX

juglans californica and juglans regia solution

Product Information				
Product Type		NON-STANDARDIZED ALLERGENIC	Item Code (Source)	NDC:22840-9487
Route of Administration		PERCUTANEOUS, SUBCUTANEOUS, INTRADERMAL		
Active Ingredient/Active Moiety				
Ingredient Name		Basis of Strength	Strength	
JUGLANS CALIFORNICA POLLEN (UNII: 2147EPR64I) (JUGLANS CALIFORNICA POLLEN - UNII:2147EPR64I)		JUGLANS CALIFORNICA POLLEN	0.05 g in 1 mL	
JUGLANS REGIA POLLEN (UNII: ARW43087I1) (JUGLANS REGIA POLLEN - UNII:ARW43087I1)		JUGLANS REGIA POLLEN	0.05 g in 1 mL	
Inactive Ingredients				
Ingredient Name			Strength	
SODIUM BICARBONATE (UNII: 8MDF5V39QO)				
SODIUM CHLORIDE (UNII: 451W47IQ8X)				
PHENOL (UNII: 339NCG44TV)				
Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:22840-9487-2	10 mL in 1 VIAL, MULTI-DOSE; Type 0: Not a Combination Product		
Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
BLA	BLA101833	09/15/1981		

EASTERN 6 TREE POLLEN MIX				
fagus grandifolia, populus deltoides, quercus rubra, betula nigra, carya ovata and fraxinus americana solution				
Product Information				
Product Type		NON-STANDARDIZED ALLERGENIC	Item Code (Source)	NDC:22840-9452
Route of Administration		PERCUTANEOUS, SUBCUTANEOUS, INTRADERMAL		
Active Ingredient/Active Moiety				
Ingredient Name		Basis of Strength	Strength	
FAGUS GRANDIFOLIA POLLEN (UNII: 34X886W1H4) (FAGUS GRANDIFOLIA POLLEN - UNII:34X886W1H4)		FAGUS GRANDIFOLIA POLLEN	6666.6666 [PNU] in 1 mL	

POPULUS DELTOIDES POLLEN (UNII: 476DVV63WP) (POPULUS DELTOIDES POLLEN - UNII:476DVV63WP)	POPULUS DELTOIDES POLLEN	6666.6666 [PNU] in 1 mL
QUERCUS RUBRA POLLEN (UNII: SVW19ET93C) (QUERCUS RUBRA POLLEN - UNII:SVW19ET93C)	QUERCUS RUBRA POLLEN	6666.6666 [PNU] in 1 mL
CARYA OVATA POLLEN (UNII: 54UN9R2798) (CARYA OVATA POLLEN - UNII:54UN9R2798)	CARYA OVATA POLLEN	6666.6666 [PNU] in 1 mL
FRAXINUS AMERICANA POLLEN (UNII: G684LX721Q) (FRAXINUS AMERICANA POLLEN - UNII:G684LX721Q)	FRAXINUS AMERICANA POLLEN	6666.6666 [PNU] in 1 mL
BETULA NIGRA POLLEN (UNII: 93963RFO1P) (BETULA NIGRA POLLEN - UNII:93963RFO1P)	BETULA NIGRA POLLEN	6666.6666 [PNU] in 1 mL

Inactive Ingredients

Ingredient Name	Strength
SODIUM BICARBONATE (UNII: 8MDF5V39QO)	
PHENOL (UNII: 339NCG44TV)	
SODIUM CHLORIDE (UNII: 451W47IQ8X)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:22840-9452-2	10 mL in 1 VIAL, MULTI-DOSE; Type 0: Not a Combination Product		
2	NDC:22840-9452-4	50 mL in 1 VIAL, MULTI-DOSE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
BLA	BLA101833	09/15/1981	

EASTERN 6 TREE POLLEN MIX

fagus grandifolia, populus deltoides, quercus rubra, betula nigra, carya ovata and fraxinus americana solution

Product Information

Product Type	NON-STANDARDIZED ALLERGENIC	Item Code (Source)	NDC:22840-9453
Route of Administration	INTRADERMAL, PERCUTANEOUS, SUBCUTANEOUS		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
FAGUS GRANDIFOLIA POLLEN (UNII: 34X886W1H4) (FAGUS GRANDIFOLIA POLLEN - UNII:34X886W1H4)	FAGUS GRANDIFOLIA POLLEN	0.0083333 g in 1 mL
POPULUS DELTOIDES POLLEN (UNII: 476DVV63WP) (POPULUS DELTOIDES POLLEN - UNII:476DVV63WP)	POPULUS DELTOIDES POLLEN	0.0083333 g in 1 mL
QUERCUS RUBRA POLLEN (UNII: SVW19ET93C) (QUERCUS RUBRA POLLEN - UNII:SVW19ET93C)	QUERCUS RUBRA POLLEN	0.0083333 g in 1 mL

CARYA OVATA POLLEN (UNII: 54UN9R2798) (CARYA OVATA POLLEN - UNII:54UN9R2798)	CARYA OVATA POLLEN	0.0083333 g in 1 mL
FRAXINUS AMERICANA POLLEN (UNII: G684LX721Q) (FRAXINUS AMERICANA POLLEN - UNII:G684LX721Q)	FRAXINUS AMERICANA POLLEN	0.0083333 g in 1 mL
BETULA NIGRA POLLEN (UNII: 93963RFO1P) (BETULA NIGRA POLLEN - UNII:93963RFO1P)	BETULA NIGRA POLLEN	0.0083333 g in 1 mL

Inactive Ingredients

Ingredient Name	Strength
SODIUM BICARBONATE (UNII: 8MDF5V39QO)	
PHENOL (UNII: 339NCG44TV)	
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
GLYCERIN (UNII: PDC6A3C0OX)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:22840-9453-2	10 mL in 1 VIAL, MULTI-DOSE; Type 0: Not a Combination Product		
2	NDC:22840-9453-4	50 mL in 1 VIAL, MULTI-DOSE; Type 0: Not a Combination Product		
3	NDC:22840-9453-5	5 mL in 1 BOTTLE, DROPPER; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
BLA	BLA101833	09/15/1981	

JUNIPER POLLEN MIX

juniperus monosperma and juniperus scopulorum solution

Product Information

Product Type	NON-STANDARDIZED ALLERGENIC	Item Code (Source)	NDC:22840-9424
Route of Administration	INTRADERMAL, PERCUTANEOUS, SUBCUTANEOUS		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
JUNIPERUS SCOPULORUM POLLEN (UNII: 0G82TT8ZFY) (JUNIPERUS SCOPULORUM POLLEN - UNII:0G82TT8ZFY)	JUNIPERUS SCOPULORUM POLLEN	0.05 g in 1 mL
JUNIPERUS MONOSPERMA POLLEN (UNII: PM6E3FG1QK) (JUNIPERUS MONOSPERMA POLLEN - UNII:PM6E3FG1QK)	JUNIPERUS MONOSPERMA POLLEN	0.05 g in 1 mL

Inactive Ingredients

Ingredient Name	Strength
SODIUM BICARBONATE (UNII: 8MDF5V39QO)	
PHENOL (UNII: 339NCG44TV)	
SODIUM CHLORIDE (UNII: 451W47IQ8X)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:22840-9424-2	10 mL in 1 VIAL, MULTI-DOSE; Type 0: Not a Combination Product		
2	NDC:22840-9424-4	50 mL in 1 VIAL, MULTI-DOSE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
BLA	BLA101833	09/15/1981	

WESTERN 10 TREE POLLEN MIX

acacia dealbata, acer negundo, populus fremontii, olea europaea, ulmus pumila, betula occidentalis, juniperus occidentalis, platanus racemosa, quercus garryana and morus alba solution

Product Information

Product Type	NON-STANDARDIZED ALLERGENIC	Item Code (Source)	NDC:22840-9476
Route of Administration	INTRADERMAL, SUBCUTANEOUS, PERCUTANEOUS		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ACACIA DEALBATA POLLEN (UNII: L16Z5HLP8V) (ACACIA DEALBATA POLLEN - UNII:L16Z5HLP8V)	ACACIA DEALBATA POLLEN	2000 [PNU] in 1 mL
OLEA EUROPAEA POLLEN (UNII: 43R41XZ627) (OLEA EUROPAEA POLLEN - UNII:43R41XZ627)	OLEA EUROPAEA POLLEN	2000 [PNU] in 1 mL
ULMUS PUMILA POLLEN (UNII: 030R993R8E) (ULMUS PUMILA POLLEN - UNII:030R993R8E)	ULMUS PUMILA POLLEN	2000 [PNU] in 1 mL
ACER NEGUNDO POLLEN (UNII: P6K070AR8V) (ACER NEGUNDO POLLEN - UNII:P6K070AR8V)	ACER NEGUNDO POLLEN	2000 [PNU] in 1 mL
POPULUS FREMONTII POLLEN (UNII: 426RHB4302) (POPULUS FREMONTII POLLEN - UNII:426RHB4302)	POPULUS FREMONTII POLLEN	2000 [PNU] in 1 mL
BETULA OCCIDENTALIS POLLEN (UNII: R889N2L976) (BETULA OCCIDENTALIS POLLEN - UNII:R889N2L976)	BETULA OCCIDENTALIS POLLEN	2000 [PNU] in 1 mL
JUNIPERUS OCCIDENTALIS POLLEN (UNII: 7JWJ3HXZ9U) (JUNIPERUS OCCIDENTALIS POLLEN - UNII:7JWJ3HXZ9U)	JUNIPERUS OCCIDENTALIS POLLEN	2000 [PNU] in 1 mL
PLATANUS RACEMOSA POLLEN (UNII: BWC8DYU8OS) (PLATANUS RACEMOSA POLLEN - UNII:BWC8DYU8OS)	PLATANUS RACEMOSA POLLEN	2000 [PNU] in 1 mL
QUERCUS GARRYANA POLLEN (UNII: QQ00BED0DV) (QUERCUS GARRYANA	QUERCUS GARRYANA	2000 [PNU]

POLLEN - UNII:QQ00BED0DV)	POLLEN	in 1 mL		
MORUS ALBA POLLEN (UNII: 3I9T68187H) (MORUS ALBA POLLEN - UNII:3I9T68187H)	MORUS ALBA POLLEN	2000 [PNU] in 1 mL		
Inactive Ingredients				
Ingredient Name		Strength		
SODIUM BICARBONATE (UNII: 8MDF5V39QO)				
PHENOL (UNII: 339NCG44TV)				
SODIUM CHLORIDE (UNII: 451W47IQ8X)				
Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:22840-9476-2	10 mL in 1 VIAL, MULTI-DOSE; Type 0: Not a Combination Product		
Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
BLA	BLA101833	09/15/1981		

WESTERN 10 TREE POLLEN MIX

acacia dealbata, acer negundo, populus fremontii, olea europaea, ulmus pumila, betula occidentalis, juniperus occidentalis, platanus racemosa, quercus garryana and morus alba solution

Product Information			
Product Type	NON-STANDARDIZED ALLERGENIC	Item Code (Source)	NDC:22840-9477
Route of Administration	INTRADERMAL, SUBCUTANEOUS, PERCUTANEOUS		
Active Ingredient/Active Moiety			
Ingredient Name		Basis of Strength	Strength
ACACIA DEALBATA POLLEN (UNII: L16Z5HLP8V) (ACACIA DEALBATA POLLEN - UNII:L16Z5HLP8V)		ACACIA DEALBATA POLLEN	0.0001 g in 1 mL
OLEA EUROPAEA POLLEN (UNII: 43R41XZ627) (OLEA EUROPAEA POLLEN - UNII:43R41XZ627)		OLEA EUROPAEA POLLEN	0.0001 g in 1 mL
ULMUS PUMILA POLLEN (UNII: 030R993R8E) (ULMUS PUMILA POLLEN - UNII:030R993R8E)		ULMUS PUMILA POLLEN	0.0001 g in 1 mL
ACER NEGUNDO POLLEN (UNII: P6K070AR8V) (ACER NEGUNDO POLLEN - UNII:P6K070AR8V)		ACER NEGUNDO POLLEN	0.0001 g in 1 mL
POPULUS FREMONTII POLLEN (UNII: 426RHB4302) (POPULUS FREMONTII POLLEN - UNII:426RHB4302)		POPULUS FREMONTII POLLEN	0.0001 g in 1 mL
BETULA OCCIDENTALIS POLLEN (UNII: R889N2L976) (BETULA OCCIDENTALIS POLLEN - UNII:R889N2L976)		BETULA OCCIDENTALIS POLLEN	0.0001 g in 1 mL
JUNIPERUS OCCIDENTALIS POLLEN (UNII: 7JWJ3HXZ9U) (JUNIPERUS		JUNIPERUS	0.0001 g

OCCIDENTALIS POLLEN - UNII:7JWJ3HXZ9U)	OCCIDENTALIS POLLEN	in 1 mL
PLATANUS RACEMOSA POLLEN (UNII: BWC8DYU8OS) (PLATANUS RACEMOSA POLLEN - UNII:BWC8DYU8OS)	PLATANUS RACEMOSA POLLEN	0.0001 g in 1 mL
QUERCUS GARRYANA POLLEN (UNII: QQ00BED0DV) (QUERCUS GARRYANA POLLEN - UNII:QQ00BED0DV)	QUERCUS GARRYANA POLLEN	0.0001 g in 1 mL
MORUS ALBA POLLEN (UNII: 3I9T68187H) (MORUS ALBA POLLEN - UNII:3I9T68187H)	MORUS ALBA POLLEN	0.0001 g in 1 mL

Inactive Ingredients

Ingredient Name	Strength
SODIUM BICARBONATE (UNII: 8MDF5V39QO)	
PHENOL (UNII: 339NCG44TV)	
SODIUM CHLORIDE (UNII: 451W47IQ8X)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:22840-9477-1	5 mL in 1 VIAL, MULTI-DOSE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
BLA	BLA101833	09/15/1981	

11 TREE POLLEN MIX

fagus grandifolia, platanus occidentalis, ulmus americana, juglans nigra, salix nigra, populus deltoides, quercus rubra, betula nigra, carya ovata, acer saccharum and fraxinus americana solution

Product Information

Product Type	NON-STANDARDIZED ALLERGENIC	Item Code (Source)	NDC:22840-9479
Route of Administration	INTRADERMAL, PERCUTANEOUS, SUBCUTANEOUS		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ULMUS AMERICANA POLLEN (UNII: 89BAT511BD) (ULMUS AMERICANA POLLEN - UNII:89BAT511BD)	ULMUS AMERICANA POLLEN	0.0090909 g in 1 mL
PLATANUS OCCIDENTALIS POLLEN (UNII: E03U1K03LK) (PLATANUS OCCIDENTALIS POLLEN - UNII:E03U1K03LK)	PLATANUS OCCIDENTALIS POLLEN	0.0090909 g in 1 mL
JUGLANS NIGRA POLLEN (UNII: 1BV28146ZR) (JUGLANS NIGRA POLLEN - UNII:1BV28146ZR)	JUGLANS NIGRA POLLEN	0.0090909 g in 1 mL
SALIX NIGRA POLLEN (UNII: 6M2JIH93ZN) (SALIX NIGRA POLLEN - UNII:6M2JIH93ZN)	SALIX NIGRA POLLEN	0.0090909 g in 1 mL
FAGUS GRANDIFOLIA POLLEN (UNII: 34X886W1H4) (FAGUS GRANDIFOLIA	FAGUS GRANDIFOLIA	0.0090909 g

POLLEN - UNII:34X886W1H4)	POLLEN	in 1 mL
QUERCUS RUBRA POLLEN (UNII: SVW19ET93C) (QUERCUS RUBRA POLLEN - UNII:SVW19ET93C)	QUERCUS RUBRA POLLEN	0.0090909 g in 1 mL
CARYA OVATA POLLEN (UNII: 54UN9R2798) (CARYA OVATA POLLEN - UNII:54UN9R2798)	CARYA OVATA POLLEN	0.0090909 g in 1 mL
FRAXINUS AMERICANA POLLEN (UNII: G684LX721Q) (FRAXINUS AMERICANA POLLEN - UNII:G684LX721Q)	FRAXINUS AMERICANA POLLEN	0.0090909 g in 1 mL
BETULA NIGRA POLLEN (UNII: 93963RFO1P) (BETULA NIGRA POLLEN - UNII:93963RFO1P)	BETULA NIGRA POLLEN	0.0090909 g in 1 mL
ACER SACCHARUM POLLEN (UNII: V38QUQ7861) (ACER SACCHARUM POLLEN - UNII:V38QUQ7861)	ACER SACCHARUM POLLEN	0.0090909 g in 1 mL
POPULUS DELTOIDES POLLEN (UNII: 476DVV63WP) (POPULUS DELTOIDES POLLEN - UNII:476DVV63WP)	POPULUS DELTOIDES POLLEN	0.0090909 g in 1 mL

Inactive Ingredients

Ingredient Name	Strength
SODIUM BICARBONATE (UNII: 8MDF5V39QO)	
PHENOL (UNII: 339NCG44TV)	
SODIUM CHLORIDE (UNII: 451W47IQ8X)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:22840-9479-2	10 mL in 1 VIAL, MULTI-DOSE; Type 0: Not a Combination Product		
2	NDC:22840-9479-4	50 mL in 1 VIAL, MULTI-DOSE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
BLA	BLA101833	09/15/1981	

2 MAPLE POLLEN MIX

acer rubrum and acer saccharum solution

Product Information

Product Type	NON-STANDARDIZED ALLERGENIC	Item Code (Source)	NDC:22840-9426
Route of Administration	PERCUTANEOUS, SUBCUTANEOUS, INTRADERMAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ACER RUBRUM POLLEN (UNII: 700NK45C76) (ACER RUBRUM POLLEN - UNII:700NK45C76)	ACER RUBRUM POLLEN	0.0005 g in 1 mL

ACER SACCHARUM POLLEN (UNII: V38QUQ7861) (ACER SACCHARUM POLLEN - UNII:V38QUQ7861)

ACER SACCHARUM POLLEN

0.0005 g
in 1 mL

Inactive Ingredients

Ingredient Name	Strength
SODIUM BICARBONATE (UNII: 8MDF5V39QO)	
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
PHENOL (UNII: 339NCG44TV)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:22840-9426-1	5 mL in 1 VIAL, MULTI-DOSE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
BLA	BLA101833	09/15/1981	

3 MAPLE POLLEN MIX

acer rubrum, acer saccharinum and acer saccharum solution

Product Information

Product Type	NON-STANDARDIZED ALLERGENIC	Item Code (Source)	NDC:22840-9428
Route of Administration	PERCUTANEOUS, SUBCUTANEOUS, INTRADERMAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ACER SACCHARUM POLLEN (UNII: V38QUQ7861) (ACER SACCHARUM POLLEN - UNII:V38QUQ7861)	ACER SACCHARUM POLLEN	0.0003333 g in 1 mL
ACER RUBRUM POLLEN (UNII: 700NK45C76) (ACER RUBRUM POLLEN - UNII:700NK45C76)	ACER RUBRUM POLLEN	0.0003333 g in 1 mL
ACER SACCHARINUM POLLEN (UNII: 95447163DG) (ACER SACCHARINUM POLLEN - UNII:95447163DG)	ACER SACCHARINUM POLLEN	0.0003333 g in 1 mL

Inactive Ingredients

Ingredient Name	Strength
SODIUM BICARBONATE (UNII: 8MDF5V39QO)	
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
PHENOL (UNII: 339NCG44TV)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:22840-9428-1	5 mL in 1 VIAL, MULTI-DOSE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
BLA	BLA101833	09/15/1981	

ASH POLLEN MIX

fraxinus pennsylvanica, fraxinus americana solution

Product Information

Product Type	NON-STANDARDIZED ALLERGENIC	Item Code (Source)	NDC:22840-9402
Route of Administration	SUBCUTANEOUS, PERCUTANEOUS, INTRADERMAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
FRAXINUS PENNSYLVANICA POLLEN (UNII: 2WZG2G15WX) (FRAXINUS PENNSYLVANICA POLLEN - UNII:2WZG2G15WX)	FRAXINUS PENNSYLVANICA POLLEN	0.025 g in 1 mL
FRAXINUS AMERICANA POLLEN (UNII: G684LX721Q) (FRAXINUS AMERICANA POLLEN - UNII:G684LX721Q)	FRAXINUS AMERICANA POLLEN	0.025 g in 1 mL

Inactive Ingredients

Ingredient Name	Strength
GLYCERIN (UNII: PDC6A3C0OX)	
SODIUM BICARBONATE (UNII: 8MDF5V39QO)	
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
PHENOL (UNII: 339NCG44TV)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:22840-9402-2	10 mL in 1 VIAL, MULTI-DOSE; Type 0: Not a Combination Product		
2	NDC:22840-9402-4	50 mL in 1 VIAL, MULTI-DOSE; Type 0: Not a Combination Product		
3	NDC:22840-9402-5	5 mL in 1 BOTTLE, DROPPER; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
BLA	BLA101833	09/15/1981	

BIRCH POLLEN MIX

betula lenta, betula nigra and betula populifolia solution

Product Information

Product Type	NON-STANDARDIZED ALLERGENIC	Item Code (Source)	NDC:22840-9403
Route of Administration	INTRADERMAL, PERCUTANEOUS, SUBCUTANEOUS		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
BETULA LENTA POLLEN (UNII: JQ5HI5004M) (BETULA LENTA POLLEN - UNII:JQ5HI5004M)	BETULA LENTA POLLEN	0.0083333 g in 1 mL
BETULA NIGRA POLLEN (UNII: 93963RFO1P) (BETULA NIGRA POLLEN - UNII:93963RFO1P)	BETULA NIGRA POLLEN	0.0083333 g in 1 mL
BETULA POPULIFOLIA POLLEN (UNII: 23H70FYJ5U) (BETULA POPULIFOLIA POLLEN - UNII:23H70FYJ5U)	BETULA POPULIFOLIA POLLEN	0.0083333 g in 1 mL

Inactive Ingredients

Ingredient Name	Strength
SODIUM BICARBONATE (UNII: 8MDF5V39QO)	
PHENOL (UNII: 339NCG44TV)	
SODIUM CHLORIDE (UNII: 451W47IQ8X)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:22840-9403-2	10 mL in 1 VIAL, MULTI-DOSE; Type 0: Not a Combination Product		
2	NDC:22840-9403-4	50 mL in 1 VIAL, MULTI-DOSE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
BLA	BLA101833	09/15/1981	

CENTRAL EASTERN 4 TREE POLLEN MIX

ulmus americana, acer negundo, carya illinoensis and quercus virginiana solution

Product Information

Product Type	NON-STANDARDIZED ALLERGENIC	Item Code (Source)	NDC:22840-9466
Route of Administration	INTRADERMAL, PERCUTANEOUS, SUBCUTANEOUS		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
CARYA ILLINOINENSIS POLLEN (UNII: PYO4JR720 Y) (CARYA ILLINOINENSIS POLLEN - UNII:PYO4JR720 Y)	CARYA ILLINOINENSIS POLLEN	0.00025 g in 1 mL
QUERCUS VIRGINIANA POLLEN (UNII: 8KDG09A4GO) (QUERCUS VIRGINIANA POLLEN - UNII:8KDG09A4GO)	QUERCUS VIRGINIANA POLLEN	0.00025 g in 1 mL
ULMUS AMERICANA POLLEN (UNII: 89BAT511BD) (ULMUS AMERICANA POLLEN - UNII:89BAT511BD)	ULMUS AMERICANA POLLEN	0.00025 g in 1 mL
ACER NEGUNDO POLLEN (UNII: P6K070AR8 V) (ACER NEGUNDO POLLEN - UNII:P6K070AR8 V)	ACER NEGUNDO POLLEN	0.00025 g in 1 mL

Inactive Ingredients

Ingredient Name	Strength
SODIUM BICARBONATE (UNII: 8MDF5V39QO)	
PHENOL (UNII: 339NCG44TV)	
SODIUM CHLORIDE (UNII: 451W47IQ8 X)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:22840-9466-1	5 mL in 1 VIAL, MULTI-DOSE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
BLA	BLA101833	09/15/1981	

EASTERN OAK POLLEN MIX

quercus velutina, quercus rubra and quercus alba solution

Product Information

Product Type	NON-STANDARDIZED ALLERGENIC	Item Code (Source)	NDC:22840-9441
Route of Administration	PERCUTANEOUS, SUBCUTANEOUS, INTRADERMAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
QUERCUS VELUTINA POLLEN (UNII: 294L626TT0) (QUERCUS VELUTINA POLLEN - UNII:294L626TT0)	QUERCUS VELUTINA POLLEN	0.0333333 g in 1 mL
QUERCUS RUBRA POLLEN (UNII: SVW19ET93C) (QUERCUS RUBRA POLLEN - UNII:SVW19ET93C)	QUERCUS RUBRA POLLEN	0.0333333 g in 1 mL
QUERCUS ALBA POLLEN (UNII: Z4Y9ZSV4KK) (QUERCUS ALBA POLLEN - UNII:Z4Y9ZSV4KK)	QUERCUS ALBA POLLEN	0.0333333 g in 1 mL

Inactive Ingredients

Ingredient Name	Strength
PHENOL (UNII: 339NCG44TV)	
SODIUM BICARBONATE (UNII: 8MDF5V39QO)	
SODIUM CHLORIDE (UNII: 451W47IQ8X)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:22840-9441-2	10 mL in 1 VIAL, MULTI-DOSE; Type 0: Not a Combination Product		
2	NDC:22840-9441-4	50 mL in 1 VIAL, MULTI-DOSE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
BLA	BLA101833	09/15/1981	

ELM POLLEN MIX

ulmus americana and ulmus pumila solution

Product Information

Product Type	NON-STANDARDIZED ALLERGENIC	Item Code (Source)	NDC:22840-9409
Route of Administration	SUBCUTANEOUS, INTRADERMAL, PERCUTANEOUS		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ULMUS AMERICANA POLLEN (UNII: 89BAT511BD) (ULMUS AMERICANA POLLEN - UNII:89BAT511BD)	ULMUS AMERICANA POLLEN	0.0005 g in 1 mL
ULMUS PUMILA POLLEN (UNII: 030R993R8E) (ULMUS PUMILA POLLEN - UNII:030R993R8E)	ULMUS PUMILA POLLEN	0.0005 g in 1 mL

Inactive Ingredients

Ingredient Name	Strength
PHENOL (UNII: 339NCG44TV)	
SODIUM BICARBONATE (UNII: 8MDF5V39QO)	
SODIUM CHLORIDE (UNII: 451W47IQ8X)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:22840-9409-1	5 mL in 1 VIAL, MULTI-DOSE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
BLA	BLA101833	09/15/1981	

HICKORY POLLEN MIX

carya glabra, carya ovata, carya laciniosa and carya tomentosa solution

Product Information

Product Type	NON-STANDARDIZED ALLERGENIC	Item Code (Source)	NDC:22840-9412
Route of Administration	INTRADERMAL, PERCUTANEOUS, SUBCUTANEOUS		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
CARYA GLABRA POLLEN (UNII: KPO1Z9N98A) (CARYA GLABRA POLLEN - UNII:KPO1Z9N98A)	CARYA GLABRA POLLEN	5000 [PNU] in 1 mL
CARYA ALBA POLLEN (UNII: G2A764T54B) (CARYA ALBA POLLEN - UNII:G2A764T54B)	CARYA ALBA POLLEN	5000 [PNU] in 1 mL
CARYA OVATA POLLEN (UNII: 54UN9R2798) (CARYA OVATA POLLEN - UNII:54UN9R2798)	CARYA OVATA POLLEN	5000 [PNU] in 1 mL
CARYA LACINIOSA POLLEN (UNII: 5BGG872373) (CARYA LACINIOSA POLLEN - UNII:5BGG872373)	CARYA LACINIOSA POLLEN	5000 [PNU] in 1 mL

Inactive Ingredients

Ingredient Name	Strength
SODIUM BICARBONATE (UNII: 8MDF5V39QO)	
PHENOL (UNII: 339NCG44TV)	
SODIUM CHLORIDE (UNII: 451W47IQ8X)	

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:22840-9412-2	10 mL in 1 VIAL, MULTI-DOSE; Type 0: Not a Combination Product		
2	NDC:22840-9412-4	50 mL in 1 VIAL, MULTI-DOSE; Type 0: Not a Combination Product		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
BLA	BLA101833	09/15/1981	

HICKORY-PECAN POLLEN MIX				
carya illinoensis and carya ovata solution				
Product Information				
Product Type	NON-STANDARDIZED ALLERGENIC	Item Code (Source)	NDC:22840-9418	
Route of Administration	SUBCUTANEOUS, PERCUTANEOUS, INTRADERMAL			
Active Ingredient/Active Moiety				
	Ingredient Name	Basis of Strength	Strength	
	CARYA OVATA POLLEN (UNII: 54UN9R2798) (CARYA OVATA POLLEN - UNII:54UN9R2798)	CARYA OVATA POLLEN	0.05 g in 1 mL	
	CARYA ILLINOINENSIS POLLEN (UNII: PYO4JR720 Y) (CARYA ILLINOINENSIS POLLEN - UNII:PYO4JR720 Y)	CARYA ILLINOINENSIS POLLEN	0.05 g in 1 mL	
Inactive Ingredients				
	Ingredient Name	Strength		
	SODIUM BICARBONATE (UNII: 8MDF5V39QO)			
	SODIUM CHLORIDE (UNII: 451W47IQ8X)			
	PHENOL (UNII: 339NCG44TV)			
Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:22840-9418-2	10 mL in 1 VIAL, MULTI-DOSE; Type 0: Not a Combination Product		
2	NDC:22840-9418-4	50 mL in 1 VIAL, MULTI-DOSE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
BLA	BLA101833	09/15/1981	

JUNIPER POLLEN MIX

juniperus monosperma and juniperus scopulorum solution

Product Information

Product Type	NON-STANDARDIZED ALLERGENIC	Item Code (Source)	NDC:22840-9423
Route of Administration	INTRADERMAL, PERCUTANEOUS, SUBCUTANEOUS		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
JUNIPERUS SCOPULORUM POLLEN (UNII: 0G82TT8ZFY) (JUNIPERUS SCOPULORUM POLLEN - UNII:0G82TT8ZFY)	JUNIPERUS SCOPULORUM POLLEN	0.0005 g in 1 mL
JUNIPERUS MONOSPERMA POLLEN (UNII: PM6E3FG1QK) (JUNIPERUS MONOSPERMA POLLEN - UNII:PM6E3FG1QK)	JUNIPERUS MONOSPERMA POLLEN	0.0005 g in 1 mL

Inactive Ingredients

Ingredient Name	Strength
SODIUM BICARBONATE (UNII: 8MDF5V39QO)	
PHENOL (UNII: 339NCG44TV)	
SODIUM CHLORIDE (UNII: 451W47IQ8X)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:22840-9423-1	5 mL in 1 VIAL, MULTI-DOSE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
BLA	BLA101833	09/15/1981	

PINE POLLEN MIX

pinus taeda, pinus strobus and pinus echinata solution

Product Information

Product Type	NON-STANDARDIZED ALLERGENIC	Item Code	NDC:22840-
--------------	-----------------------------	-----------	------------

Product Type	NON-STANDARDIZED ALLERGENIC	(Source)	9440	
Route of Administration	INTRADERMAL, PERCUTANEOUS, SUBCUTANEOUS			
Active Ingredient/Active Moiety				
	Ingredient Name	Basis of Strength	Strength	
	PINUS ECHINATA POLLEN (UNII: 96LRW14765) (PINUS ECHINATA POLLEN - UNII:96LRW14765)	PINUS ECHINATA POLLEN	0.0166666 g in 1 mL	
	PINUS TAEDA POLLEN (UNII: 4O1FFR8ARN) (PINUS TAEDA POLLEN - UNII:4O1FFR8ARN)	PINUS TAEDA POLLEN	0.0166666 g in 1 mL	
	PINUS STROBUS POLLEN (UNII: TX1ER5UV3T) (PINUS STROBUS POLLEN - UNII:TX1ER5UV3T)	PINUS STROBUS POLLEN	0.0166666 g in 1 mL	
Inactive Ingredients				
	Ingredient Name		Strength	
	GLYCERIN (UNII: PDC6A3C0OX)			
	SODIUM BICARBONATE (UNII: 8MDF5V39QO)			
	PHENOL (UNII: 339NCG44TV)			
	SODIUM CHLORIDE (UNII: 451W47IQ8X)			
Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:22840-9440-2	10 mL in 1 VIAL, MULTI-DOSE; Type 0: Not a Combination Product		
2	NDC:22840-9440-4	50 mL in 1 VIAL, MULTI-DOSE; Type 0: Not a Combination Product		
3	NDC:22840-9440-5	5 mL in 1 BOTTLE, DROPPER; Type 0: Not a Combination Product		
Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
BLA	BLA101833	09/15/1981		

WESTERN 3 TREE POLLEN MIX			
olea europaea, ulmus pumila and platanus racemosa solution			
Product Information			
Product Type	NON-STANDARDIZED ALLERGENIC	Item Code (Source)	NDC:22840-9474
Route of Administration	INTRADERMAL, PERCUTANEOUS, SUBCUTANEOUS		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
PLATANUS RACEMOSA POLLEN (UNII: BWC8DYU8OS) (PLATANUS RACEMOSA POLLEN - UNII:BWC8DYU8OS)	PLATANUS RACEMOSA POLLEN	0.0166666 g in 1 mL
OLEA EUROPAEA POLLEN (UNII: 43R41XZ627) (OLEA EUROPAEA POLLEN - UNII:43R41XZ627)	OLEA EUROPAEA POLLEN	0.0166666 g in 1 mL
ULMUS PUMILA POLLEN (UNII: 030R993R8E) (ULMUS PUMILA POLLEN - UNII:030R993R8E)	ULMUS PUMILA POLLEN	0.0166666 g in 1 mL

Inactive Ingredients

Ingredient Name	Strength
GLYCERIN (UNII: PDC6A3C0OX)	
SODIUM BICARBONATE (UNII: 8MDF5V39QO)	
PHENOL (UNII: 339NCG44TV)	
SODIUM CHLORIDE (UNII: 451W47IQ8X)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:22840-9474-2	10 mL in 1 VIAL, MULTI-DOSE; Type 0: Not a Combination Product		
2	NDC:22840-9474-5	5 mL in 1 BOTTLE, DROPPER; Type 0: Not a Combination Product		
3	NDC:22840-9474-4	50 mL in 1 VIAL, MULTI-DOSE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
BLA	BLA101833	09/15/1981	

MAPLE-BOX ELDER POLLEN MIX

acer saccharum and acer negundo solution

Product Information

Product Type	NON-STANDARDIZED ALLERGENIC	Item Code (Source)	NDC:22840-9431
Route of Administration	SUBCUTANEOUS, PERCUTANEOUS, INTRADERMAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ACER SACCHARUM POLLEN (UNII: V38QUQ7861) (ACER SACCHARUM POLLEN - UNII:V38QUQ7861)	ACER SACCHARUM POLLEN	0.0005 g in 1 mL
ACER NEGUNDO POLLEN (UNII: P6K070AR8V) (ACER NEGUNDO POLLEN - UNII:P6K070AR8V)	ACER NEGUNDO POLLEN	0.0005 g in 1 mL

Inactive Ingredients

Ingredient Name	Strength
PHENOL (UNII: 339NCG44TV)	
SODIUM BICARBONATE (UNII: 8MDF5V39QO)	
SODIUM CHLORIDE (UNII: 451W47IQ8X)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:22840-9431-1	5 mL in 1 VIAL, MULTI-DOSE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
BLA	BLA101833	09/15/1981	

WESTERN 10 TREE POLLEN MIX

acacia dealbata, acer negundo, populus fremontii, olea europaea, ulmus pumila, betula occidentalis, juniperus occidentalis, platanus racemosa, quercus garryana and morus alba solution

Product Information

Product Type	NON-STANDARDIZED ALLERGENIC	Item Code (Source)	NDC:22840-9475
Route of Administration	INTRADERMAL, PERCUTANEOUS, SUBCUTANEOUS		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ACACIA DEALBATA POLLEN (UNII: L16Z5HLP8V) (ACACIA DEALBATA POLLEN - UNII:L16Z5HLP8V)	ACACIA DEALBATA POLLEN	0.01 g in 1 mL
OLEA EUROPAEA POLLEN (UNII: 43R41XZ627) (OLEA EUROPAEA POLLEN - UNII:43R41XZ627)	OLEA EUROPAEA POLLEN	0.01 g in 1 mL
ULMUS PUMILA POLLEN (UNII: 030R993R8E) (ULMUS PUMILA POLLEN - UNII:030R993R8E)	ULMUS PUMILA POLLEN	0.01 g in 1 mL
ACER NEGUNDO POLLEN (UNII: P6K070AR8V) (ACER NEGUNDO POLLEN - UNII:P6K070AR8V)	ACER NEGUNDO POLLEN	0.01 g in 1 mL
POPULUS FREMONTII POLLEN (UNII: 426RHB4302) (POPULUS FREMONTII POLLEN - UNII:426RHB4302)	POPULUS FREMONTII POLLEN	0.01 g in 1 mL
BETULA OCCIDENTALIS POLLEN (UNII: R889N2L976) (BETULA OCCIDENTALIS POLLEN - UNII:R889N2L976)	BETULA OCCIDENTALIS POLLEN	0.01 g in 1 mL
JUNIPERUS OCCIDENTALIS POLLEN (UNII: 7JWJ3HXZ9U) (JUNIPERUS OCCIDENTALIS POLLEN - UNII:7JWJ3HXZ9U)	JUNIPERUS OCCIDENTALIS POLLEN	0.01 g in 1 mL
PLATANUS RACEMOSA POLLEN (UNII: BWC8DYU8OS) (PLATANUS RACEMOSA POLLEN - UNII:BWC8DYU8OS)	PLATANUS RACEMOSA POLLEN	0.01 g in 1 mL

QUERCUS GARRYANA POLLEN (UNII: QQ00BED0DV) (QUERCUS GARRYANA POLLEN - UNII:QQ00BED0DV)	QUERCUS GARRYANA POLLEN	0.01 g in 1 mL
MORUS ALBA POLLEN (UNII: 3I9T68187H) (MORUS ALBA POLLEN - UNII:3I9T68187H)	MORUS ALBA POLLEN	0.01 g in 1 mL

Inactive Ingredients

Ingredient Name	Strength
SODIUM BICARBONATE (UNII: 8MDF5V39QO)	
PHENOL (UNII: 339NCG44TV)	
SODIUM CHLORIDE (UNII: 451W47IQ8X)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:22840-9475-2	10 mL in 1 VIAL, MULTI-DOSE; Type 0: Not a Combination Product		
2	NDC:22840-9475-4	50 mL in 1 VIAL, MULTI-DOSE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
BLA	BLA101833	09/15/1981	

CENTRAL EASTERN 4 TREE POLLEN MIX

ulmus americana, acer negundo, carya illinoensis and quercus virginiana solution

Product Information

Product Type	NON-STANDARDIZED ALLERGENIC	Item Code (Source)	NDC:22840-9468
Route of Administration	PERCUTANEOUS, SUBCUTANEOUS, INTRADERMAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
CARYA ILLINOINENSIS POLLEN (UNII: PYO4JR720Y) (CARYA ILLINOINENSIS POLLEN - UNII:PYO4JR720Y)	CARYA ILLINOINENSIS POLLEN	0.0125 g in 1 mL
QUERCUS VIRGINIANA POLLEN (UNII: 8KDG09A4GO) (QUERCUS VIRGINIANA POLLEN - UNII:8KDG09A4GO)	QUERCUS VIRGINIANA POLLEN	0.0125 g in 1 mL
ULMUS AMERICANA POLLEN (UNII: 89BAT511BD) (ULMUS AMERICANA POLLEN - UNII:89BAT511BD)	ULMUS AMERICANA POLLEN	0.0125 g in 1 mL
ACER NEGUNDO POLLEN (UNII: P6K070AR8V) (ACER NEGUNDO POLLEN - UNII:P6K070AR8V)	ACER NEGUNDO POLLEN	0.0125 g in 1 mL

Inactive Ingredients

Ingredient Name	Strength
SODIUM BICARBONATE (UNII: 8MDF5V39QO)	
PHENOL (UNII: 339NCG44TV)	
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
GLYCERIN (UNII: PDC6A3C0OX)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:22840-9468-2	10 mL in 1 VIAL, MULTI-DOSE; Type 0: Not a Combination Product		
2	NDC:22840-9468-4	50 mL in 1 VIAL, MULTI-DOSE; Type 0: Not a Combination Product		
3	NDC:22840-9468-5	5 mL in 1 BOTTLE, DROPPER; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
BLA	BLA101833	09/15/1981	

EASTERN 6 TREE POLLEN MIX

fagus grandifolia, populus deltoides, quercus rubra, betula nigra, carya ovata and fraxinus americana solution

Product Information

Product Type	NON-STANDARDIZED ALLERGENIC	Item Code (Source)	NDC:22840-9448
Route of Administration	INTRADERMAL, PERCUTANEOUS, SUBCUTANEOUS		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
FAGUS GRANDIFOLIA POLLEN (UNII: 34X886W1H4) (FAGUS GRANDIFOLIA POLLEN - UNII:34X886W1H4)	FAGUS GRANDIFOLIA POLLEN	0.0166666 g in 1 mL
POPULUS DELTOIDES POLLEN (UNII: 476DVV63WP) (POPULUS DELTOIDES POLLEN - UNII:476DVV63WP)	POPULUS DELTOIDES POLLEN	0.0166666 g in 1 mL
QUERCUS RUBRA POLLEN (UNII: SVW19ET93C) (QUERCUS RUBRA POLLEN - UNII:SVW19ET93C)	QUERCUS RUBRA POLLEN	0.0166666 g in 1 mL
CARYA OVATA POLLEN (UNII: 54UN9R2798) (CARYA OVATA POLLEN - UNII:54UN9R2798)	CARYA OVATA POLLEN	0.0166666 g in 1 mL
FRAXINUS AMERICANA POLLEN (UNII: G684LX721Q) (FRAXINUS AMERICANA POLLEN - UNII:G684LX721Q)	FRAXINUS AMERICANA POLLEN	0.0166666 g in 1 mL
BETULA NIGRA POLLEN (UNII: 93963RFO1P) (BETULA NIGRA POLLEN - UNII:93963RFO1P)	BETULA NIGRA POLLEN	0.0166666 g in 1 mL

Inactive Ingredients

Ingredient Name		Strength
SODIUM BICARBONATE (UNII: 8MDF5V39QO)		
PHENOL (UNII: 339NCG44TV)		
SODIUM CHLORIDE (UNII: 451W47IQ8X)		

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:22840-9448-2	10 mL in 1 VIAL, MULTI-DOSE; Type 0: Not a Combination Product		
2	NDC:22840-9448-4	50 mL in 1 VIAL, MULTI-DOSE; Type 0: Not a Combination Product		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
BLA	BLA101833	09/15/1981	

11 TREE POLLEN MIX

fagus grandifolia, platanus occidentalis, ulmus americana, juglans nigra, salix nigra, populus deltoides, quercus rubra, betula nigra, carya ovata, acer saccharum and fraxinus americana solution

Product Information			
Product Type	NON-STANDARDIZED ALLERGENIC	Item Code (Source)	NDC:22840-9485
Route of Administration	INTRADERMAL, PERCUTANEOUS, SUBCUTANEOUS		

Active Ingredient/Active Moiety		
Ingredient Name	Basis of Strength	Strength
ULMUS AMERICANA POLLEN (UNII: 89BAT511BD) (ULMUS AMERICANA POLLEN - UNII:89BAT511BD)	ULMUS AMERICANA POLLEN	0.0045454 g in 1 mL
PLATANUS OCCIDENTALIS POLLEN (UNII: E03U1K03LK) (PLATANUS OCCIDENTALIS POLLEN - UNII:E03U1K03LK)	PLATANUS OCCIDENTALIS POLLEN	0.0045454 g in 1 mL
JUGLANS NIGRA POLLEN (UNII: 1BV28146ZR) (JUGLANS NIGRA POLLEN - UNII:1BV28146ZR)	JUGLANS NIGRA POLLEN	0.0045454 g in 1 mL
SALIX NIGRA POLLEN (UNII: 6M2JIH93ZN) (SALIX NIGRA POLLEN - UNII:6M2JIH93ZN)	SALIX NIGRA POLLEN	0.0045454 g in 1 mL
FAGUS GRANDIFOLIA POLLEN (UNII: 34X886W1H4) (FAGUS GRANDIFOLIA POLLEN - UNII:34X886W1H4)	FAGUS GRANDIFOLIA POLLEN	0.0045454 g in 1 mL
BETULA NIGRA POLLEN (UNII: 93963RFO1P) (BETULA NIGRA POLLEN - UNII:93963RFO1P)	BETULA NIGRA POLLEN	0.0045454 g in 1 mL
ACER SACCHARUM POLLEN (UNII: V38QUQ7861) (ACER SACCHARUM POLLEN - UNII:V38QUQ7861)	ACER SACCHARUM POLLEN	0.0045454 g in 1 mL
POPULUS DELTOIDES POLLEN (UNII: 476DVV63WP) (POPULUS DELTOIDES POLLEN - UNII:476DVV63WP)	POPULUS DELTOIDES POLLEN	0.0045454 g in 1 mL
FRAXINUS AMERICANA POLLEN (UNII: G684LX721Q) (FRAXINUS AMERICANA POLLEN - UNII:G684LX721Q)	FRAXINUS AMERICANA POLLEN	0.0045454 g in 1 mL

QUERCUS RUBRA POLLEN (UNII: SVW19ET93C) (QUERCUS RUBRA POLLEN - UNII:SVW19ET93C)	QUERCUS RUBRA POLLEN	0.0045454 g in 1 mL
CARYA OVATA POLLEN (UNII: 54UN9R2798) (CARYA OVATA POLLEN - UNII:54UN9R2798)	CARYA OVATA POLLEN	0.0045454 g in 1 mL

Inactive Ingredients	
Ingredient Name	Strength
SODIUM BICARBONATE (UNII: 8MDF5V39QO)	
PHENOL (UNII: 339NCG44TV)	
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
GLYCERIN (UNII: PDC6A3C0OX)	

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:22840-9485-2	10 mL in 1 VIAL, MULTI-DOSE; Type 0: Not a Combination Product		
2	NDC:22840-9485-4	50 mL in 1 VIAL, MULTI-DOSE; Type 0: Not a Combination Product		
3	NDC:22840-9485-5	5 mL in 1 BOTTLE, DROPPER; Type 0: Not a Combination Product		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
BLA	BLA101833	09/15/1981	

2 MAPLE POLLEN MIX

acer rubrum and acer saccharum solution

Product Information			
Product Type	NON-STANDARDIZED ALLERGENIC	Item Code (Source)	NDC:22840-9427
Route of Administration	PERCUTANEOUS, SUBCUTANEOUS, INTRADERMAL		

Active Ingredient/Active Moiety		
Ingredient Name	Basis of Strength	Strength
ACER RUBRUM POLLEN (UNII: 700NK45C76) (ACER RUBRUM POLLEN - UNII:700NK45C76)	ACER RUBRUM POLLEN	0.025 g in 1 mL
ACER SACCHARUM POLLEN (UNII: V38QUQ7861) (ACER SACCHARUM POLLEN - UNII:V38QUQ7861)	ACER SACCHARUM POLLEN	0.025 g in 1 mL

Inactive Ingredients	
Ingredient Name	Strength

SODIUM BICARBONATE (UNII: 8MDF5V39QO)				
SODIUM CHLORIDE (UNII: 451W47IQ8X)				
PHENOL (UNII: 339NCG44TV)				
GLYCERIN (UNII: PDC6A3C0OX)				
Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:22840-9427-2	10 mL in 1 VIAL, MULTI-DOSE; Type 0: Not a Combination Product		
2	NDC:22840-9427-4	50 mL in 1 VIAL, MULTI-DOSE; Type 0: Not a Combination Product		
3	NDC:22840-9427-5	5 mL in 1 BOTTLE, DROPPER; Type 0: Not a Combination Product		
Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
BLA	BLA101833	09/15/1981		

2 MAPLE POLLEN MIX			
acer rubrum and acer saccharum solution			
Product Information			
Product Type	NON-STANDARDIZED ALLERGENIC	Item Code (Source)	NDC:22840-9803
Route of Administration	PERCUTANEOUS, SUBCUTANEOUS, INTRADERMAL		
Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	
ACER RUBRUM POLLEN (UNII: 700NK45C76) (ACER RUBRUM POLLEN - UNII:700NK45C76)	ACER RUBRUM POLLEN	10000 [PNU] in 1 mL	
ACER SACCHARUM POLLEN (UNII: V38QUQ7861) (ACER SACCHARUM POLLEN - UNII:V38QUQ7861)	ACER SACCHARUM POLLEN	10000 [PNU] in 1 mL	
Inactive Ingredients			
Ingredient Name	Strength		
SODIUM BICARBONATE (UNII: 8MDF5V39QO)			
SODIUM CHLORIDE (UNII: 451W47IQ8X)			
PHENOL (UNII: 339NCG44TV)			
Packaging			

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:22840-9803-2	10 mL in 1 VIAL, MULTI-DOSE; Type 0: Not a Combination Product		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
BLA	BLA101833	09/15/1981	

HICKORY-PECAN POLLEN MIX				
carya illinoensis and carya ovata solution				
Product Information				
Product Type	NON-STANDARDIZED ALLERGENIC	Item Code (Source)	NDC:22840-9420	
Route of Administration	INTRADERMAL, SUBCUTANEOUS, PERCUTANEOUS			
Active Ingredient/Active Moiety				
	Ingredient Name	Basis of Strength	Strength	
	CARYA OVATA POLLEN (UNII: 54UN9R2798) (CARYA OVATA POLLEN - UNII:54UN9R2798)	CARYA OVATA POLLEN	0.0005 g in 1 mL	
	CARYA ILLINOINENSIS POLLEN (UNII: PYO4JR720Y) (CARYA ILLINOINENSIS POLLEN - UNII:PYO4JR720Y)	CARYA ILLINOINENSIS POLLEN	0.0005 g in 1 mL	
Inactive Ingredients				
	Ingredient Name	Strength		
	SODIUM BICARBONATE (UNII: 8MDF5V39QO)			
	SODIUM CHLORIDE (UNII: 451W47IQ8X)			
	PHENOL (UNII: 339NCG44TV)			
Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:22840-9420-1	5 mL in 1 VIAL, MULTI-DOSE; Type 0: Not a Combination Product		
Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
BLA	BLA101833	09/15/1981		

WESTERN OAK POLLEN MIX

quercus kelloggii, quercus agrifolia and quercus garryana solution

Product Information

Product Type	NON-STANDARDIZED ALLERGENIC	Item Code (Source)	NDC:22840-9806
Route of Administration	SUBCUTANEOUS, INTRADERMAL, PERCUTANEOUS		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
QUERCUS AGRIFOLIA POLLEN (UNII: VOT5MA71M7) (QUERCUS AGRIFOLIA POLLEN - UNII:VOT5MA71M7)	QUERCUS AGRIFOLIA POLLEN	6666.6666 [PNU] in 1 mL
QUERCUS KELLOGGII POLLEN (UNII: 02RVY6X9EC) (QUERCUS KELLOGGII POLLEN - UNII:02RVY6X9EC)	QUERCUS KELLOGGII POLLEN	6666.6666 [PNU] in 1 mL
QUERCUS GARRYANA POLLEN (UNII: QQ00BED0DV) (QUERCUS GARRYANA POLLEN - UNII:QQ00BED0DV)	QUERCUS GARRYANA POLLEN	6666.6666 [PNU] in 1 mL

Inactive Ingredients

Ingredient Name	Strength
SODIUM BICARBONATE (UNII: 8MDF5V39QO)	
PHENOL (UNII: 339NCG44TV)	
SODIUM CHLORIDE (UNII: 451W47IQ8X)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:22840-9806-2	10 mL in 1 VIAL, MULTI-DOSE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
BLA	BLA101833	09/15/1981	

HICKORY-PECAN POLLEN MIX

carya illinoensis and carya ovata solution

Product Information

Product Type	NON-STANDARDIZED ALLERGENIC	Item Code (Source)	NDC:22840-9422
Route of Administration	INTRADERMAL, SUBCUTANEOUS, PERCUTANEOUS		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
CARYA OVATA POLLEN (UNII: 54UN9R2798) (CARYA OVATA POLLEN - UNII:54UN9R2798)	CARYA OVATA POLLEN	0.025 g in 1 mL
CARYA ILLINOINENSIS POLLEN (UNII: PYO4JR720Y) (CARYA ILLINOINENSIS POLLEN - UNII:PYO4JR720Y)	CARYA ILLINOINENSIS POLLEN	0.025 g in 1 mL

Inactive Ingredients

Ingredient Name	Strength
SODIUM BICARBONATE (UNII: 8MDF5V39QO)	
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
PHENOL (UNII: 339NCG44TV)	
GLYCERIN (UNII: PDC6A3C0OX)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:22840-9422-5	5 mL in 1 BOTTLE, DROPPER; Type 0: Not a Combination Product		
2	NDC:22840-9422-2	10 mL in 1 VIAL, MULTI-DOSE; Type 0: Not a Combination Product		
3	NDC:22840-9422-4	50 mL in 1 VIAL, MULTI-DOSE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
BLA	BLA101833	09/15/1981	

11 TREE POLLEN MIX

fagus grandifolia, platanus occidentalis, ulmus americana, juglans nigra, salix nigra, populus deltoides, quercus rubra, betula nigra, carya ovata, acer saccharum and fraxinus americana solution

Product Information

Product Type	NON-STANDARDIZED ALLERGENIC	Item Code (Source)	NDC:22840-9483
Route of Administration	INTRADERMAL, PERCUTANEOUS, SUBCUTANEOUS		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ULMUS AMERICANA POLLEN (UNII: 89BAT511BD) (ULMUS AMERICANA POLLEN - UNII:89BAT511BD)	ULMUS AMERICANA POLLEN	3636.3636 [PNU] in 1 mL
PLATANUS OCCIDENTALIS POLLEN (UNII: E03U1K03LK) (PLATANUS OCCIDENTALIS POLLEN - UNII:E03U1K03LK)	PLATANUS OCCIDENTALIS POLLEN	3636.3636 [PNU] in 1 mL

JUGLANS NIGRA POLLEN (UNII: 1BV28146ZR) (JUGLANS NIGRA POLLEN - UNII:1BV28146ZR)	JUGLANS NIGRA POLLEN	3636.3636 [PNU] in 1 mL
SALIX NIGRA POLLEN (UNII: 6M2JIH93ZN) (SALIX NIGRA POLLEN - UNII:6M2JIH93ZN)	SALIX NIGRA POLLEN	3636.3636 [PNU] in 1 mL
FAGUS GRANDIFOLIA POLLEN (UNII: 34X886W1H4) (FAGUS GRANDIFOLIA POLLEN - UNII:34X886W1H4)	FAGUS GRANDIFOLIA POLLEN	3636.3636 [PNU] in 1 mL
POPULUS DELTOIDES POLLEN (UNII: 476DVV63WP) (POPULUS DELTOIDES POLLEN - UNII:476DVV63WP)	POPULUS DELTOIDES POLLEN	3636.3636 [PNU] in 1 mL
ACER SACCHARUM POLLEN (UNII: V38QUQ7861) (ACER SACCHARUM POLLEN - UNII:V38QUQ7861)	ACER SACCHARUM POLLEN	3636.3636 [PNU] in 1 mL
QUERCUS RUBRA POLLEN (UNII: SVW19ET93C) (QUERCUS RUBRA POLLEN - UNII:SVW19ET93C)	QUERCUS RUBRA POLLEN	3636.3636 [PNU] in 1 mL
CARYA OVATA POLLEN (UNII: 54UN9R2798) (CARYA OVATA POLLEN - UNII:54UN9R2798)	CARYA OVATA POLLEN	3636.3636 [PNU] in 1 mL
FRAXINUS AMERICANA POLLEN (UNII: G684LX721Q) (FRAXINUS AMERICANA POLLEN - UNII:G684LX721Q)	FRAXINUS AMERICANA POLLEN	3636.3636 [PNU] in 1 mL
BETULA NIGRA POLLEN (UNII: 93963RFO1P) (BETULA NIGRA POLLEN - UNII:93963RFO1P)	BETULA NIGRA POLLEN	3636.3636 [PNU] in 1 mL

Inactive Ingredients

Ingredient Name	Strength
SODIUM BICARBONATE (UNII: 8MDF5V39QO)	
PHENOL (UNII: 339NCG44TV)	
SODIUM CHLORIDE (UNII: 451W47IQ8X)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:22840-9483-4	50 mL in 1 VIAL, MULTI-DOSE; Type 0: Not a Combination Product		
2	NDC:22840-9483-2	10 mL in 1 VIAL, MULTI-DOSE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
BLA	BLA101833	09/15/1981	

WESTERN WALNUT POLLEN MIX

juglans californica and juglans regia solution

Product Information

Product Type	NON-STANDARDIZED ALLERGENIC	Item Code (Source)	NDC:22840-9488
Route of Administration	SUBCUTANEOUS, PERCUTANEOUS, INTRADERMAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
JUGLANS CALIFORNICA POLLEN (UNII: 2147EPR64I) (JUGLANS CALIFORNICA POLLEN - UNII:2147EPR64I)	JUGLANS CALIFORNICA POLLEN	10000 [PNU] in 1 mL
JUGLANS REGIA POLLEN (UNII: ARW43087I1) (JUGLANS REGIA POLLEN - UNII:ARW43087I1)	JUGLANS REGIA POLLEN	10000 [PNU] in 1 mL

Inactive Ingredients

Ingredient Name	Strength
SODIUM BICARBONATE (UNII: 8MDF5V39QO)	
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
PHENOL (UNII: 339NCG44TV)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:22840-9488-2	10 mL in 1 VIAL, MULTI-DOSE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
BLA	BLA101833	09/15/1981	

BIRCH POLLEN MIX

betula lenta, betula nigra and betula populifolia solution

Product Information

Product Type	NON-STANDARDIZED ALLERGENIC	Item Code (Source)	NDC:22840-9407
Route of Administration	INTRADERMAL, PERCUTANEOUS, SUBCUTANEOUS		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
BETULA LENTA POLLEN (UNII: JQ5HI5004M) (BETULA LENTA POLLEN - UNII:JQ5HI5004M)	BETULA LENTA POLLEN	0.0003333 g in 1 mL
BETULA NIGRA POLLEN (UNII: 93963RFO1P) (BETULA NIGRA POLLEN - UNII:93963RFO1P)	BETULA NIGRA POLLEN	0.0003333 g in 1 mL
BETULA POPULIFOLIA POLLEN (UNII: 23H70FYJ5U) (BETULA POPULIFOLIA POLLEN - UNII:23H70FYJ5U)	BETULA POPULIFOLIA POLLEN	0.0003333 g in 1 mL

Inactive Ingredients

Ingredient Name	Strength
-----------------	----------

SODIUM BICARBONATE (UNII: 8MDF5V39QO)				
PHENOL (UNII: 339NCG44TV)				
SODIUM CHLORIDE (UNII: 451W47IQ8X)				
Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:22840-9407-1	5 mL in 1 VIAL, MULTI-DOSE; Type 0: Not a Combination Product		
Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
BLA	BLA101833	09/15/1981		

11 TREE POLLEN MIX			
fagus grandifolia, platanus occidentalis, ulmus americana, juglans nigra, salix nigra, populus deltoides, quercus rubra, betula nigra, carya ovata, acer saccharum and fraxinus americana solution			
Product Information			
Product Type	NON-STANDARDIZED ALLERGENIC	Item Code (Source)	NDC:22840-9482
Route of Administration	INTRADERMAL, PERCUTANEOUS, SUBCUTANEOUS		
Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	
ULMUS AMERICANA POLLEN (UNII: 89BAT511BD) (ULMUS AMERICANA POLLEN - UNII:89BAT511BD)	ULMUS AMERICANA POLLEN	18 18.18 18 [PNU] in 1 mL	
PLATANUS OCCIDENTALIS POLLEN (UNII: E03U1K03LK) (PLATANUS OCCIDENTALIS POLLEN - UNII:E03U1K03LK)	PLATANUS OCCIDENTALIS POLLEN	18 18.18 18 [PNU] in 1 mL	
JUGLANS NIGRA POLLEN (UNII: 1BV28146ZR) (JUGLANS NIGRA POLLEN - UNII:1BV28146ZR)	JUGLANS NIGRA POLLEN	18 18.18 18 [PNU] in 1 mL	
SALIX NIGRA POLLEN (UNII: 6M2JIH93ZN) (SALIX NIGRA POLLEN - UNII:6M2JIH93ZN)	SALIX NIGRA POLLEN	18 18.18 18 [PNU] in 1 mL	
FAGUS GRANDIFOLIA POLLEN (UNII: 34X886W1H4) (FAGUS GRANDIFOLIA POLLEN - UNII:34X886W1H4)	FAGUS GRANDIFOLIA POLLEN	18 18.18 18 [PNU] in 1 mL	
POPULUS DELTOIDES POLLEN (UNII: 476DVV63WP) (POPULUS DELTOIDES POLLEN - UNII:476DVV63WP)	POPULUS DELTOIDES POLLEN	18 18.18 18 [PNU] in 1 mL	
ACER SACCHARUM POLLEN (UNII: V38QUQ7861) (ACER SACCHARUM POLLEN - UNII:V38QUQ7861)	ACER SACCHARUM POLLEN	18 18.18 18 [PNU] in 1 mL	
QUERCUS RUBRA POLLEN (UNII: SVW19ET93C) (QUERCUS RUBRA POLLEN - UNII:SVW19ET93C)	QUERCUS RUBRA POLLEN	18 18.18 18 [PNU] in 1 mL	
CARYA OVATA POLLEN (UNII: 54UN9R2798) (CARYA OVATA POLLEN - UNII:54UN9R2798)	CARYA OVATA POLLEN	18 18.18 18 [PNU] in 1 mL	
FRAXINUS AMERICANA POLLEN (UNII: G684LX721Q) (FRAXINUS AMERICANA POLLEN - UNII:G684LX721Q)	FRAXINUS AMERICANA POLLEN	18 18.18 18 [PNU] in 1 mL	
BETULA NIGRA POLLEN (UNII: 93963RFO1P) (BETULA NIGRA POLLEN - UNII:93963RFO1P)	BETULA NIGRA POLLEN	18 18.18 18 [PNU] in 1 mL	

Inactive Ingredients

Ingredient Name	Strength
SODIUM BICARBONATE (UNII: 8MDF5V39QO)	
PHENOL (UNII: 339NCG44TV)	
SODIUM CHLORIDE (UNII: 451W471Q8X)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:22840-9482-4	50 mL in 1 VIAL, MULTI-DOSE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
BLA	BLA101833	09/15/1981	

EASTERN 10 TREE POLLEN MIX

platanus occidentalis, ulmus americana, fagus grandifolia, populus deltoides, quercus rubra, betula nigra, carya ovata, fraxinus americana, acer saccharum and liquidambar styraciflua solution

Product Information

Product Type	NON-STANDARDIZED ALLERGENIC	Item Code (Source)	NDC:22840-9465
Route of Administration	INTRADERMAL, PERCUTANEOUS, SUBCUTANEOUS		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
LIQUIDAMBAR STYRACIFLUA POLLEN (UNII: 5Q246DS5BS) (LIQUIDAMBAR STYRACIFLUA POLLEN - UNII:5Q246DS5BS)	LIQUIDAMBAR STYRACIFLUA POLLEN	0.005 g in 1 mL
ULMUS AMERICANA POLLEN (UNII: 89BAT511BD) (ULMUS AMERICANA POLLEN - UNII:89BAT511BD)	ULMUS AMERICANA POLLEN	0.005 g in 1 mL
PLATANUS OCCIDENTALIS POLLEN (UNII: E03U1K03LK) (PLATANUS OCCIDENTALIS POLLEN - UNII:E03U1K03LK)	PLATANUS OCCIDENTALIS POLLEN	0.005 g in 1 mL
FAGUS GRANDIFOLIA POLLEN (UNII: 34X886W1H4) (FAGUS GRANDIFOLIA POLLEN - UNII:34X886W1H4)	FAGUS GRANDIFOLIA POLLEN	0.005 g in 1 mL
POPULUS DELTOIDES POLLEN (UNII: 476DVV63WP) (POPULUS DELTOIDES POLLEN - UNII:476DVV63WP)	POPULUS DELTOIDES POLLEN	0.005 g in 1 mL
ACER SACCHARUM POLLEN (UNII: V38QUQ7861) (ACER SACCHARUM POLLEN - UNII:V38QUQ7861)	ACER SACCHARUM POLLEN	0.005 g in 1 mL
QUERCUS RUBRA POLLEN (UNII: SVW19ET93C) (QUERCUS RUBRA POLLEN - UNII:SVW19ET93C)	QUERCUS RUBRA POLLEN	0.005 g in 1 mL
CARYA OVATA POLLEN (UNII: 54UN9R2798) (CARYA OVATA POLLEN - UNII:54UN9R2798)	CARYA OVATA POLLEN	0.005 g in 1 mL

FRAXINUS AMERICANA POLLEN (UNII: G684LX721Q) (FRAXINUS AMERICANA POLLEN - UNII:G684LX721Q)	FRAXINUS AMERICANA POLLEN	0.005 g in 1 mL
BETULA NIGRA POLLEN (UNII: 93963RFO1P) (BETULA NIGRA POLLEN - UNII:93963RFO1P)	BETULA NIGRA POLLEN	0.005 g in 1 mL

Inactive Ingredients

Ingredient Name	Strength
SODIUM BICARBONATE (UNII: 8MDF5V39QO)	
PHENOL (UNII: 339NCG44TV)	
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
GLYCERIN (UNII: PDC6A3C0OX)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:22840-9465-2	10 mL in 1 VIAL, MULTI-DOSE; Type 0: Not a Combination Product		
2	NDC:22840-9465-4	50 mL in 1 VIAL, MULTI-DOSE; Type 0: Not a Combination Product		
3	NDC:22840-9465-5	5 mL in 1 BOTTLE, DROPPER; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
BLA	BLA101833	09/15/1981	

EASTERN 6 TREE POLLEN MIX

fagus grandifolia, populus deltoides, quercus rubra, betula nigra, carya ovata and fraxinus americana solution

Product Information

Product Type	NON-STANDARDIZED ALLERGENIC	Item Code (Source)	NDC:22840-9450
Route of Administration	PERCUTANEOUS, SUBCUTANEOUS, INTRADERMAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
FAGUS GRANDIFOLIA POLLEN (UNII: 34X886W1H4) (FAGUS GRANDIFOLIA POLLEN - UNII:34X886W1H4)	FAGUS GRANDIFOLIA POLLEN	0.0001666 g in 1 mL
POPULUS DELTOIDES POLLEN (UNII: 476DVV63WP) (POPULUS DELTOIDES POLLEN - UNII:476DVV63WP)	POPULUS DELTOIDES POLLEN	0.0001666 g in 1 mL
QUERCUS RUBRA POLLEN (UNII: SVW19ET93C) (QUERCUS RUBRA POLLEN - UNII:SVW19ET93C)	QUERCUS RUBRA POLLEN	0.0001666 g in 1 mL
CARYA OVATA POLLEN (UNII: 54UN9R2798) (CARYA OVATA POLLEN - UNII:54UN9R2798)	CARYA OVATA POLLEN	0.0001666 g in 1 mL

FRAXINUS AMERICANA POLLEN (UNII: G684LX721Q) (FRAXINUS AMERICANA POLLEN - UNII:G684LX721Q)	FRAXINUS AMERICANA POLLEN	0.0001666 g in 1 mL
BETULA NIGRA POLLEN (UNII: 93963RFO1P) (BETULA NIGRA POLLEN - UNII:93963RFO1P)	BETULA NIGRA POLLEN	0.0001666 g in 1 mL

Inactive Ingredients

Ingredient Name	Strength
SODIUM BICARBONATE (UNII: 8MDF5V39QO)	
PHENOL (UNII: 339NCG44TV)	
SODIUM CHLORIDE (UNII: 451W47IQ8X)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:22840-9450-1	5 mL in 1 VIAL, MULTI-DOSE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
BLA	BLA101833	09/15/1981	

HICKORY-PECAN POLLEN MIX

carya illinoensis and carya ovata solution

Product Information

Product Type	NON-STANDARDIZED ALLERGENIC	Item Code (Source)	NDC:22840-9802
Route of Administration	PERCUTANEOUS, INTRADERMAL, SUBCUTANEOUS		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
CARYA OVATA POLLEN (UNII: 54UN9R2798) (CARYA OVATA POLLEN - UNII:54UN9R2798)	CARYA OVATA POLLEN	10000 [PNU] in 1 mL
CARYA ILLINOINENSIS POLLEN (UNII: PYO4JR720Y) (CARYA ILLINOINENSIS POLLEN - UNII:PYO4JR720Y)	CARYA ILLINOINENSIS POLLEN	10000 [PNU] in 1 mL

Inactive Ingredients

Ingredient Name	Strength
SODIUM BICARBONATE (UNII: 8MDF5V39QO)	
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
PHENOL (UNII: 339NCG44TV)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:22840-9802-2	10 mL in 1 VIAL, MULTI-DOSE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
BLA	BLA101833	09/15/1981	

JUNIPER POLLEN MIX

juniperus monosperma and juniperus scopulorum solution

Product Information

Product Type	NON-STANDARDIZED ALLERGENIC	Item Code (Source)	NDC:22840-9425
Route of Administration	INTRADERMAL, PERCUTANEOUS, SUBCUTANEOUS		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
JUNIPERUS SCOPULORUM POLLEN (UNII: 0G82TT8ZFY) (JUNIPERUS SCOPULORUM POLLEN - UNII:0G82TT8ZFY)	JUNIPERUS SCOPULORUM POLLEN	0.025 g in 1 mL
JUNIPERUS MONOSPERMA POLLEN (UNII: PM6E3FG1QK) (JUNIPERUS MONOSPERMA POLLEN - UNII:PM6E3FG1QK)	JUNIPERUS MONOSPERMA POLLEN	0.025 g in 1 mL

Inactive Ingredients

Ingredient Name	Strength
SODIUM BICARBONATE (UNII: 8MDF5V39QO)	
PHENOL (UNII: 339NCG44TV)	
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
GLYCERIN (UNII: PDC6A3C0OX)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:22840-9425-2	10 mL in 1 VIAL, MULTI-DOSE; Type 0: Not a Combination Product		
2	NDC:22840-9425-4	50 mL in 1 VIAL, MULTI-DOSE; Type 0: Not a Combination Product		
3	NDC:22840-9425-5	5 mL in 1 BOTTLE, DROPPER; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
BLA	BLA101833	09/15/1981	

WESTERN OAK POLLEN MIX

quercus kelloggii, quercus agrifolia and quercus garryana solution

Product Information

Product Type	NON-STANDARDIZED ALLERGENIC	Item Code (Source)	NDC:22840-9470
Route of Administration	SUBCUTANEOUS, INTRADERMAL, PERCUTANEOUS		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
QUERCUS AGRIFOLIA POLLEN (UNII: VOT5MA71M7) (QUERCUS AGRIFOLIA POLLEN - UNII:VOT5MA71M7)	QUERCUS AGRIFOLIA POLLEN	0.0003333 g in 1 mL
QUERCUS KELLOGGII POLLEN (UNII: 02RVY6X9EC) (QUERCUS KELLOGGII POLLEN - UNII:02RVY6X9EC)	QUERCUS KELLOGGII POLLEN	0.0003333 g in 1 mL
QUERCUS GARRYANA POLLEN (UNII: QQ00BED0DV) (QUERCUS GARRYANA POLLEN - UNII:QQ00BED0DV)	QUERCUS GARRYANA POLLEN	0.0003333 g in 1 mL

Inactive Ingredients

Ingredient Name	Strength
SODIUM BICARBONATE (UNII: 8MDF5V39QO)	
PHENOL (UNII: 339NCG44TV)	
SODIUM CHLORIDE (UNII: 451W47IQ8X)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:22840-9470-1	5 mL in 1 VIAL, MULTI-DOSE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
BLA	BLA101833	09/15/1981	

WESTERN OAK POLLEN MIX

quercus kelloggii, quercus agrifolia and quercus garryana solution

Product Information				
Product Type	NON-STANDARDIZED ALLERGENIC	Item Code (Source)	NDC:22840-9472	
Route of Administration	SUBCUTANEOUS, INTRADERMAL, PERCUTANEOUS			
Active Ingredient/Active Moiety				
Ingredient Name	Basis of Strength	Strength		
QUERCUS AGRIFOLIA POLLEN (UNII: VOT5MA71M7) (QUERCUS AGRIFOLIA POLLEN - UNII:VOT5MA71M7)	QUERCUS AGRIFOLIA POLLEN	0.0166666 g in 1 mL		
QUERCUS KELLOGGII POLLEN (UNII: 02RVY6X9EC) (QUERCUS KELLOGGII POLLEN - UNII:02RVY6X9EC)	QUERCUS KELLOGGII POLLEN	0.0166666 g in 1 mL		
QUERCUS GARRYANA POLLEN (UNII: QQ00BED0DV) (QUERCUS GARRYANA POLLEN - UNII:QQ00BED0DV)	QUERCUS GARRYANA POLLEN	0.0166666 g in 1 mL		
Inactive Ingredients				
Ingredient Name	Strength			
SODIUM BICARBONATE (UNII: 8MDF5V39QO)				
PHENOL (UNII: 339NCG44TV)				
SODIUM CHLORIDE (UNII: 451W47IQ8X)				
GLYCERIN (UNII: PDC6A3C0OX)				
Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:22840-9472-2	10 mL in 1 VIAL, MULTI-DOSE; Type 0: Not a Combination Product		
2	NDC:22840-9472-4	50 mL in 1 VIAL, MULTI-DOSE; Type 0: Not a Combination Product		
3	NDC:22840-9472-5	5 mL in 1 BOTTLE, DROPPER; Type 0: Not a Combination Product		
Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
BLA	BLA101833	09/15/1981		

PINE POLLEN MIX			
pinus taeda, pinus strobus and pinus echinata solution			
Product Information			
Product Type	NON-STANDARDIZED ALLERGENIC	Item Code (Source)	NDC:22840-9434
Route of Administration	PERCUTANEOUS, INTRADERMAL, SUBCUTANEOUS		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
PINUS ECHINATA POLLEN (UNII: 96LRW14765) (PINUS ECHINATA POLLEN - UNII:96LRW14765)	PINUS ECHINATA POLLEN	0.0333333 g in 1 mL
PINUS TAEDA POLLEN (UNII: 4O1FFR8ARN) (PINUS TAEDA POLLEN - UNII:4O1FFR8ARN)	PINUS TAEDA POLLEN	0.0333333 g in 1 mL
PINUS STROBUS POLLEN (UNII: TX1ER5UV3T) (PINUS STROBUS POLLEN - UNII:TX1ER5UV3T)	PINUS STROBUS POLLEN	0.0333333 g in 1 mL

Inactive Ingredients

Ingredient Name	Strength
GLYCERIN (UNII: PDC6A3C0OX)	
SODIUM BICARBONATE (UNII: 8MDF5V39QO)	
PHENOL (UNII: 339NCG44TV)	
SODIUM CHLORIDE (UNII: 451W47IQ8X)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:22840-9434-4	50 mL in 1 VIAL, MULTI-DOSE; Type 0: Not a Combination Product		
2	NDC:22840-9434-2	10 mL in 1 VIAL, MULTI-DOSE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
BLA	BLA101833	09/15/1981	

MAPLE-BOX ELDER POLLEN MIX

acer saccharum and acer negundo solution

Product Information

Product Type	NON-STANDARDIZED ALLERGENIC	Item Code (Source)	NDC:22840-9804
Route of Administration	SUBCUTANEOUS, PERCUTANEOUS, INTRADERMAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ACER SACCHARUM POLLEN (UNII: V38QUQ7861) (ACER SACCHARUM POLLEN - UNII:V38QUQ7861)	ACER SACCHARUM POLLEN	0.05 g in 1 mL
ACER NEGUNDO POLLEN (UNII: P6K070AR8V) (ACER NEGUNDO POLLEN -	ACER NEGUNDO	0.05 g

UNII:P6K070AR8V)

POLLEN

in 1 mL

Inactive Ingredients

Ingredient Name	Strength
PHENOL (UNII: 339NCG44TV)	
SODIUM BICARBONATE (UNII: 8MDF5V39QO)	
SODIUM CHLORIDE (UNII: 451W47IQ8X)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:22840-9804-2	10 mL in 1 VIAL, MULTI-DOSE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
BLA	BLA101833	09/15/1981	

MAPLE BOX ELDER POLLEN MIX

acer saccharum and acer negundo solution

Product Information

Product Type	NON-STANDARDIZED ALLERGENIC	Item Code (Source)	NDC:22840-9433
Route of Administration	SUBCUTANEOUS, PERCUTANEOUS, INTRADERMAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ACER SACCHARUM POLLEN (UNII: V38QUQ7861) (ACER SACCHARUM POLLEN - UNII:V38QUQ7861)	ACER SACCHARUM POLLEN	0.025 g in 1 mL
ACER NEGUNDO POLLEN (UNII: P6K070AR8V) (ACER NEGUNDO POLLEN - UNII:P6K070AR8V)	ACER NEGUNDO POLLEN	0.025 g in 1 mL

Inactive Ingredients

Ingredient Name	Strength
PHENOL (UNII: 339NCG44TV)	
SODIUM BICARBONATE (UNII: 8MDF5V39QO)	
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
GLYCERIN (UNII: PDC6A3C0OX)	

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:22840-9433-2	10 mL in 1 VIAL, MULTI-DOSE; Type 0: Not a Combination Product		
2	NDC:22840-9433-4	50 mL in 1 VIAL, MULTI-DOSE; Type 0: Not a Combination Product		
3	NDC:22840-9433-5	5 mL in 1 BOTTLE, DROPPER; Type 0: Not a Combination Product		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
BLA	BLA101833	09/15/1981	

BIRCH POLLEN MIX
betula lenta, betula nigra and betula populifolia solution

Product Information			
Product Type	NON-STANDARDIZED ALLERGENIC	Item Code (Source)	NDC:22840-9408
Route of Administration	INTRADERMAL, PERCUTANEOUS, SUBCUTANEOUS		

Active Ingredient/Active Moiety		
Ingredient Name	Basis of Strength	Strength
BETULA LENTA POLLEN (UNII: JQ5HI5004M) (BETULA LENTA POLLEN - UNII:JQ5HI5004M)	BETULA LENTA POLLEN	0.0166666 g in 1 mL
BETULA NIGRA POLLEN (UNII: 93963RFO1P) (BETULA NIGRA POLLEN - UNII:93963RFO1P)	BETULA NIGRA POLLEN	0.0166666 g in 1 mL
BETULA POPULIFOLIA POLLEN (UNII: 23H70FYJ5U) (BETULA POPULIFOLIA POLLEN - UNII:23H70FYJ5U)	BETULA POPULIFOLIA POLLEN	0.0166666 g in 1 mL

Inactive Ingredients	
Ingredient Name	Strength
SODIUM BICARBONATE (UNII: 8MDF5V39QO)	
PHENOL (UNII: 339NCG44TV)	
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
GLYCERIN (UNII: PDC6A3C0OX)	

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:22840-9408-2	10 mL in 1 VIAL, MULTI-DOSE; Type 0: Not a Combination Product		
2	NDC:22840-	50 mL in 1 VIAL, MULTI-DOSE; Type 0: Not a Combination		

4	9408-4	Product		
3	NDC:22840-9408-5	5 mL in 1 BOTTLE, DROPPER; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
BLA	BLA101833	09/15/1981	

EASTERN OAK POLLEN MIX

quercus velutina, quercus rubra and quercus alba solution

Product Information

Product Type	NON-STANDARDIZED ALLERGENIC	Item Code (Source)	NDC:22840-9447
Route of Administration	SUBCUTANEOUS, INTRADERMAL, PERCUTANEOUS		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
QUERCUS VELUTINA POLLEN (UNII: 294L626TT0) (QUERCUS VELUTINA POLLEN - UNII:294L626TT0)	QUERCUS VELUTINA POLLEN	0.0166666 g in 1 mL
QUERCUS RUBRA POLLEN (UNII: SVW19ET93C) (QUERCUS RUBRA POLLEN - UNII:SVW19ET93C)	QUERCUS RUBRA POLLEN	0.0166666 g in 1 mL
QUERCUS ALBA POLLEN (UNII: Z4Y9ZSV4KK) (QUERCUS ALBA POLLEN - UNII:Z4Y9ZSV4KK)	QUERCUS ALBA POLLEN	0.0166666 g in 1 mL

Inactive Ingredients

Ingredient Name	Strength
PHENOL (UNII: 339NCG44TV)	
SODIUM BICARBONATE (UNII: 8MDF5V39QO)	
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
GLYCERIN (UNII: PDC6A3C0OX)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:22840-9447-2	10 mL in 1 VIAL, MULTI-DOSE; Type 0: Not a Combination Product		
2	NDC:22840-9447-4	50 mL in 1 VIAL, MULTI-DOSE; Type 0: Not a Combination Product		
3	NDC:22840-9447-5	5 mL in 1 BOTTLE, DROPPER; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
BLA	BLA101833	09/15/1981	

ELM POLLEN MIX

ulmus americana and ulmus pumila solution

Product Information

Product Type	NON-STANDARDIZED ALLERGENIC	Item Code (Source)	NDC:22840-9411
Route of Administration	SUBCUTANEOUS, INTRADERMAL, PERCUTANEOUS		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ULMUS AMERICANA POLLEN (UNII: 89BAT511BD) (ULMUS AMERICANA POLLEN - UNII:89BAT511BD)	ULMUS AMERICANA POLLEN	0.025 g in 1 mL
ULMUS PUMILA POLLEN (UNII: 030R993R8E) (ULMUS PUMILA POLLEN - UNII:030R993R8E)	ULMUS PUMILA POLLEN	0.025 g in 1 mL

Inactive Ingredients

Ingredient Name	Strength
PHENOL (UNII: 339NCG44TV)	
SODIUM BICARBONATE (UNII: 8MDF5V39QO)	
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
GLYCERIN (UNII: PDC6A3C0OX)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:22840-9411-2	10 mL in 1 VIAL, MULTI-DOSE; Type 0: Not a Combination Product		
2	NDC:22840-9411-4	50 mL in 1 VIAL, MULTI-DOSE; Type 0: Not a Combination Product		
3	NDC:22840-9411-5	5 mL in 1 BOTTLE, DROPPER; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
BLA	BLA101833	09/15/1981	

EASTERN OAK POLLEN MIX

quercus velutina, quercus rubra and quercus alba solution

Product Information

Product Type	NON-STANDARDIZED ALLERGENIC	Item Code (Source)	NDC:22840-9445
Route of Administration	INTRADERMAL, SUBCUTANEOUS, PERCUTANEOUS		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
QUERCUS VELUTINA POLLEN (UNII: 294L626TT0) (QUERCUS VELUTINA POLLEN - UNII:294L626TT0)	QUERCUS VELUTINA POLLEN	0.0003333 g in 1 mL
QUERCUS RUBRA POLLEN (UNII: SVW19ET93C) (QUERCUS RUBRA POLLEN - UNII:SVW19ET93C)	QUERCUS RUBRA POLLEN	0.0003333 g in 1 mL
QUERCUS ALBA POLLEN (UNII: Z4Y9ZSV4KK) (QUERCUS ALBA POLLEN - UNII:Z4Y9ZSV4KK)	QUERCUS ALBA POLLEN	0.0003333 g in 1 mL

Inactive Ingredients

Ingredient Name	Strength
PHENOL (UNII: 339NCG44TV)	
SODIUM BICARBONATE (UNII: 8MDF5V39QO)	
SODIUM CHLORIDE (UNII: 451W47IQ8X)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:22840-9445-1	5 mL in 1 VIAL, MULTI-DOSE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
BLA	BLA101833	09/15/1981	

EASTERN 10 TREE POLLEN MIX

platanus occidentalis, ulmus americana, fagus grandifolia, populus deltoides, quercus rubra, betula nigra, carya ovata, fraxinus americana, acer saccharum and liquidambar styraciflua solution

Product Information

Product Type	NON-STANDARDIZED ALLERGENIC	Item Code (Source)	NDC:22840-9495
Route of Administration	INTRADERMAL, PERCUTANEOUS, SUBCUTANEOUS		

Active Ingredient/Active Moiety				
	Ingredient Name	Basis of Strength	Strength	
	LIQUIDAMBAR STYRACIFLUA POLLEN (UNII: 5Q246DS5BS) (LIQUIDAMBAR STYRACIFLUA POLLEN - UNII:5Q246DS5BS)	LIQUIDAMBAR STYRACIFLUA POLLEN	0.01 g in 1 mL	
	ULMUS AMERICANA POLLEN (UNII: 89BAT511BD) (ULMUS AMERICANA POLLEN - UNII:89BAT511BD)	ULMUS AMERICANA POLLEN	0.01 g in 1 mL	
	PLATANUS OCCIDENTALIS POLLEN (UNII: E03U1K03LK) (PLATANUS OCCIDENTALIS POLLEN - UNII:E03U1K03LK)	PLATANUS OCCIDENTALIS POLLEN	0.01 g in 1 mL	
	FAGUS GRANDIFOLIA POLLEN (UNII: 34X886W1H4) (FAGUS GRANDIFOLIA POLLEN - UNII:34X886W1H4)	FAGUS GRANDIFOLIA POLLEN	0.01 g in 1 mL	
	POPULUS DELTOIDES POLLEN (UNII: 476DVV63WP) (POPULUS DELTOIDES POLLEN - UNII:476DVV63WP)	POPULUS DELTOIDES POLLEN	0.01 g in 1 mL	
	ACER SACCHARUM POLLEN (UNII: V38QUQ7861) (ACER SACCHARUM POLLEN - UNII:V38QUQ7861)	ACER SACCHARUM POLLEN	0.01 g in 1 mL	
	QUERCUS RUBRA POLLEN (UNII: SVW19ET93C) (QUERCUS RUBRA POLLEN - UNII:SVW19ET93C)	QUERCUS RUBRA POLLEN	0.01 g in 1 mL	
	CARYA OVATA POLLEN (UNII: 54UN9R2798) (CARYA OVATA POLLEN - UNII:54UN9R2798)	CARYA OVATA POLLEN	0.01 g in 1 mL	
	FRAXINUS AMERICANA POLLEN (UNII: G684LX721Q) (FRAXINUS AMERICANA POLLEN - UNII:G684LX721Q)	FRAXINUS AMERICANA POLLEN	0.01 g in 1 mL	
	BETULA NIGRA POLLEN (UNII: 93963RFO1P) (BETULA NIGRA POLLEN - UNII:93963RFO1P)	BETULA NIGRA POLLEN	0.01 g in 1 mL	
Inactive Ingredients				
	Ingredient Name	Strength		
	SODIUM BICARBONATE (UNII: 8MDF5V39QO)			
	PHENOL (UNII: 339NCG44TV)			
	SODIUM CHLORIDE (UNII: 451W47IQ8X)			
Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:22840-9495-2	10 mL in 1 VIAL, MULTI-DOSE; Type 0: Not a Combination Product		
2	NDC:22840-9495-4	50 mL in 1 VIAL, MULTI-DOSE; Type 0: Not a Combination Product		
Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
BLA	BLA101833	09/15/1981		

HICKORY-PECAN POLLEN MIX			
carya illinoensis and carya ovata solution			
Product Information			
Product Type	NON-STANDARDIZED ALLERGENIC	Item Code (Source)	NDC:22840-9419

Route of Administration	PERCUTANEOUS, INTRADERMAL, SUBCUTANEOUS			
Active Ingredient/Active Moiety				
	Ingredient Name	Basis of Strength	Strength	
	CARYA OVATA POLLEN (UNII: 54UN9R2798) (CARYA OVATA POLLEN - UNII:54UN9R2798)	CARYA OVATA POLLEN	20000 [PNU] in 1 mL	
	CARYA ILLINOINENSIS POLLEN (UNII: PYO4JR720Y) (CARYA ILLINOINENSIS POLLEN - UNII:PYO4JR720Y)	CARYA ILLINOINENSIS POLLEN	20000 [PNU] in 1 mL	
Inactive Ingredients				
	Ingredient Name	Strength		
	SODIUM BICARBONATE (UNII: 8MDF5V39QO)			
	SODIUM CHLORIDE (UNII: 451W47IQ8X)			
	PHENOL (UNII: 339NCG44TV)			
Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:22840-9419-2	10 mL in 1 VIAL, MULTI-DOSE; Type 0: Not a Combination Product		
2	NDC:22840-9419-4	50 mL in 1 VIAL, MULTI-DOSE; Type 0: Not a Combination Product		
Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
BLA	BLA101833	09/15/1981		

CENTRAL EASTERN 4 TREE POLLEN MIX			
ulmus americana, acer negundo, carya illinoensis and quercus virginiana solution			
Product Information			
Product Type	NON-STANDARDIZED ALLERGENIC	Item Code (Source)	NDC:22840-9494
Route of Administration	INTRADERMAL, PERCUTANEOUS, SUBCUTANEOUS		
Active Ingredient/Active Moiety			
	Ingredient Name	Basis of Strength	Strength
	CARYA ILLINOINENSIS POLLEN (UNII: PYO4JR720Y) (CARYA ILLINOINENSIS POLLEN - UNII:PYO4JR720Y)	CARYA ILLINOINENSIS POLLEN	0.025 g in 1 mL
	QUERCUS VIRGINIANA POLLEN (UNII: 8KDG09A4GO) (QUERCUS VIRGINIANA POLLEN - UNII:8KDG09A4GO)	QUERCUS VIRGINIANA POLLEN	0.025 g in 1 mL

ULMUS AMERICANA POLLEN (UNII: 89BAT511BD) (ULMUS AMERICANA POLLEN - UNII:89BAT511BD)		ULMUS AMERICANA POLLEN	0.025 g in 1 mL
ACER NEGUNDO POLLEN (UNII: P6K070AR8V) (ACER NEGUNDO POLLEN - UNII:P6K070AR8V)		ACER NEGUNDO POLLEN	0.025 g in 1 mL
Inactive Ingredients			
		Ingredient Name	Strength
		SODIUM BICARBONATE (UNII: 8MDF5V39QO)	
		PHENOL (UNII: 339NCG44TV)	
		SODIUM CHLORIDE (UNII: 451W47IQ8X)	
Packaging			
#	Item Code	Package Description	Marketing Start Date
1	NDC:22840-9494-2	10 mL in 1 VIAL, MULTI-DOSE; Type 0: Not a Combination Product	
Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
BLA	BLA101833	09/15/1981	

ELM POLLEN MIX			
ulmus americana and ulmus pumila solution			
Product Information			
Product Type	NON-STANDARDIZED ALLERGENIC	Item Code (Source)	NDC:22840-9499
Route of Administration	SUBCUTANEOUS, INTRADERMAL, PERCUTANEOUS		
Active Ingredient/Active Moiety			
Ingredient Name		Basis of Strength	Strength
ULMUS AMERICANA POLLEN (UNII: 89BAT511BD) (ULMUS AMERICANA POLLEN - UNII:89BAT511BD)		ULMUS AMERICANA POLLEN	0.05 g in 1 mL
ULMUS PUMILA POLLEN (UNII: 030R993R8E) (ULMUS PUMILA POLLEN - UNII:030R993R8E)		ULMUS PUMILA POLLEN	0.05 g in 1 mL
Inactive Ingredients			
		Ingredient Name	Strength
		PHENOL (UNII: 339NCG44TV)	
		SODIUM BICARBONATE (UNII: 8MDF5V39QO)	
		SODIUM CHLORIDE (UNII: 451W47IQ8X)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:22840-9499-2	10 mL in 1 VIAL, MULTI-DOSE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
BLA	BLA101833	09/15/1981	

ASH POLLEN MIX

fraxinus pennsylvanica, fraxinus americana solution

Product Information

Product Type	NON-STANDARDIZED ALLERGENIC	Item Code (Source)	NDC:22840-9401
Route of Administration	SUBCUTANEOUS, PERCUTANEOUS, INTRADERMAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
FRAXINUS PENNSYLVANICA POLLEN (UNII: 2WZG2G15WX) (FRAXINUS PENNSYLVANICA POLLEN - UNII:2WZG2G15WX)	FRAXINUS PENNSYLVANICA POLLEN	0.0005 g in 1 mL
FRAXINUS AMERICANA POLLEN (UNII: G684LX721Q) (FRAXINUS AMERICANA POLLEN - UNII:G684LX721Q)	FRAXINUS AMERICANA POLLEN	0.0005 g in 1 mL

Inactive Ingredients

Ingredient Name	Strength
GLYCERIN (UNII: PDC6A3C0OX)	
SODIUM BICARBONATE (UNII: 8MDF5V39QO)	
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
PHENOL (UNII: 339NCG44TV)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:22840-9401-1	5 mL in 1 VIAL, MULTI-DOSE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
BLA	BLA101833	09/15/1981	

WESTERN WALNUT POLLEN MIX

juglans californica and juglans regia solution

Product Information

Product Type	NON-STANDARDIZED ALLERGENIC	Item Code (Source)	NDC:22840-9808
Route of Administration	PERCUTANEOUS, SUBCUTANEOUS, INTRADERMAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
JUGLANS CALIFORNICA POLLEN (UNII: 2147EPR64I) (JUGLANS CALIFORNICA POLLEN - UNII:2147EPR64I)	JUGLANS CALIFORNICA POLLEN	20000 [PNU] in 1 mL
JUGLANS REGIA POLLEN (UNII: ARW43087I1) (JUGLANS REGIA POLLEN - UNII:ARW43087I1)	JUGLANS REGIA POLLEN	20000 [PNU] in 1 mL

Inactive Ingredients

Ingredient Name	Strength
SODIUM BICARBONATE (UNII: 8MDF5V39QO)	
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
PHENOL (UNII: 339NCG44TV)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:22840-9808-2	10 mL in 1 VIAL, MULTI-DOSE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
BLA	BLA101833	09/15/1981	

EASTERN 6 TREE POLLEN MIX

fagus grandifolia, populus deltoides, quercus rubra, betula nigra, carya ovata and fraxinus americana solution

Product Information

Product Type	NON-STANDARDIZED ALLERGENIC	Item Code (Source)	NDC:22840-9449
--------------	-----------------------------	--------------------	----------------

Route of AdministrationINTRADERMAL, PERCUTANEOUS,
SUBCUTANEOUS**Active Ingredient/Active Moiety**

Ingredient Name	Basis of Strength	Strength
FAGUS GRANDIFOLIA POLLEN (UNII: 34X886W1H4) (FAGUS GRANDIFOLIA POLLEN - UNII:34X886W1H4)	FAGUS GRANDIFOLIA POLLEN	3333.3333 [PNU] in 1 mL
POPULUS DELTOIDES POLLEN (UNII: 476DVV63WP) (POPULUS DELTOIDES POLLEN - UNII:476DVV63WP)	POPULUS DELTOIDES POLLEN	3333.3333 [PNU] in 1 mL
QUERCUS RUBRA POLLEN (UNII: SVW19ET93C) (QUERCUS RUBRA POLLEN - UNII:SVW19ET93C)	QUERCUS RUBRA POLLEN	3333.3333 [PNU] in 1 mL
CARYA OVATA POLLEN (UNII: 54UN9R2798) (CARYA OVATA POLLEN - UNII:54UN9R2798)	CARYA OVATA POLLEN	3333.3333 [PNU] in 1 mL
FRAXINUS AMERICANA POLLEN (UNII: G684LX721Q) (FRAXINUS AMERICANA POLLEN - UNII:G684LX721Q)	FRAXINUS AMERICANA POLLEN	3333.3333 [PNU] in 1 mL
BETULA NIGRA POLLEN (UNII: 93963RFO1P) (BETULA NIGRA POLLEN - UNII:93963RFO1P)	BETULA NIGRA POLLEN	3333.3333 [PNU] in 1 mL

Inactive Ingredients

Ingredient Name	Strength
SODIUM BICARBONATE (UNII: 8MDF5V39QO)	
PHENOL (UNII: 339NCG44TV)	
SODIUM CHLORIDE (UNII: 451W47IQ8X)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:22840-9449-2	10 mL in 1 VIAL, MULTI-DOSE; Type 0: Not a Combination Product		
2	NDC:22840-9449-4	50 mL in 1 VIAL, MULTI-DOSE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
BLA	BLA101833	09/15/1981	

PINE POLLEN MIX

pinus taeda, pinus strobus and pinus echinata solution

Product Information

Product Type	NON-STANDARDIZED ALLERGENIC	Item Code (Source)	NDC:22840-9437
Route of Administration	SUBCUTANEOUS, PERCUTANEOUS, INTRADERMAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
PINUS ECHINATA POLLEN (UNII: 96LRW14765) (PINUS ECHINATA POLLEN - UNII:96LRW14765)	PINUS ECHINATA POLLEN	3333.3333 [PNU] in 1 mL
PINUS TAEDA POLLEN (UNII: 4O1FFR8ARN) (PINUS TAEDA POLLEN - UNII:4O1FFR8ARN)	PINUS TAEDA POLLEN	3333.3333 [PNU] in 1 mL
PINUS STROBUS POLLEN (UNII: TX1ER5UV3T) (PINUS STROBUS POLLEN - UNII:TX1ER5UV3T)	PINUS STROBUS POLLEN	3333.3333 [PNU] in 1 mL

Inactive Ingredients

Ingredient Name	Strength
GLYCERIN (UNII: PDC6A3C0OX)	
SODIUM BICARBONATE (UNII: 8MDF5V39QO)	
PHENOL (UNII: 339NCG44TV)	
SODIUM CHLORIDE (UNII: 451W47IQ8X)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:22840-9437-2	10 mL in 1 VIAL, MULTI-DOSE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
BLA	BLA101833	09/15/1981	

PINE POLLEN MIX

pinus taeda, pinus strobus and pinus echinata solution

Product Information

Product Type	NON-STANDARDIZED ALLERGENIC	Item Code (Source)	NDC:22840-9439
Route of Administration	INTRADERMAL, PERCUTANEOUS, SUBCUTANEOUS		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
PINUS ECHINATA POLLEN (UNII: 96LRW14765) (PINUS ECHINATA POLLEN - UNII:96LRW14765)	PINUS ECHINATA POLLEN	0.0003333 g in 1 mL
PINUS TAEDA POLLEN (UNII: 4O1FFR8ARN) (PINUS TAEDA POLLEN - UNII:4O1FFR8ARN)	PINUS TAEDA POLLEN	0.0003333 g in 1 mL
PINUS STROBUS POLLEN (UNII: TX1ER5UV3T) (PINUS STROBUS POLLEN - UNII:TX1ER5UV3T)	PINUS STROBUS POLLEN	0.0003333 g in 1 mL

Inactive Ingredients

Ingredient Name	Strength
SODIUM BICARBONATE (UNII: 8MDF5V39QO)	
PHENOL (UNII: 339NCG44TV)	
SODIUM CHLORIDE (UNII: 451W47IQ8X)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:22840-9439-1	5 mL in 1 VIAL, MULTI-DOSE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
BLA	BLA101833	09/15/1981	

EASTERN 7 TREE POLLEN MIX

ulmus americana, fagus grandifolia, populus deltoides, quercus rubra, betula nigra, carya ovata and fraxinus americana solution

Product Information

Product Type	NON-STANDARDIZED ALLERGENIC	Item Code (Source)	NDC:22840-9458
Route of Administration	INTRADERMAL, PERCUTANEOUS, SUBCUTANEOUS		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ULMUS AMERICANA POLLEN (UNII: 89BAT511BD) (ULMUS AMERICANA POLLEN - UNII:89BAT511BD)	ULMUS AMERICANA POLLEN	5714.2857 [PNU] in 1 mL
FAGUS GRANDIFOLIA POLLEN (UNII: 34X886W1H4) (FAGUS GRANDIFOLIA POLLEN - UNII:34X886W1H4)	FAGUS GRANDIFOLIA POLLEN	5714.2857 [PNU] in 1 mL
POPULUS DELTOIDES POLLEN (UNII: 476DVV63WP) (POPULUS DELTOIDES POLLEN - UNII:476DVV63WP)	POPULUS DELTOIDES POLLEN	5714.2857 [PNU] in 1 mL
QUERCUS RUBRA POLLEN (UNII: SVW19ET93C) (QUERCUS RUBRA POLLEN - UNII:SVW19ET93C)	QUERCUS RUBRA POLLEN	5714.2857 [PNU] in 1 mL
CARYA OVATA POLLEN (UNII: 54UN9R2798) (CARYA OVATA POLLEN - UNII:54UN9R2798)	CARYA OVATA POLLEN	5714.2857 [PNU] in 1 mL
FRAXINUS AMERICANA POLLEN (UNII: G684LX721Q) (FRAXINUS AMERICANA POLLEN - UNII:G684LX721Q)	FRAXINUS AMERICANA POLLEN	5714.2857 [PNU] in 1 mL
BETULA NIGRA POLLEN (UNII: 93963RFO1P) (BETULA NIGRA POLLEN - UNII:93963RFO1P)	BETULA NIGRA POLLEN	5714.2857 [PNU] in 1 mL

Inactive Ingredients

Ingredient Name	Strength
SODIUM BICARBONATE (UNII: 8MDF5V39QO)	
PHENOL (UNII: 339NCG44TV)	
SODIUM CHLORIDE (UNII: 451W47IQ8X)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:22840-9458-4	50 mL in 1 VIAL, MULTI-DOSE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
BLA	BLA101833	09/15/1981	

11 TREE POLLEN MIX

fagus grandifolia, platanus occidentalis, ulmus americana, juglans nigra, salix nigra, populus deltoides, quercus rubra, betula nigra, carya ovata, acer saccharum and fraxinus americana solution

Product Information

Product Type	NON-STANDARDIZED ALLERGENIC	Item Code (Source)	NDC:22840-9481
Route of Administration	INTRADERMAL, PERCUTANEOUS, SUBCUTANEOUS		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ULMUS AMERICANA POLLEN (UNII: 89BAT511BD) (ULMUS AMERICANA POLLEN - UNII:89BAT511BD)	ULMUS AMERICANA POLLEN	0.0000909 g in 1 mL
PLATANUS OCCIDENTALIS POLLEN (UNII: E03U1K03LK) (PLATANUS OCCIDENTALIS POLLEN - UNII:E03U1K03LK)	PLATANUS OCCIDENTALIS POLLEN	0.0000909 g in 1 mL
JUGLANS NIGRA POLLEN (UNII: 1BV28146ZR) (JUGLANS NIGRA POLLEN - UNII:1BV28146ZR)	JUGLANS NIGRA POLLEN	0.0000909 g in 1 mL
SALIX NIGRA POLLEN (UNII: 6M2JIH93ZN) (SALIX NIGRA POLLEN - UNII:6M2JIH93ZN)	SALIX NIGRA POLLEN	0.0000909 g in 1 mL
FAGUS GRANDIFOLIA POLLEN (UNII: 34X886W1H4) (FAGUS GRANDIFOLIA POLLEN - UNII:34X886W1H4)	FAGUS GRANDIFOLIA POLLEN	0.0000909 g in 1 mL
POPULUS DELTOIDES POLLEN (UNII: 476DVV63WP) (POPULUS DELTOIDES POLLEN - UNII:476DVV63WP)	POPULUS DELTOIDES POLLEN	0.0000909 g in 1 mL
ACER SACCHARUM POLLEN (UNII: V38QUQ7861) (ACER SACCHARUM POLLEN - UNII:V38QUQ7861)	ACER SACCHARUM POLLEN	0.0000909 g in 1 mL
QUERCUS RUBRA POLLEN (UNII: SVW19ET93C) (QUERCUS RUBRA POLLEN - UNII:SVW19ET93C)	QUERCUS RUBRA POLLEN	0.0000909 g in 1 mL
CARYA OVATA POLLEN (UNII: 54UN9R2798) (CARYA OVATA POLLEN - UNII:54UN9R2798)	CARYA OVATA POLLEN	0.0000909 g in 1 mL
FRAXINUS AMERICANA POLLEN (UNII: G684LX721Q) (FRAXINUS AMERICANA POLLEN - UNII:G684LX721Q)	FRAXINUS AMERICANA POLLEN	0.0000909 g in 1 mL

BETULA NIGRA POLLEN (UNII: 93963RFO1P) (BETULA NIGRA POLLEN - UNII:93963RFO1P)	BETULA NIGRA POLLEN	0.0000909 g in 1 mL
--	---------------------	---------------------

Inactive Ingredients

Ingredient Name	Strength
SODIUM BICARBONATE (UNII: 8MDF5V39QO)	
PHENOL (UNII: 339NCG44TV)	
SODIUM CHLORIDE (UNII: 451W47IQ8X)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:22840-9481-1	5 mL in 1 VIAL, MULTI-DOSE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
BLA	BLA101833	09/15/1981	

EASTERN OAK POLLEN MIX

quercus velutina, quercus rubra and quercus alba solution

Product Information

Product Type	NON-STANDARDIZED ALLERGENIC	Item Code (Source)	NDC:22840-9442
Route of Administration	PERCUTANEOUS, SUBCUTANEOUS, INTRADERMAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
QUERCUS VELUTINA POLLEN (UNII: 294L626TT0) (QUERCUS VELUTINA POLLEN - UNII:294L626TT0)	QUERCUS VELUTINA POLLEN	13333.333 [PNU] in 1 mL
QUERCUS RUBRA POLLEN (UNII: SVW19ET93C) (QUERCUS RUBRA POLLEN - UNII:SVW19ET93C)	QUERCUS RUBRA POLLEN	13333.333 [PNU] in 1 mL
QUERCUS ALBA POLLEN (UNII: Z4Y9ZSV4KK) (QUERCUS ALBA POLLEN - UNII:Z4Y9ZSV4KK)	QUERCUS ALBA POLLEN	13333.333 [PNU] in 1 mL

Inactive Ingredients

Ingredient Name	Strength
PHENOL (UNII: 339NCG44TV)	
SODIUM BICARBONATE (UNII: 8MDF5V39QO)	
SODIUM CHLORIDE (UNII: 451W47IQ8X)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:22840-9442-2	10 mL in 1 VIAL, MULTI-DOSE; Type 0: Not a Combination Product		
2	NDC:22840-9442-4	50 mL in 1 VIAL, MULTI-DOSE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
BLA	BLA101833	09/15/1981	

HICKORY POLLEN MIX

carya glabra, carya ovata, carya laciniosa and carya tomentosa solution

Product Information

Product Type	NON-STANDARDIZED ALLERGENIC	Item Code (Source)	NDC:22840-9800
Route of Administration	INTRADERMAL, PERCUTANEOUS, SUBCUTANEOUS		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
CARYA GLABRA POLLEN (UNII: KPO1Z9N98A) (CARYA GLABRA POLLEN - UNII:KPO1Z9N98A)	CARYA GLABRA POLLEN	0.0125 g in 1 mL
CARYA ALBA POLLEN (UNII: G2A764T54B) (CARYA ALBA POLLEN - UNII:G2A764T54B)	CARYA ALBA POLLEN	0.0125 g in 1 mL
CARYA OVATA POLLEN (UNII: 54UN9R2798) (CARYA OVATA POLLEN - UNII:54UN9R2798)	CARYA OVATA POLLEN	0.0125 g in 1 mL
CARYA LACINIOSA POLLEN (UNII: 5BGG872373) (CARYA LACINIOSA POLLEN - UNII:5BGG872373)	CARYA LACINIOSA POLLEN	0.0125 g in 1 mL

Inactive Ingredients

Ingredient Name	Strength
SODIUM BICARBONATE (UNII: 8MDF5V39QO)	
PHENOL (UNII: 339NCG44TV)	
SODIUM CHLORIDE (UNII: 451W47IQ8X)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:22840-9800-2	10 mL in 1 VIAL, MULTI-DOSE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
BLA	BLA101833	09/15/1981	

EASTERN 10 TREE POLLEN MIX

platanus occidentalis, ulmus americana, fagus grandifolia, populus deltoides, quercus rubra, betula nigra, carya ovata, fraxinus americana, acer saccharum and liquidambar styraciflua solution

Product Information

Product Type	NON-STANDARDIZED ALLERGENIC	Item Code (Source)	NDC:22840-9464
Route of Administration	INTRADERMAL, PERCUTANEOUS, SUBCUTANEOUS		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
LIQUIDAMBAR STYRACIFLUA POLLEN (UNII: 5Q246DS5BS) (LIQUIDAMBAR STYRACIFLUA POLLEN - UNII:5Q246DS5BS)	LIQUIDAMBAR STYRACIFLUA POLLEN	0.0001 g in 1 mL
ULMUS AMERICANA POLLEN (UNII: 89BAT511BD) (ULMUS AMERICANA POLLEN - UNII:89BAT511BD)	ULMUS AMERICANA POLLEN	0.0001 g in 1 mL
PLATANUS OCCIDENTALIS POLLEN (UNII: E03U1K03LK) (PLATANUS OCCIDENTALIS POLLEN - UNII:E03U1K03LK)	PLATANUS OCCIDENTALIS POLLEN	0.0001 g in 1 mL
FAGUS GRANDIFOLIA POLLEN (UNII: 34X886W1H4) (FAGUS GRANDIFOLIA POLLEN - UNII:34X886W1H4)	FAGUS GRANDIFOLIA POLLEN	0.0001 g in 1 mL
POPULUS DELTOIDES POLLEN (UNII: 476DVV63WP) (POPULUS DELTOIDES POLLEN - UNII:476DVV63WP)	POPULUS DELTOIDES POLLEN	0.0001 g in 1 mL
ACER SACCHARUM POLLEN (UNII: V38QUQ7861) (ACER SACCHARUM POLLEN - UNII:V38QUQ7861)	ACER SACCHARUM POLLEN	0.0001 g in 1 mL
QUERCUS RUBRA POLLEN (UNII: SVW19ET93C) (QUERCUS RUBRA POLLEN - UNII:SVW19ET93C)	QUERCUS RUBRA POLLEN	0.0001 g in 1 mL
CARYA OVATA POLLEN (UNII: 54UN9R2798) (CARYA OVATA POLLEN - UNII:54UN9R2798)	CARYA OVATA POLLEN	0.0001 g in 1 mL
FRAXINUS AMERICANA POLLEN (UNII: G684LX721Q) (FRAXINUS AMERICANA POLLEN - UNII:G684LX721Q)	FRAXINUS AMERICANA POLLEN	0.0001 g in 1 mL
BETULA NIGRA POLLEN (UNII: 93963RFO1P) (BETULA NIGRA POLLEN - UNII:93963RFO1P)	BETULA NIGRA POLLEN	0.0001 g in 1 mL

Inactive Ingredients

Ingredient Name	Strength
SODIUM BICARBONATE (UNII: 8MDF5V39QO)	
PHENOL (UNII: 339NCG44TV)	
SODIUM CHLORIDE (UNII: 451W47IQ8X)	

Packaging

#	Item Code	Packaging Description	Marketing Start	Marketing End
---	-----------	-----------------------	-----------------	---------------

#	Item Code	Package Description	Date	Date
1	NDC:22840-9464-1	5 mL in 1 VIAL, MULTI-DOSE; Type 0: Not a Combination Product		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
BLA	BLA101833	09/15/1981	

EASTERN 7 TREE POLLEN MIX
 ulmus americana, fagus grandifolia, populus deltoides, quercus rubra, betula nigra, carya ovata and fraxinus americana solution

Product Information			
Product Type	NON-STANDARDIZED ALLERGENIC	Item Code (Source)	NDC:22840-9455
Route of Administration	INTRADERMAL, PERCUTANEOUS, SUBCUTANEOUS		

Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	
ULMUS AMERICANA POLLEN (UNII: 89BAT511BD) (ULMUS AMERICANA POLLEN - UNII:89BAT511BD)	ULMUS AMERICANA POLLEN	0.0142857 g in 1 mL	
FAGUS GRANDIFOLIA POLLEN (UNII: 34X886W1H4) (FAGUS GRANDIFOLIA POLLEN - UNII:34X886W1H4)	FAGUS GRANDIFOLIA POLLEN	0.0142857 g in 1 mL	
POPULUS DELTOIDES POLLEN (UNII: 476DVV63WP) (POPULUS DELTOIDES POLLEN - UNII:476DVV63WP)	POPULUS DELTOIDES POLLEN	0.0142857 g in 1 mL	
QUERCUS RUBRA POLLEN (UNII: SVW19ET93C) (QUERCUS RUBRA POLLEN - UNII:SVW19ET93C)	QUERCUS RUBRA POLLEN	0.0142857 g in 1 mL	
CARYA OVATA POLLEN (UNII: 54UN9R2798) (CARYA OVATA POLLEN - UNII:54UN9R2798)	CARYA OVATA POLLEN	0.0142857 g in 1 mL	
FRAXINUS AMERICANA POLLEN (UNII: G684LX721Q) (FRAXINUS AMERICANA POLLEN - UNII:G684LX721Q)	FRAXINUS AMERICANA POLLEN	0.0142857 g in 1 mL	
BETULA NIGRA POLLEN (UNII: 93963RFO1P) (BETULA NIGRA POLLEN - UNII:93963RFO1P)	BETULA NIGRA POLLEN	0.0142857 g in 1 mL	

Inactive Ingredients		
Ingredient Name	Strength	
SODIUM BICARBONATE (UNII: 8MDF5V39QO)		
PHENOL (UNII: 339NCG44TV)		
SODIUM CHLORIDE (UNII: 451W47IQ8X)		

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:22840-	10 mL in 1 VIAL, MULTI-DOSE; Type 0: Not a Combination		

1	9455-2	Product		
2	NDC:22840-9455-4	50 mL in 1 VIAL, MULTI-DOSE; Type 0: Not a Combination Product		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
BLA	BLA101833	09/15/1981	

EASTERN 8 TREE POLLEN MIX

ulmus americana, fagus grandifolia, populus deltoides, quercus rubra, betula nigra, carya ovata, fraxinus americana and acer saccharum solution

Product Information			
Product Type	NON-STANDARDIZED ALLERGENIC	Item Code (Source)	NDC:22840-9498
Route of Administration	PERCUTANEOUS, SUBCUTANEOUS, INTRADERMAL		

Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	
ULMUS AMERICANA POLLEN (UNII: 89BAT511BD) (ULMUS AMERICANA POLLEN - UNII:89BAT511BD)	ULMUS AMERICANA POLLEN	0.0125 g in 1 mL	
FAGUS GRANDIFOLIA POLLEN (UNII: 34X886W1H4) (FAGUS GRANDIFOLIA POLLEN - UNII:34X886W1H4)	FAGUS GRANDIFOLIA POLLEN	0.0125 g in 1 mL	
POPULUS DELTOIDES POLLEN (UNII: 476DVV63WP) (POPULUS DELTOIDES POLLEN - UNII:476DVV63WP)	POPULUS DELTOIDES POLLEN	0.0125 g in 1 mL	
QUERCUS RUBRA POLLEN (UNII: SVW19ET93C) (QUERCUS RUBRA POLLEN - UNII:SVW19ET93C)	QUERCUS RUBRA POLLEN	0.0125 g in 1 mL	
CARYA OVATA POLLEN (UNII: 54UN9R2798) (CARYA OVATA POLLEN - UNII:54UN9R2798)	CARYA OVATA POLLEN	0.0125 g in 1 mL	
FRAXINUS AMERICANA POLLEN (UNII: G684LX721Q) (FRAXINUS AMERICANA POLLEN - UNII:G684LX721Q)	FRAXINUS AMERICANA POLLEN	0.0125 g in 1 mL	
BETULA NIGRA POLLEN (UNII: 93963RFO1P) (BETULA NIGRA POLLEN - UNII:93963RFO1P)	BETULA NIGRA POLLEN	0.0125 g in 1 mL	
ACER SACCHARUM POLLEN (UNII: V38QUQ7861) (ACER SACCHARUM POLLEN - UNII:V38QUQ7861)	ACER SACCHARUM POLLEN	0.0125 g in 1 mL	

Inactive Ingredients	
Ingredient Name	Strength
SODIUM BICARBONATE (UNII: 8MDF5V39QO)	
PHENOL (UNII: 339NCG44TV)	
SODIUM CHLORIDE (UNII: 451W47IQ8X)	

Packaging				
#	Item Code	Package Description	Marketing Start	Marketing End

#	Item Code	Package Description	Date	Date
1	NDC:22840-9498-2	10 mL in 1 VIAL, MULTI-DOSE; Type 0: Not a Combination Product		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
BLA	BLA101833	09/15/1981	

HICKORY POLLEN MIX

carya glabra, carya ovata, carya laciniosa and carya tomentosa solution

Product Information			
Product Type	NON-STANDARDIZED ALLERGENIC	Item Code (Source)	NDC:22840-9413
Route of Administration	INTRADERMAL, PERCUTANEOUS, SUBCUTANEOUS		

Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	
CARYA GLABRA POLLEN (UNII: KPO1Z9N98A) (CARYA GLABRA POLLEN - UNII:KPO1Z9N98A)	CARYA GLABRA POLLEN	0.025 g in 1 mL	
CARYA ALBA POLLEN (UNII: G2A764T54B) (CARYA ALBA POLLEN - UNII:G2A764T54B)	CARYA ALBA POLLEN	0.025 g in 1 mL	
CARYA OVATA POLLEN (UNII: 54UN9R2798) (CARYA OVATA POLLEN - UNII:54UN9R2798)	CARYA OVATA POLLEN	0.025 g in 1 mL	
CARYA LACINIOSA POLLEN (UNII: 5BGG872373) (CARYA LACINIOSA POLLEN - UNII:5BGG872373)	CARYA LACINIOSA POLLEN	0.025 g in 1 mL	

Inactive Ingredients		
Ingredient Name	Strength	
SODIUM BICARBONATE (UNII: 8MDF5V39QO)		
PHENOL (UNII: 339NCG44TV)		
SODIUM CHLORIDE (UNII: 451W47IQ8X)		

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:22840-9413-2	10 mL in 1 VIAL, MULTI-DOSE; Type 0: Not a Combination Product		
2	NDC:22840-9413-4	50 mL in 1 VIAL, MULTI-DOSE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
BLA	BLA101833	09/15/1981	

3 MAPLE POLLEN MIX

acer rubrum, acer saccharinum and acer saccharum solution

Product Information

Product Type	NON-STANDARDIZED ALLERGENIC	Item Code (Source)	NDC:22840-9429
Route of Administration	PERCUTANEOUS, SUBCUTANEOUS, INTRADERMAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ACER SACCHARUM POLLEN (UNII: V38QUQ7861) (ACER SACCHARUM POLLEN - UNII:V38QUQ7861)	ACER SACCHARUM POLLEN	0.0333333 g in 1 mL
ACER RUBRUM POLLEN (UNII: 700NK45C76) (ACER RUBRUM POLLEN - UNII:700NK45C76)	ACER RUBRUM POLLEN	0.0333333 g in 1 mL
ACER SACCHARINUM POLLEN (UNII: 95447163DG) (ACER SACCHARINUM POLLEN - UNII:95447163DG)	ACER SACCHARINUM POLLEN	0.0333333 g in 1 mL

Inactive Ingredients

Ingredient Name	Strength
SODIUM BICARBONATE (UNII: 8MDF5V39QO)	
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
PHENOL (UNII: 339NCG44TV)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:22840-9429-2	10 mL in 1 VIAL, MULTI-DOSE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
BLA	BLA101833	09/15/1981	

EASTERN 6 TREE POLLEN MIX

fagus grandifolia, populus deltoides, quercus rubra, betula nigra, carya ovata and fraxinus americana solution

Product Information

		Item Code	NDC:22840
--	--	-----------	-----------

Product Type	NON-STANDARDIZED ALLERGENIC	Item Code (Source)	NDC:22840-9496
Route of Administration	PERCUTANEOUS, SUBCUTANEOUS, INTRADERMAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
FAGUS GRANDIFOLIA POLLEN (UNII: 34X886W1H4) (FAGUS GRANDIFOLIA POLLEN - UNII:34X886W1H4)	FAGUS GRANDIFOLIA POLLEN	1666.6666 [PNU] in 1 mL
POPULUS DELTOIDES POLLEN (UNII: 476DVV63WP) (POPULUS DELTOIDES POLLEN - UNII:476DVV63WP)	POPULUS DELTOIDES POLLEN	1666.6666 [PNU] in 1 mL
QUERCUS RUBRA POLLEN (UNII: SVW19ET93C) (QUERCUS RUBRA POLLEN - UNII:SVW19ET93C)	QUERCUS RUBRA POLLEN	1666.6666 [PNU] in 1 mL
CARYA OVATA POLLEN (UNII: 54UN9R2798) (CARYA OVATA POLLEN - UNII:54UN9R2798)	CARYA OVATA POLLEN	1666.6666 [PNU] in 1 mL
FRAXINUS AMERICANA POLLEN (UNII: G684LX721Q) (FRAXINUS AMERICANA POLLEN - UNII:G684LX721Q)	FRAXINUS AMERICANA POLLEN	1666.6666 [PNU] in 1 mL
BETULA NIGRA POLLEN (UNII: 93963RFO1P) (BETULA NIGRA POLLEN - UNII:93963RFO1P)	BETULA NIGRA POLLEN	1666.6666 [PNU] in 1 mL

Inactive Ingredients

Ingredient Name	Strength
SODIUM BICARBONATE (UNII: 8MDF5V39QO)	
PHENOL (UNII: 339NCG44TV)	
SODIUM CHLORIDE (UNII: 451W47IQ8X)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:22840-9496-2	10 mL in 1 VIAL, MULTI-DOSE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
BLA	BLA101833	09/15/1981	

HICKORY POLLEN MIX

carya glabra, carya ovata, carya laciniosa and carya tomentosa solution

Product Information

Product Type	NON-STANDARDIZED ALLERGENIC	Item Code (Source)	NDC:22840-9417
Route of Administration	INTRADERMAL, PERCUTANEOUS, SUBCUTANEOUS		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
CARYA GLABRA POLLEN (UNII: KPO1Z9N98A) (CARYA GLABRA POLLEN - UNII:KPO1Z9N98A)	CARYA GLABRA POLLEN	0.0125 g in 1 mL
CARYA ALBA POLLEN (UNII: G2A764T54B) (CARYA ALBA POLLEN - UNII:G2A764T54B)	CARYA ALBA POLLEN	0.0125 g in 1 mL
CARYA OVATA POLLEN (UNII: 54UN9R2798) (CARYA OVATA POLLEN - UNII:54UN9R2798)	CARYA OVATA POLLEN	0.0125 g in 1 mL
CARYA LACINIOSA POLLEN (UNII: 5BGG872373) (CARYA LACINIOSA POLLEN - UNII:5BGG872373)	CARYA LACINIOSA POLLEN	0.0125 g in 1 mL

Inactive Ingredients

Ingredient Name	Strength
SODIUM BICARBONATE (UNII: 8MDF5V39QO)	
PHENOL (UNII: 339NCG44TV)	
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
GLYCERIN (UNII: PDC6A3C0OX)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:22840-9417-2	10 mL in 1 VIAL, MULTI-DOSE; Type 0: Not a Combination Product		
2	NDC:22840-9417-4	50 mL in 1 VIAL, MULTI-DOSE; Type 0: Not a Combination Product		
3	NDC:22840-9417-5	5 mL in 1 BOTTLE, DROPPER; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
BLA	BLA101833	09/15/1981	

WESTERN OAK POLLEN MIX

quercus kelloggii, quercus agrifolia and quercus garryana solution

Product Information

Product Type	NON-STANDARDIZED ALLERGENIC	Item Code (Source)	NDC:22840-9805
Route of Administration	SUBCUTANEOUS, INTRADERMAL, PERCUTANEOUS		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
QUERCUS AGRIFOLIA POLLEN (UNII: VOT5MA71M7) (QUERCUS AGRIFOLIA	QUERCUS AGRIFOLIA	0.0166666 g

POLLEN - UNII:VOT5MA71M7)	POLLEN	in 1 mL
QUERCUS KELLOGGII POLLEN (UNII: 02RVY6X9EC) (QUERCUS KELLOGGII POLLEN - UNII:02RVY6X9EC)	QUERCUS KELLOGGII POLLEN	0.0166666 g in 1 mL
QUERCUS GARRYANA POLLEN (UNII: QQ00BED0DV) (QUERCUS GARRYANA POLLEN - UNII:QQ00BED0DV)	QUERCUS GARRYANA POLLEN	0.0166666 g in 1 mL

Inactive Ingredients

Ingredient Name	Strength
SODIUM BICARBONATE (UNII: 8MDF5V39QO)	
PHENOL (UNII: 339NCG44TV)	
SODIUM CHLORIDE (UNII: 451W47IQ8X)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:22840-9805-2	10 mL in 1 VIAL, MULTI-DOSE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
BLA	BLA101833	09/15/1981	

EASTERN OAK POLLEN MIX

quercus velutina, quercus rubra and quercus alba solution

Product Information

Product Type	NON-STANDARDIZED ALLERGENIC	Item Code (Source)	NDC:22840-9443
Route of Administration	PERCUTANEOUS, SUBCUTANEOUS, INTRADERMAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
QUERCUS VELUTINA POLLEN (UNII: 294L626TT0) (QUERCUS VELUTINA POLLEN - UNII:294L626TT0)	QUERCUS VELUTINA POLLEN	6666.6666 [PNU] in 1 mL
QUERCUS RUBRA POLLEN (UNII: SVW19ET93C) (QUERCUS RUBRA POLLEN - UNII:SVW19ET93C)	QUERCUS RUBRA POLLEN	6666.6666 [PNU] in 1 mL
QUERCUS ALBA POLLEN (UNII: Z4Y9ZSV4KK) (QUERCUS ALBA POLLEN - UNII:Z4Y9ZSV4KK)	QUERCUS ALBA POLLEN	6666.6666 [PNU] in 1 mL

Inactive Ingredients

Ingredient Name	Strength
PHENOL (UNII: 339NCG44TV)	

SODIUM BICARBONATE (UNII: 8MDF5V39QO)

SODIUM CHLORIDE (UNII: 451W47IQ8X)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:22840-9443-2	10 mL in 1 VIAL, MULTI-DOSE; Type 0: Not a Combination Product		
2	NDC:22840-9443-4	50 mL in 1 VIAL, MULTI-DOSE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
BLA	BLA101833	09/15/1981	

EASTERN 7 TREE POLLEN MIX

ulmus americana, fagus grandifolia, populus deltoides, quercus rubra, betula nigra, carya ovata and fraxinus americana solution

Product Information

Product Type	NON-STANDARDIZED ALLERGENIC	Item Code (Source)	NDC:22840-9454
Route of Administration	INTRADERMAL, PERCUTANEOUS, SUBCUTANEOUS		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ULMUS AMERICANA POLLEN (UNII: 89BAT511BD) (ULMUS AMERICANA POLLEN - UNII:89BAT511BD)	ULMUS AMERICANA POLLEN	0.0071428 g in 1 mL
FAGUS GRANDIFOLIA POLLEN (UNII: 34X886W1H4) (FAGUS GRANDIFOLIA POLLEN - UNII:34X886W1H4)	FAGUS GRANDIFOLIA POLLEN	0.0071428 g in 1 mL
POPULUS DELTOIDES POLLEN (UNII: 476DVV63WP) (POPULUS DELTOIDES POLLEN - UNII:476DVV63WP)	POPULUS DELTOIDES POLLEN	0.0071428 g in 1 mL
QUERCUS RUBRA POLLEN (UNII: SVW19ET93C) (QUERCUS RUBRA POLLEN - UNII:SVW19ET93C)	QUERCUS RUBRA POLLEN	0.0071428 g in 1 mL
CARYA OVATA POLLEN (UNII: 54UN9R2798) (CARYA OVATA POLLEN - UNII:54UN9R2798)	CARYA OVATA POLLEN	0.0071428 g in 1 mL
FRAXINUS AMERICANA POLLEN (UNII: G684LX721Q) (FRAXINUS AMERICANA POLLEN - UNII:G684LX721Q)	FRAXINUS AMERICANA POLLEN	0.0071428 g in 1 mL
BETULA NIGRA POLLEN (UNII: 93963RFO1P) (BETULA NIGRA POLLEN - UNII:93963RFO1P)	BETULA NIGRA POLLEN	0.0071428 g in 1 mL

Inactive Ingredients

Ingredient Name	Strength
SODIUM BICARBONATE (UNII: 8MDF5V39QO)	

PHENOL (UNII: 339NCG44TV)

SODIUM CHLORIDE (UNII: 451W47IQ8X)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:22840-9454-2	10 mL in 1 VIAL, MULTI-DOSE; Type 0: Not a Combination Product		
2	NDC:22840-9454-4	50 mL in 1 VIAL, MULTI-DOSE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
BLA	BLA101833	09/15/1981	

EASTERN 7 TREE POLLEN MIX

ulmus americana, fagus grandifolia, populus deltoides, quercus rubra, betula nigra, carya ovata and fraxinus americana solution

Product Information

Product Type	NON-STANDARDIZED ALLERGENIC	Item Code (Source)	NDC:22840-9456
Route of Administration	INTRADERMAL, PERCUTANEOUS, SUBCUTANEOUS		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ULMUS AMERICANA POLLEN (UNII: 89BAT511BD) (ULMUS AMERICANA POLLEN - UNII:89BAT511BD)	ULMUS AMERICANA POLLEN	0.0001428 g in 1 mL
FAGUS GRANDIFOLIA POLLEN (UNII: 34X886W1H4) (FAGUS GRANDIFOLIA POLLEN - UNII:34X886W1H4)	FAGUS GRANDIFOLIA POLLEN	0.0001428 g in 1 mL
POPULUS DELTOIDES POLLEN (UNII: 476DVV63WP) (POPULUS DELTOIDES POLLEN - UNII:476DVV63WP)	POPULUS DELTOIDES POLLEN	0.0001428 g in 1 mL
QUERCUS RUBRA POLLEN (UNII: SVW19ET93C) (QUERCUS RUBRA POLLEN - UNII:SVW19ET93C)	QUERCUS RUBRA POLLEN	0.0001428 g in 1 mL
CARYA OVATA POLLEN (UNII: 54UN9R2798) (CARYA OVATA POLLEN - UNII:54UN9R2798)	CARYA OVATA POLLEN	0.0001428 g in 1 mL
FRAXINUS AMERICANA POLLEN (UNII: G684LX721Q) (FRAXINUS AMERICANA POLLEN - UNII:G684LX721Q)	FRAXINUS AMERICANA POLLEN	0.0001428 g in 1 mL
BETULA NIGRA POLLEN (UNII: 93963RFO1P) (BETULA NIGRA POLLEN - UNII:93963RFO1P)	BETULA NIGRA POLLEN	0.0001428 g in 1 mL

Inactive Ingredients

Ingredient Name	Strength
SODIUM BICARBONATE (UNII: 8MDF5V39QO)	

PHENOL (UNII: 339NCG44TV)

SODIUM CHLORIDE (UNII: 451W47IQ8X)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:22840-9456-1	5 mL in 1 VIAL, MULTI-DOSE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
BLA	BLA101833	09/15/1981	

3 MAPLE POLLEN MIX

acer rubrum, acer saccharinum and acer saccharum solution

Product Information

Product Type	NON-STANDARDIZED ALLERGENIC	Item Code (Source)	NDC:22840-9430
Route of Administration	PERCUTANEOUS, SUBCUTANEOUS, INTRADERMAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ACER SACCHARUM POLLEN (UNII: V38QUQ7861) (ACER SACCHARUM POLLEN - UNII:V38QUQ7861)	ACER SACCHARUM POLLEN	0.0166666 g in 1 mL
ACER RUBRUM POLLEN (UNII: 700NK45C76) (ACER RUBRUM POLLEN - UNII:700NK45C76)	ACER RUBRUM POLLEN	0.0166666 g in 1 mL
ACER SACCHARINUM POLLEN (UNII: 95447163DG) (ACER SACCHARINUM POLLEN - UNII:95447163DG)	ACER SACCHARINUM POLLEN	0.0166666 g in 1 mL

Inactive Ingredients

Ingredient Name	Strength
SODIUM BICARBONATE (UNII: 8MDF5V39QO)	
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
PHENOL (UNII: 339NCG44TV)	
GLYCERIN (UNII: PDC6A3C0OX)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:22840-9430-2	10 mL in 1 VIAL, MULTI-DOSE; Type 0: Not a Combination Product		

2	NDC:22840-9430-4	50 mL in 1 VIAL, MULTI-DOSE; Type 0: Not a Combination Product		
3	NDC:22840-9430-5	5 mL in 1 BOTTLE, DROPPER; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
BLA	BLA101833	09/15/1981	

EASTERN 7 TREE POLLEN MIX

ulmus americana, fagus grandifolia, populus deltoides, quercus rubra, betula nigra, carya ovata and fraxinus americana solution

Product Information

Product Type	NON-STANDARDIZED ALLERGENIC	Item Code (Source)	NDC:22840-9459
Route of Administration	INTRADERMAL, PERCUTANEOUS, SUBCUTANEOUS		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ULMUS AMERICANA POLLEN (UNII: 89BAT511BD) (ULMUS AMERICANA POLLEN - UNII:89BAT511BD)	ULMUS AMERICANA POLLEN	0.0071428 g in 1 mL
FAGUS GRANDIFOLIA POLLEN (UNII: 34X886W1H4) (FAGUS GRANDIFOLIA POLLEN - UNII:34X886W1H4)	FAGUS GRANDIFOLIA POLLEN	0.0071428 g in 1 mL
POPULUS DELTOIDES POLLEN (UNII: 476DVV63WP) (POPULUS DELTOIDES POLLEN - UNII:476DVV63WP)	POPULUS DELTOIDES POLLEN	0.0071428 g in 1 mL
QUERCUS RUBRA POLLEN (UNII: SVW19ET93C) (QUERCUS RUBRA POLLEN - UNII:SVW19ET93C)	QUERCUS RUBRA POLLEN	0.0071428 g in 1 mL
CARYA OVATA POLLEN (UNII: 54UN9R2798) (CARYA OVATA POLLEN - UNII:54UN9R2798)	CARYA OVATA POLLEN	0.0071428 g in 1 mL
FRAXINUS AMERICANA POLLEN (UNII: G684LX721Q) (FRAXINUS AMERICANA POLLEN - UNII:G684LX721Q)	FRAXINUS AMERICANA POLLEN	0.0071428 g in 1 mL
BETULA NIGRA POLLEN (UNII: 93963RFO1P) (BETULA NIGRA POLLEN - UNII:93963RFO1P)	BETULA NIGRA POLLEN	0.0071428 g in 1 mL

Inactive Ingredients

Ingredient Name	Strength
SODIUM BICARBONATE (UNII: 8MDF5V39QO)	
PHENOL (UNII: 339NCG44TV)	
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
GLYCERIN (UNII: PDC6A3C0OX)	

Packaging

#	Item Code	Package Description	Marketing Start	Marketing End
---	-----------	---------------------	-----------------	---------------

#	Item Code	Package Description	Date	Date
1	NDC:22840-9459-2	10 mL in 1 VIAL, MULTI-DOSE; Type 0: Not a Combination Product		
2	NDC:22840-9459-4	50 mL in 1 VIAL, MULTI-DOSE; Type 0: Not a Combination Product		
3	NDC:22840-9459-5	5 mL in 1 BOTTLE, DROPPER; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
BLA	BLA101833	09/15/1981	

BIRCH POLLEN MIX

betula lenta, betula nigra and betula populifolia solution

Product Information

Product Type	NON-STANDARDIZED ALLERGENIC	Item Code (Source)	NDC:22840-9404
Route of Administration	INTRADERMAL, PERCUTANEOUS, SUBCUTANEOUS		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
BETULA LENTA POLLEN (UNII: JQ5HI5004M) (BETULA LENTA POLLEN - UNII:JQ5HI5004M)	BETULA LENTA POLLEN	6666.6666 [PNU] in 1 mL
BETULA NIGRA POLLEN (UNII: 93963RFO1P) (BETULA NIGRA POLLEN - UNII:93963RFO1P)	BETULA NIGRA POLLEN	6666.6666 [PNU] in 1 mL
BETULA POPULIFOLIA POLLEN (UNII: 23H70FYJ5U) (BETULA POPULIFOLIA POLLEN - UNII:23H70FYJ5U)	BETULA POPULIFOLIA POLLEN	6666.6666 [PNU] in 1 mL

Inactive Ingredients

Ingredient Name	Strength
SODIUM BICARBONATE (UNII: 8MDF5V39QO)	
PHENOL (UNII: 339NCG44TV)	
SODIUM CHLORIDE (UNII: 451W47IQ8X)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:22840-9404-2	10 mL in 1 VIAL, MULTI-DOSE; Type 0: Not a Combination Product		
2	NDC:22840-9404-4	50 mL in 1 VIAL, MULTI-DOSE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
BLA	BLA101833	09/15/1981	

EASTERN 7 TREE POLLEN MIX

ulmus americana, fagus grandifolia, populus deltoides, quercus rubra, betula nigra, carya ovata and fraxinus americana solution

Product Information

Product Type	NON-STANDARDIZED ALLERGENIC	Item Code (Source)	NDC:22840-9497
Route of Administration	INTRADERMAL, PERCUTANEOUS, SUBCUTANEOUS		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ULMUS AMERICANA POLLEN (UNII: 89BAT511BD) (ULMUS AMERICANA POLLEN - UNII:89BAT511BD)	ULMUS AMERICANA POLLEN	2857.1428 [PNU] in 1 mL
FAGUS GRANDIFOLIA POLLEN (UNII: 34X886W1H4) (FAGUS GRANDIFOLIA POLLEN - UNII:34X886W1H4)	FAGUS GRANDIFOLIA POLLEN	2857.1428 [PNU] in 1 mL
POPULUS DELTOIDES POLLEN (UNII: 476DVV63WP) (POPULUS DELTOIDES POLLEN - UNII:476DVV63WP)	POPULUS DELTOIDES POLLEN	2857.1428 [PNU] in 1 mL
QUERCUS RUBRA POLLEN (UNII: SVW19ET93C) (QUERCUS RUBRA POLLEN - UNII:SVW19ET93C)	QUERCUS RUBRA POLLEN	2857.1428 [PNU] in 1 mL
CARYA OVATA POLLEN (UNII: 54UN9R2798) (CARYA OVATA POLLEN - UNII:54UN9R2798)	CARYA OVATA POLLEN	2857.1428 [PNU] in 1 mL
FRAXINUS AMERICANA POLLEN (UNII: G684LX721Q) (FRAXINUS AMERICANA POLLEN - UNII:G684LX721Q)	FRAXINUS AMERICANA POLLEN	2857.1428 [PNU] in 1 mL
BETULA NIGRA POLLEN (UNII: 93963RFO1P) (BETULA NIGRA POLLEN - UNII:93963RFO1P)	BETULA NIGRA POLLEN	2857.1428 [PNU] in 1 mL

Inactive Ingredients

Ingredient Name	Strength
SODIUM BICARBONATE (UNII: 8MDF5V39QO)	
PHENOL (UNII: 339NCG44TV)	
SODIUM CHLORIDE (UNII: 451W47IQ8X)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:22840-9497-4	50 mL in 1 VIAL, MULTI-DOSE; Type 0: Not a Combination Product		
2	NDC:22840-9497-2	10 mL in 1 VIAL, MULTI-DOSE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
BLA	BLA101833	09/15/1981	

PINE POLLEN MIX

pinus taeda, pinus strobus and pinus echinata solution

Product Information

Product Type	NON-STANDARDIZED ALLERGENIC	Item Code (Source)	NDC:22840-9436
Route of Administration	INTRADERMAL, PERCUTANEOUS, SUBCUTANEOUS		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
PINUS ECHINATA POLLEN (UNII: 96LRW14765) (PINUS ECHINATA POLLEN - UNII:96LRW14765)	PINUS ECHINATA POLLEN	0.0166666 g in 1 mL
PINUS TAEDA POLLEN (UNII: 4O1FFR8ARN) (PINUS TAEDA POLLEN - UNII:4O1FFR8ARN)	PINUS TAEDA POLLEN	0.0166666 g in 1 mL
PINUS STROBUS POLLEN (UNII: TX1ER5UV3T) (PINUS STROBUS POLLEN - UNII:TX1ER5UV3T)	PINUS STROBUS POLLEN	0.0166666 g in 1 mL

Inactive Ingredients

Ingredient Name	Strength
GLYCERIN (UNII: PDC6A3C0OX)	
SODIUM BICARBONATE (UNII: 8MDF5V39QO)	
PHENOL (UNII: 339NCG44TV)	
SODIUM CHLORIDE (UNII: 451W47IQ8X)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:22840-9436-4	50 mL in 1 VIAL, MULTI-DOSE; Type 0: Not a Combination Product		
2	NDC:22840-9436-2	10 mL in 1 VIAL, MULTI-DOSE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
BLA	BLA101833	09/15/1981	

EASTERN 8 TREE POLLEN MIX

ulmus americana, fagus grandifolia, populus deltoides, quercus rubra, betula nigra, carya ovata, fraxinus americana and acer saccharum solution

Product Information

Product Type	NON-STANDARDIZED ALLERGENIC	Item Code (Source)	NDC:22840-9462
Route of Administration	PERCUTANEOUS, SUBCUTANEOUS, INTRADERMAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
FAGUS GRANDIFOLIA POLLEN (UNII: 34X886W1H4) (FAGUS GRANDIFOLIA POLLEN - UNII:34X886W1H4)	FAGUS GRANDIFOLIA POLLEN	0.00625 g in 1 mL
POPULUS DELTOIDES POLLEN (UNII: 476DVV63WP) (POPULUS DELTOIDES POLLEN - UNII:476DVV63WP)	POPULUS DELTOIDES POLLEN	0.00625 g in 1 mL
QUERCUS RUBRA POLLEN (UNII: SVW19ET93C) (QUERCUS RUBRA POLLEN - UNII:SVW19ET93C)	QUERCUS RUBRA POLLEN	0.00625 g in 1 mL
ULMUS AMERICANA POLLEN (UNII: 89BAT511BD) (ULMUS AMERICANA POLLEN - UNII:89BAT511BD)	ULMUS AMERICANA POLLEN	0.00625 g in 1 mL
CARYA OVATA POLLEN (UNII: 54UN9R2798) (CARYA OVATA POLLEN - UNII:54UN9R2798)	CARYA OVATA POLLEN	0.00625 g in 1 mL
FRAXINUS AMERICANA POLLEN (UNII: G684LX721Q) (FRAXINUS AMERICANA POLLEN - UNII:G684LX721Q)	FRAXINUS AMERICANA POLLEN	0.00625 g in 1 mL
BETULA NIGRA POLLEN (UNII: 93963RFO1P) (BETULA NIGRA POLLEN - UNII:93963RFO1P)	BETULA NIGRA POLLEN	0.00625 g in 1 mL
ACER SACCHARUM POLLEN (UNII: V38QUQ7861) (ACER SACCHARUM POLLEN - UNII:V38QUQ7861)	ACER SACCHARUM POLLEN	0.00625 g in 1 mL

Inactive Ingredients

Ingredient Name	Strength
SODIUM BICARBONATE (UNII: 8MDF5V39QO)	
PHENOL (UNII: 339NCG44TV)	
SODIUM CHLORIDE (UNII: 451W471Q8X)	
GLYCERIN (UNII: PDC6A3C0OX)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:22840-9462-2	10 mL in 1 VIAL, MULTI-DOSE; Type 0: Not a Combination Product		
2	NDC:22840-9462-4	50 mL in 1 VIAL, MULTI-DOSE; Type 0: Not a Combination Product		
3	NDC:22840-9462-5	5 mL in 1 BOTTLE, DROPPER; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date

BLA	BLA101833	09/15/1981	
-----	-----------	------------	--

BIRCH POLLEN MIX

betula lenta, betula nigra and betula populifolia solution

Product Information

Product Type	NON-STANDARDIZED ALLERGENIC	Item Code (Source)	NDC:22840-9405
Route of Administration	PERCUTANEOUS, SUBCUTANEOUS, INTRADERMAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
BETULA LENTA POLLEN (UNII: JQ5HI5004M) (BETULA LENTA POLLEN - UNII:JQ5HI5004M)	BETULA LENTA POLLEN	13333.333 [PNU] in 1 mL
BETULA NIGRA POLLEN (UNII: 93963RFO1P) (BETULA NIGRA POLLEN - UNII:93963RFO1P)	BETULA NIGRA POLLEN	13333.333 [PNU] in 1 mL
BETULA POPULIFOLIA POLLEN (UNII: 23H70FYJ5U) (BETULA POPULIFOLIA POLLEN - UNII:23H70FYJ5U)	BETULA POPULIFOLIA POLLEN	13333.333 [PNU] in 1 mL

Inactive Ingredients

Ingredient Name	Strength
SODIUM BICARBONATE (UNII: 8MDF5V39QO)	
PHENOL (UNII: 339NCG44TV)	
SODIUM CHLORIDE (UNII: 451W47IQ8X)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:22840-9405-2	10 mL in 1 VIAL, MULTI-DOSE; Type 0: Not a Combination Product		
2	NDC:22840-9405-4	50 mL in 1 VIAL, MULTI-DOSE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
BLA	BLA101833	09/15/1981	

WESTERN WALNUT POLLEN MIX

juglans californica and juglans regia solution

Product Information

Product Type	NON-STANDARDIZED ALLERGENIC	Item Code (Source)	NDC:22840-9491
Route of Administration	SUBCUTANEOUS, PERCUTANEOUS, INTRADERMAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
JUGLANS CALIFORNICA POLLEN (UNII: 2147EPR64I) (JUGLANS CALIFORNICA POLLEN - UNII:2147EPR64I)	JUGLANS CALIFORNICA POLLEN	0.025 g in 1 mL
JUGLANS REGIA POLLEN (UNII: ARW43087I1) (JUGLANS REGIA POLLEN - UNII:ARW43087I1)	JUGLANS REGIA POLLEN	0.025 g in 1 mL

Inactive Ingredients

Ingredient Name	Strength
GLYCERIN (UNII: PDC6A3C0OX)	
SODIUM BICARBONATE (UNII: 8MDF5V39QO)	
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
PHENOL (UNII: 339NCG44TV)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:22840-9491-2	10 mL in 1 VIAL, MULTI-DOSE; Type 0: Not a Combination Product		
2	NDC:22840-9491-4	50 mL in 1 VIAL, MULTI-DOSE; Type 0: Not a Combination Product		
3	NDC:22840-9491-5	5 mL in 1 BOTTLE, DROPPER; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
BLA	BLA101833	09/15/1981	

WESTERN 10 TREE POLLEN MIX

acacia dealbata, acer negundo, populus fremontii, olea europaea, ulmus pumila, betula occidentalis, juniperus occidentalis, platanus racemosa, quercus garryana and morus alba solution

Product Information

Product Type	NON-STANDARDIZED ALLERGENIC	Item Code (Source)	NDC:22840-9478
Route of Administration	PERCUTANEOUS, INTRADERMAL, SUBCUTANEOUS		

Active Ingredient/Active Moiety				
Ingredient Name			Basis of Strength	Strength
ACACIA DEALBATA POLLEN (UNII: L16Z5HLP8V) (ACACIA DEALBATA POLLEN - UNII:L16Z5HLP8V)			ACACIA DEALBATA POLLEN	0.005 g in 1 mL
OLEA EUROPAEA POLLEN (UNII: 43R41XZ627) (OLEA EUROPAEA POLLEN - UNII:43R41XZ627)			OLEA EUROPAEA POLLEN	0.005 g in 1 mL
ULMUS PUMILA POLLEN (UNII: 030R993R8E) (ULMUS PUMILA POLLEN - UNII:030R993R8E)			ULMUS PUMILA POLLEN	0.005 g in 1 mL
ACER NEGUNDO POLLEN (UNII: P6K070AR8V) (ACER NEGUNDO POLLEN - UNII:P6K070AR8V)			ACER NEGUNDO POLLEN	0.005 g in 1 mL
PLATANUS RACEMOSA POLLEN (UNII: BWC8DYU8OS) (PLATANUS RACEMOSA POLLEN - UNII:BWC8DYU8OS)			PLATANUS RACEMOSA POLLEN	0.005 g in 1 mL
QUERCUS GARRYANA POLLEN (UNII: QQ00BED0DV) (QUERCUS GARRYANA POLLEN - UNII:QQ00BED0DV)			QUERCUS GARRYANA POLLEN	0.005 g in 1 mL
MORUS ALBA POLLEN (UNII: 3I9T68187H) (MORUS ALBA POLLEN - UNII:3I9T68187H)			MORUS ALBA POLLEN	0.005 g in 1 mL
JUNIPERUS OCCIDENTALIS POLLEN (UNII: 7JWJ3HXZ9U) (JUNIPERUS OCCIDENTALIS POLLEN - UNII:7JWJ3HXZ9U)			JUNIPERUS OCCIDENTALIS POLLEN	0.005 g in 1 mL
POPULUS FREMONTII POLLEN (UNII: 426RHB4302) (POPULUS FREMONTII POLLEN - UNII:426RHB4302)			POPULUS FREMONTII POLLEN	0.005 g in 1 mL
BETULA OCCIDENTALIS POLLEN (UNII: R889N2L976) (BETULA OCCIDENTALIS POLLEN - UNII:R889N2L976)			BETULA OCCIDENTALIS POLLEN	0.005 g in 1 mL
Inactive Ingredients				
Ingredient Name				Strength
SODIUM BICARBONATE (UNII: 8MDF5V39QO)				
PHENOL (UNII: 339NCG44TV)				
SODIUM CHLORIDE (UNII: 451W47IQ8X)				
GLYCERIN (UNII: PDC6A3C0OX)				
Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:22840-9478-5	5 mL in 1 BOTTLE, DROPPER; Type 0: Not a Combination Product		
2	NDC:22840-9478-4	50 mL in 1 VIAL, MULTI-DOSE; Type 0: Not a Combination Product		
Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
BLA	BLA101833	09/15/1981		

WESTERN WALNUT POLLEN MIX

juglans californica and juglans regia solution

Product Information

Product Type	NON-STANDARDIZED ALLERGENIC	Item Code	NDC:22840-
--------------	-----------------------------	-----------	------------

Product Type	NON-STANDARDIZED ALLERGENIC	(Source)	9490	
Route of Administration	PERCUTANEOUS, SUBCUTANEOUS, INTRADERMAL			
Active Ingredient/Active Moiety				
Ingredient Name		Basis of Strength	Strength	
JUGLANS CALIFORNICA POLLEN (UNII: 2147EPR64I) (JUGLANS CALIFORNICA POLLEN - UNII:2147EPR64I)		JUGLANS CALIFORNICA POLLEN	0.0005 g in 1 mL	
JUGLANS REGIA POLLEN (UNII: ARW43087I1) (JUGLANS REGIA POLLEN - UNII:ARW43087I1)		JUGLANS REGIA POLLEN	0.0005 g in 1 mL	
Inactive Ingredients				
Ingredient Name			Strength	
SODIUM BICARBONATE (UNII: 8MDF5V39QO)				
SODIUM CHLORIDE (UNII: 451W47IQ8X)				
PHENOL (UNII: 339NCG44TV)				
Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:22840-9490-1	5 mL in 1 VIAL, MULTI-DOSE; Type 0: Not a Combination Product		
Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
BLA	BLA101833	09/15/1981		

HICKORY POLLEN MIX

carya glabra, carya ovata, carya laciniosa and carya tomentosa solution

Product Information			
Product Type	NON-STANDARDIZED ALLERGENIC	Item Code (Source)	NDC:22840-9414
Route of Administration	INTRADERMAL, PERCUTANEOUS, SUBCUTANEOUS		
Active Ingredient/Active Moiety			
Ingredient Name		Basis of Strength	Strength
CARYA GLABRA POLLEN (UNII: KPO1Z9N98A) (CARYA GLABRA POLLEN - UNII:KPO1Z9N98A)		CARYA GLABRA POLLEN	10000 [PNU] in 1 mL
CARYA ALBA POLLEN (UNII: G2A764T54B) (CARYA ALBA POLLEN - UNII:G2A764T54B)		CARYA ALBA POLLEN	10000 [PNU] in 1 mL
CARYA OVATA POLLEN (UNII: 54UN9R2798) (CARYA OVATA POLLEN -		CARYA OVATA	10000 [PNU]

UNII:54UN9R2798)	POLLEN	in 1 mL		
CARYA LACINIOSA POLLEN (UNII: 5BGG872373) (CARYA LACINIOSA POLLEN - UNII:5BGG872373)	CARYA LACINIOSA POLLEN	10000 [PNU] in 1 mL		
Inactive Ingredients				
Ingredient Name		Strength		
SODIUM BICARBONATE (UNII: 8MDF5V39QO)				
PHENOL (UNII: 339NCG44TV)				
SODIUM CHLORIDE (UNII: 451W47IQ8X)				
Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:22840-9414-2	10 mL in 1 VIAL, MULTI-DOSE; Type 0: Not a Combination Product		
2	NDC:22840-9414-4	50 mL in 1 VIAL, MULTI-DOSE; Type 0: Not a Combination Product		
Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
BLA	BLA101833	09/15/1981		

HICKORY POLLEN MIX			
carya glabra, carya ovata, carya laciniosa and carya tomentosa solution			
Product Information			
Product Type	NON-STANDARDIZED ALLERGENIC	Item Code (Source)	NDC:22840-9416
Route of Administration	INTRADERMAL, PERCUTANEOUS, SUBCUTANEOUS		
Active Ingredient/Active Moiety			
Ingredient Name		Basis of Strength	Strength
CARYA GLABRA POLLEN (UNII: KPO1Z9N98A) (CARYA GLABRA POLLEN - UNII:KPO1Z9N98A)		CARYA GLABRA POLLEN	0.00025 g in 1 mL
CARYA ALBA POLLEN (UNII: G2A764T54B) (CARYA ALBA POLLEN - UNII:G2A764T54B)		CARYA ALBA POLLEN	0.00025 g in 1 mL
CARYA OVATA POLLEN (UNII: 54UN9R2798) (CARYA OVATA POLLEN - UNII:54UN9R2798)		CARYA OVATA POLLEN	0.00025 g in 1 mL
CARYA LACINIOSA POLLEN (UNII: 5BGG872373) (CARYA LACINIOSA POLLEN - UNII:5BGG872373)		CARYA LACINIOSA POLLEN	0.00025 g in 1 mL
Inactive Ingredients			
Ingredient Name			Strength

SODIUM BICARBONATE (UNII: 8MDF5V39QO)				
PHENOL (UNII: 339NCG44TV)				
SODIUM CHLORIDE (UNII: 451W47IQ8X)				
Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:22840-9416-1	5 mL in 1 VIAL, MULTI-DOSE; Type 0: Not a Combination Product		
Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
BLA	BLA101833	09/15/1981		

WESTERN WALNUT POLLEN MIX				
juglans californica and juglans regia solution				
Product Information				
Product Type	NON-STANDARDIZED ALLERGENIC	Item Code (Source)	NDC:22840-9807	
Route of Administration	PERCUTANEOUS, SUBCUTANEOUS, INTRADERMAL			
Active Ingredient/Active Moiety				
Ingredient Name	Basis of Strength	Strength		
JUGLANS CALIFORNICA POLLEN (UNII: 2147EPR64I) (JUGLANS CALIFORNICA POLLEN - UNII:2147EPR64I)	JUGLANS CALIFORNICA POLLEN	0.025 g in 1 mL		
JUGLANS REGIA POLLEN (UNII: ARW43087I1) (JUGLANS REGIA POLLEN - UNII:ARW43087I1)	JUGLANS REGIA POLLEN	0.025 g in 1 mL		
Inactive Ingredients				
Ingredient Name	Strength			
SODIUM BICARBONATE (UNII: 8MDF5V39QO)				
SODIUM CHLORIDE (UNII: 451W47IQ8X)				
PHENOL (UNII: 339NCG44TV)				
Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:22840-9807-2	10 mL in 1 VIAL, MULTI-DOSE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
BLA	BLA101833	09/15/1981	

WESTERN OAK POLLEN MIX

quercus kelloggii, quercus agrifolia and quercus garryana solution

Product Information

Product Type	NON-STANDARDIZED ALLERGENIC	Item Code (Source)	NDC:22840-9469
Route of Administration	SUBCUTANEOUS, INTRADERMAL, PERCUTANEOUS		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
QUERCUS AGRIFOLIA POLLEN (UNII: VOT5MA71M7) (QUERCUS AGRIFOLIA POLLEN - UNII:VOT5MA71M7)	QUERCUS AGRIFOLIA POLLEN	0.0333333 g in 1 mL
QUERCUS KELLOGGII POLLEN (UNII: 02RVY6X9EC) (QUERCUS KELLOGGII POLLEN - UNII:02RVY6X9EC)	QUERCUS KELLOGGII POLLEN	0.0333333 g in 1 mL
QUERCUS GARRYANA POLLEN (UNII: QQ00BED0DV) (QUERCUS GARRYANA POLLEN - UNII:QQ00BED0DV)	QUERCUS GARRYANA POLLEN	0.0333333 g in 1 mL

Inactive Ingredients

Ingredient Name	Strength
SODIUM BICARBONATE (UNII: 8MDF5V39QO)	
PHENOL (UNII: 339NCG44TV)	
SODIUM CHLORIDE (UNII: 451W47IQ8X)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:22840-9469-2	10 mL in 1 VIAL, MULTI-DOSE; Type 0: Not a Combination Product		
2	NDC:22840-9469-4	50 mL in 1 VIAL, MULTI-DOSE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
BLA	BLA101833	09/15/1981	

EASTERN OAK POLLEN MIX

quercus velutina, quercus rubra and quercus alba solution

Product Information

Product Type	NON-STANDARDIZED ALLERGENIC	Item Code (Source)	NDC:22840-9444
Route of Administration	SUBCUTANEOUS, INTRADERMAL, PERCUTANEOUS		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
QUERCUS VELUTINA POLLEN (UNII: 294L626TT0) (QUERCUS VELUTINA POLLEN - UNII:294L626TT0)	QUERCUS VELUTINA POLLEN	0.0166666 g in 1 mL
QUERCUS RUBRA POLLEN (UNII: SVW19ET93C) (QUERCUS RUBRA POLLEN - UNII:SVW19ET93C)	QUERCUS RUBRA POLLEN	0.0166666 g in 1 mL
QUERCUS ALBA POLLEN (UNII: Z4Y9ZSV4KK) (QUERCUS ALBA POLLEN - UNII:Z4Y9ZSV4KK)	QUERCUS ALBA POLLEN	0.0166666 g in 1 mL

Inactive Ingredients

Ingredient Name	Strength
PHENOL (UNII: 339NCG44TV)	
SODIUM BICARBONATE (UNII: 8MDF5V39QO)	
SODIUM CHLORIDE (UNII: 451W47IQ8X)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:22840-9444-2	10 mL in 1 VIAL, MULTI-DOSE; Type 0: Not a Combination Product		
2	NDC:22840-9444-4	50 mL in 1 VIAL, MULTI-DOSE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
BLA	BLA101833	09/15/1981	

EASTERN 8 TREE POLLEN MIX

ulmus americana, fagus grandifolia, populus deltoides, quercus rubra, betula nigra, carya ovata, fraxinus americana and acer saccharum solution

Product Information

Product Type	NON-STANDARDIZED ALLERGENIC	Item Code (Source)	NDC:22840-9460
Route of Administration	PERCUTANEOUS, SUBCUTANEOUS,		

Route of Administration

INTRADERMAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ULMUS AMERICANA POLLEN (UNII: 89BAT511BD) (ULMUS AMERICANA POLLEN - UNII:89BAT511BD)	ULMUS AMERICANA POLLEN	0.000125 g in 1 mL
FAGUS GRANDIFOLIA POLLEN (UNII: 34X886W1H4) (FAGUS GRANDIFOLIA POLLEN - UNII:34X886W1H4)	FAGUS GRANDIFOLIA POLLEN	0.000125 g in 1 mL
POPULUS DELTOIDES POLLEN (UNII: 476DVV63WP) (POPULUS DELTOIDES POLLEN - UNII:476DVV63WP)	POPULUS DELTOIDES POLLEN	0.000125 g in 1 mL
QUERCUS RUBRA POLLEN (UNII: SVW19ET93C) (QUERCUS RUBRA POLLEN - UNII:SVW19ET93C)	QUERCUS RUBRA POLLEN	0.000125 g in 1 mL
CARYA OVATA POLLEN (UNII: 54UN9R2798) (CARYA OVATA POLLEN - UNII:54UN9R2798)	CARYA OVATA POLLEN	0.000125 g in 1 mL
FRAXINUS AMERICANA POLLEN (UNII: G684LX721Q) (FRAXINUS AMERICANA POLLEN - UNII:G684LX721Q)	FRAXINUS AMERICANA POLLEN	0.000125 g in 1 mL
BETULA NIGRA POLLEN (UNII: 93963RFO1P) (BETULA NIGRA POLLEN - UNII:93963RFO1P)	BETULA NIGRA POLLEN	0.000125 g in 1 mL
ACER SACCHARUM POLLEN (UNII: V38QUQ7861) (ACER SACCHARUM POLLEN - UNII:V38QUQ7861)	ACER SACCHARUM POLLEN	0.000125 g in 1 mL

Inactive Ingredients

Ingredient Name	Strength
SODIUM BICARBONATE (UNII: 8MDF5V39QO)	
PHENOL (UNII: 339NCG44TV)	
SODIUM CHLORIDE (UNII: 451W47IQ8X)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:22840-9460-1	5 mL in 1 VIAL, MULTI-DOSE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
BLA	BLA101833	09/15/1981	

WESTERN 3 TREE POLLEN MIX

olea europaea, ulmus pumila and platanus racemosa solution

Product Information

Product Type	NON-STANDARDIZED ALLERGENIC	Item Code (Source)	NDC:22840-9473
Route of Administration	SUBCUTANEOUS, INTRADERMAL, PERCUTANEOUS		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
PLATANUS RACEMOSA POLLEN (UNII: BWC8DYU8OS) (PLATANUS RACEMOSA POLLEN - UNII:BWC8DYU8OS)	PLATANUS RACEMOSA POLLEN	0.0003333 g in 1 mL
OLEA EUROPAEA POLLEN (UNII: 43R41XZ627) (OLEA EUROPAEA POLLEN - UNII:43R41XZ627)	OLEA EUROPAEA POLLEN	0.0003333 g in 1 mL
ULMUS PUMILA POLLEN (UNII: 030R993R8E) (ULMUS PUMILA POLLEN - UNII:030R993R8E)	ULMUS PUMILA POLLEN	0.0003333 g in 1 mL

Inactive Ingredients

Ingredient Name	Strength
SODIUM BICARBONATE (UNII: 8MDF5V39QO)	
PHENOL (UNII: 339NCG44TV)	
SODIUM CHLORIDE (UNII: 451W47IQ8X)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:22840-9473-1	5 mL in 1 VIAL, MULTI-DOSE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
BLA	BLA101833	09/15/1981	

HICKORY-PECAN POLLEN MIX

carya illinoensis and carya ovata solution

Product Information

Product Type	NON-STANDARDIZED ALLERGENIC	Item Code (Source)	NDC:22840-9801
Route of Administration	INTRADERMAL, SUBCUTANEOUS, PERCUTANEOUS		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
CARYA OVATA POLLEN (UNII: 54UN9R2798) (CARYA OVATA POLLEN - UNII:54UN9R2798)	CARYA OVATA POLLEN	0.025 g in 1 mL
CARYA ILLINOINENSIS POLLEN (UNII: PYO4JR720Y) (CARYA ILLINOINENSIS POLLEN - UNII:PYO4JR720Y)	CARYA ILLINOINENSIS POLLEN	0.025 g in 1 mL

Inactive Ingredients

Ingredient Name	Strength
SODIUM BICARBONATE (UNII: 8MDF5V39QO)	
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
PHENOL (UNII: 339NCG44TV)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:22840-9801-2	10 mL in 1 VIAL, MULTI-DOSE; Type 0: Not a Combination Product		
2	NDC:22840-9801-4	50 mL in 1 VIAL, MULTI-DOSE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
BLA	BLA101833	09/15/1981	

Labeler - Greer Laboratories, Inc. (024671414)

Registrant - Greer Laboratories, Inc. (024671414)

Establishment

Name	Address	ID/FEI	Business Operations
Greer Laboratories, Inc.		024671414	manufacture(22840-1100, 22840-1101, 22840-1102, 22840-1103, 22840-1105, 22840-1106, 22840-1107, 22840-1108, 22840-1110, 22840-1111, 22840-1112, 22840-1113, 22840-1116, 22840-1117, 22840-1118, 22840-1119, 22840-1121, 22840-1122, 22840-1123, 22840-1125, 22840-1126, 22840-1127, 22840-1128, 22840-1129, 22840-1130, 22840-1131, 22840-1133, 22840-1134, 22840-1135, 22840-1136, 22840-1138, 22840-1139, 22840-1140, 22840-1141, 22840-1142, 22840-1144, 22840-1145, 22840-1146, 22840-1147, 22840-1149, 22840-1150, 22840-1151, 22840-1153, 22840-1154, 22840-1155, 22840-1157, 22840-1159, 22840-1160, 22840-1162, 22840-1163, 22840-1164, 22840-1167, 22840-1168, 22840-1169, 22840-1170, 22840-1171, 22840-1173, 22840-1174, 22840-1175, 22840-1176, 22840-1537, 22840-1538, 22840-5100, 22840-5101, 22840-5102, 22840-5103, 22840-5104, 22840-5105, 22840-5106, 22840-5107, 22840-5108, 22840-5109, 22840-5110, 22840-5111, 22840-5112, 22840-5113, 22840-5114, 22840-5115, 22840-5517, 22840-9100, 22840-9101, 22840-9102, 22840-9103, 22840-9104, 22840-9105, 22840-9107)

Revised: 10/2019

Greer Laboratories, Inc.