

**OXYGEN- oxygen gas**  
**Praxair Distribution, Inc.**

-----  
**Oxygen - Animal**

**Oxygen Shoulder Label**

UN1072 OXYGEN, COMPRESSED USP WARNING! HIGH-PRESSURE, OXIDIZING GAS. VIGOROUSLY ACCELERATES COMBUSTION. Keep oil, grease and combustibles away. Keep away from heat, sparks and flame. Store and use with adequate ventilation to prevent oxygen accumulation. Use with equipment rated for cylinder pressure and cleaned for oxygen service. Use a backflow prevention device in any piping. Cylinder temperature should not exceed 125 deg F (52 deg C). Open valve slowly. Close valve after each use; keep closed even when empty. Always secure cylinder. Install cap, if provided, when not in use. Use per Praxair MSDS form P-4638 and safety booklets P-3499, P-14-153, and P-15-276; obtain from your local supplier. KEEP OUT OF REACH OF CHILDREN. WARNING! For emergency use only when administered by properly trained personnel for oxygen deficiency and resuscitation. For all other medical applications, Rx ONLY. Uninterrupted use of high concentrations of oxygen over a long duration, without monitoring its effects on oxygen content of arterial blood, may be harmful. Use only with pressure reducing equipment and apparatus designed for oxygen. Do not attempt to use on patients who have stopped breathing unless used in conjunction with resuscitative equipment. Rx ONLY CAS 7782-44-7 PRODUCED BY AIR LIQUEFACTION IN CASE OF EMERGENCY: CALL 1-800-645-4633 DISTRIBUTED BY PRAXAIR, INC., DANBURY DO NOT REMOVE THIS LABEL PMG-6 (07/08) Praxair, the flowing airstream design and Medipure are trademarks of Praxair Technology, Inc. DISTRIBUTED BY PRAXAIR, INC, DANBURY, CT 06810-5113 DISTRIBUTED BY PRAXAIR, INC., DANBURY



**Oxygen Body Label**

UN1072 OXYGEN, COMPRESSED USP DANGER! COMPRESSED, OXIDIZING GAS. MAY CAUSE OR INTENSIFY FIRE; OXIDIZER. CONTAINS GAS UNDER PRESSURE; MAY EXPLODE IF HEATED. Keep/store away from combustible materials. Keep reduction

valves free from grease and oil. In case of fire: stop leak if safe to do so. Open valve slowly. Close valve after each use and when empty. Use only with equipment cleaned for oxygen service and rated for cylinder pressure. Use a backflow preventive device in the piping. Protect from sunlight when ambient temperature exceeds 52 deg C/125 deg F. Cylinder temperature should not exceed 52 deg C/125 deg F. Store and use in a well-ventilated place. Use per Praxair MSDS form P-4638, and safety booklets P-3499, P-14-153, and P-15-276; obtain from your local supplier. KEEP OUT OF REACH OF CHILDREN. Do not handle until all safety precautions have been read and understood. WARNING! For emergency use only when administered by properly trained personnel for oxygen deficiency and resuscitation. For all other medical applications, Rx ONLY. Uninterrupted use of high concentrations of oxygen over a long duration, without monitoring its effects on oxygen content of arterial blood, may be harmful. Use only with pressure reducing equipment and apparatus designed for oxygen. Do not attempt to use on patients who have stopped breathing unless used in conjunction with resuscitative equipment DO NOT REMOVE THIS LABEL Rx ONLY CAS 7782-44-7 PRODUCED BY AIR LIQUEFACTION IN CASE OF EMERGENCY: CALL 1-800-645-4633 DISTRIBUTED BY PRAXAIR, INC., DANBURY PMGB-6 (03/11) Praxair, the flowing airstream design and Medipure are trademarks of Praxair Technology, Inc. DISTRIBUTED BY PRAXAIR, INC, DANBURY, CT 06810-5113

**UN1072  
OXYGEN,  
COMPRESSED  
USP**



**DANGER! COMPRESSED, OXIDIZING GAS. MAY CAUSE OR INTENSIFY FIRE; OXIDIZER. CONTAINS GAS UNDER PRESSURE; MAY EXPLODE IF HEATED.** Keep/store away from combustible materials. Keep reduction valves free from grease and oil. In case of fire: stop leak if safe to do so. Open valve slowly. Close valve after each use and when empty. Use only with equipment cleaned for oxygen service and rated for cylinder pressure. Use a backflow preventive device in the piping. Protect from sunlight when ambient temperature exceeds 52°C/125°F. Cylinder temperature should not exceed 52°C/125°F. Store and use in a well-ventilated place. Use per Praxair MSDS form P-4638, and safety booklets P-3499, P-14-153, and P-15-276; obtain from your local supplier. **KEEP OUT OF REACH OF CHILDREN.** Do not handle until all safety precautions have been read and understood.

**WARNING!** For emergency use only when administered by properly trained personnel for oxygen deficiency and resuscitation. For all other medical applications, **Rx ONLY.** Uninterrupted use of high concentrations of oxygen over a long duration, without monitoring its effects on oxygen content of arterial blood, may be harmful. Use only with pressure reducing equipment and apparatus designed for oxygen. Do not attempt to use on patients who have stopped breathing unless used in conjunction with resuscitative equipment.

**DO NOT REMOVE THIS LABEL**

IN CASE OF EMERGENCY: CALL 1-800-645-4633  
PRODUCED BY AIR LIQUEFACTION CAS: 7782-44-7



PMGB-6 (03/11)

DISTRIBUTED BY PRAXAIR, INC.,  
DANBURY, CT 06810-5113

*Praxair, the Flowing Airstream design, and Medipure are trademarks of Praxair Technology, Inc.*

## Oxygen Refrigerated

UN1073 OXYGEN, REFRIGERATED LIQUID USP ALWAYS KEEP CONTAINER IN UPRIGHT POSITION. DO NOT CHANGE OR FORCE-FIT CONNECTIONS LOT # NET CONTENTS

WARNING! EXTREMELY COLD, OXIDIZING LIQUID AND GAS UNDER PRESSURE. VIGOROUSLY ACCELERATES COMBUSTION. COMBUSTIBLES IN CONTACT WITH LIQUID OXYGEN MAY EXPLODE ON IGNITION OR IMPACT. CAN CAUSE SEVERE FROSTBITE. MAY CAUSE DIZZINESS OR DROWSINESS. ODOR: NONE Do not drop. Use suitable hand truck for container movement. Keep oil, grease, and combustibles away. Keep away from heat, sparks, and flame. Use with equipment cleaned for oxygen service. Do not get liquid in eyes, on skin, or clothing. For liquid withdrawal, wear face shield and gloves. Avoid spills. Do not walk on or roll equipment over spills. Store and use with adequate ventilation to prevent oxygen accumulation. Container temperature should not exceed 125 deg F (52 deg C). Use piping and equipment adequately designed to withstand any pressures to be encountered. Use a backflow prevention device in any piping. Close valve after each use; keep closed even when empty. Container discharge must be warmed to room temperature before breathing. Always secure container so it cannot be knocked over. Use per Praxair MSDS form P-4637 and safety booklets P-3499, P-14-153, and P-15-276 (obtain from your local supplier), and per manufacturer's instructions for this container. RX ONLY FIRST AID: INHALATION—immediately remove to fresh air. If not breathing, give artificial respiration. Keep victim warm and at rest. Call a physician. Advise physician that the victim has been exposed to a high concentration of oxygen. FROSTBITE—Obtain medical treatment immediately. FOR SKIN CONTACT, immediately warm frostbite area with warm water not exceeding 105 deg F (41 deg C). In case of massive exposure, remove clothing while showering with warm water. Call a physician. FOR EYE CONTACT, flush eyes with warm water for at least 15 minutes. See a physician, preferably an ophthalmologist, immediately. WARNING: For emergency use only when administered by properly trained personnel for oxygen deficiency and resuscitation. For all other medical applications, Rx ONLY. Uninterrupted use of high concentrations of oxygen over a long duration, without monitoring its effects on oxygen content of arterial blood, may be harmful. Use only with pressure reducing equipment and apparatus designed for oxygen. Do not attempt to use on patients who have stopped breathing unless used in conjunction with resuscitative equipment. DO NOT REMOVE THIS LABEL Rx ONLY CAS 7782-44-7 PRODUCED BY AIR LIQUEFACTION IN CASE OF EMERGENCY: CALL 1-800-645-4633 PMG-8 (07/08) Copyright @ 2002-2003, 2008. Praxair Technology, Inc. Praxair, the flowing airstream design and Medipure are trademarks of Praxair Technology, Inc. DISTRIBUTED BY PRAXAIR, INC, DANBURY, CT 06810-5113



**UN 1073  
OXYGEN,  
REFRIGERATED LIQUID  
USP**

CAS: 7782-44-7  
PRODUCED BY AIR LIQUEFACTION

**WARNING!** EXTREMELY COLD, OXIDIZING LIQUID AND GAS UNDER PRESSURE. VIGOROUSLY ACCELERATES COMBUSTION. COMBUSTIBLES IN CONTACT WITH LIQUID OXYGEN MAY EXPLODE ON IGNITION OR IMPACT. CAN CAUSE SEVERE FROSTBITE. MAY CAUSE DIZZINESS OR DROWSINESS. ODOR: NONE

Do not drop. Use suitable hand truck for container movement. Keep oil, grease, and combustibles away. Keep away from heat, sparks, and flame. Use with equipment cleaned for oxygen service. Do not get liquid in eyes, on skin, or clothing. For liquid withdrawal, wear face shield and gloves. Avoid spills. Do not walk on or roll equipment over spills. Store and use with adequate ventilation to prevent oxygen accumulation. Container temperature should not exceed 125°F (52°C). Use piping and equipment adequately designed to withstand any pressures to be encountered. Use a backflow prevention device in any piping. Close valve after each use; keep closed even when empty. Container discharge must be warmed to room temperature before breathing. Always secure container so it cannot be knocked over. Use per Praxair MSDS form P-4637 and safety booklets P-3499, P-14-153, and P-15-276 (obtain from your local supplier), and per manufacturer's instructions for this container.

**IN CASE OF EMERGENCY: CALL 1-800-645-4633**



↑ **ALWAYS KEEP CONTAINER** ↑  
**IN UPRIGHT POSITION**

**DO NOT CHANGE OR**  
**FORCE-FIT CONNECTIONS**

LOT NUMBER \_\_\_\_\_

NET CONTENTS \_\_\_\_\_

**Rx ONLY**

**FIRST AID:** INHALATION – Immediately remove to fresh air. If not breathing, give artificial respiration. Keep victim warm and at rest. Call a physician. Advise physician that the victim has been exposed to a high concentration of oxygen. **FROSTBITE** – Obtain medical treatment immediately. **FOR SKIN CONTACT**, immediately warm frostbite area with warm water not exceeding 105°F (41°C). In case of massive exposure, remove clothing while showering with warm water. Call a physician. **FOR EYE CONTACT**, flush eyes with warm water for at least 15 minutes. See a physician, preferably an ophthalmologist, immediately.

**WARNING:** For emergency use only when administered by properly trained personnel for oxygen deficiency and resuscitation. For all other medical applications, **Rx ONLY**. Uninterrupted use of high concentrations of oxygen over a long duration, without monitoring its effects on oxygen content of arterial blood, may be harmful. Use only with pressure reducing equipment and apparatus designed for oxygen. Do not attempt to use on patients who have stopped breathing unless used in conjunction with resuscitative equipment.



**DO NOT REMOVE THIS LABEL**

**MADE IN USA**  
PMG-8 (07/08)

Copyright © 2002-2003, 2008, Praxair Technology, Inc.  
*Praxair, the Flowing Airstream design, and Medipure are trademarks of Praxair Technology, Inc.*

**DISTRIBUTED BY PRAXAIR, INC.**  
DANBURY, CT 06810-5113

## OXYGEN

oxygen gas

### Product Information

<b>Product Type</b>	PRESCRIPTION ANIMAL DRUG	<b>Item Code (Source)</b>	NDC:59579-011
<b>Route of Administration</b>	RESPIRATORY (INHALATION)		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>Oxygen</b> (UNII: S88TT14065) (Oxygen - UNII:S88TT14065)	Oxygen	990 mL in 1 L

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:59579-011-01	16424 L in 1 CYLINDER		
2	NDC:59579-011-02	14130 L in 1 CYLINDER		
3	NDC:59579-011-03	10987 L in 1 CYLINDER		
4	NDC:59579-011-04	9543 L in 1 CYLINDER		
5	NDC:59579-011-05	7985 L in 1 CYLINDER		
6	NDC:59579-011-06	7051 L in 1 CYLINDER		
7	NDC:59579-011-07	4361 L in 1 CYLINDER		
8	NDC:59579-011-08	3511 L in 1 CYLINDER		
9	NDC:59579-011-09	2350 L in 1 CYLINDER		
10	NDC:59579-011-10	708 L in 1 CYLINDER		
11	NDC:59579-011-11	595 L in 1 CYLINDER		

12	NDC:59579-011-12	425 L in 1 CYLINDER		
13	NDC:59579-011-13	142 L in 1 CYLINDER		
14	NDC:59579-011-14	198 L in 1 CYLINDER		
15	NDC:59579-011-15	7730 L in 1 CYLINDER		
16	NDC:59579-011-16	4332 L in 1 CYLINDER		
17	NDC:59579-011-17	2520 L in 1 CYLINDER		
18	NDC:59579-011-18	934 L in 1 CYLINDER		
19	NDC:59579-011-19	680 L in 1 CYLINDER		
20	NDC:59579-011-20	142 L in 1 CYLINDER		
21	NDC:59579-011-23	74566 L in 1 DEWAR		
22	NDC:59579-011-24	103757 L in 1 DEWAR		
23	NDC:59579-011-25	114228 L in 1 DEWAR		
24	NDC:59579-011-26	120574 L in 1 DEWAR		
25	NDC:59579-011-27	127237 L in 1 DEWAR		
26	NDC:59579-011-28	135487 L in 1 DEWAR		
27	NDC:59579-011-29	142785 L in 1 DEWAR		
28	NDC:59579-011-30	155794 L in 1 DEWAR		
29	NDC:59579-011-31	162140 L in 1 DEWAR		
30	NDC:59579-011-32	178957 L in 1 DEWAR		
31	NDC:59579-011-33	291916 L in 1 DEWAR		
32	NDC:59579-011-34	428355 L in 1 DEWAR		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
NADA	NADA141387	10/01/2007	

**Labeler** - Praxair Distribution, Inc. (042845636)

## Establishment

Name	Address	ID/FEI	Business Operations
Praxair Distribution, Inc		938961455	manufacture

## Establishment

Name	Address	ID/FEI	Business Operations
Praxair Distribution, Inc		196953322	manufacture

## Establishment

Name	Address	ID/FEI	Business Operations
Praxair Distribution, Inc		009210840	manufacture

## Establishment

Name	Address	ID/FEI	Business Operations
Praxair Distribution, Inc		054547505	manufacture

## Establishment

Name	Address	ID/FEI	Business Operations
Praxair Distribution, Inc		054637900	manufacture

## Establishment

Name	Address	ID/FEI	Business Operations
Praxair Distribution, Inc		059209218	manufacture

## Establishment

Name	Address	ID/FEI	Business Operations
Praxair Distribution, Inc		059231444	manufacture

## Establishment

Name	Address	ID/FEI	Business Operations
Praxair Distribution, Inc		059231485	manufacture

## Establishment

Name	Address	ID/FEI	Business Operations
Praxair Distribution, Inc		161317490	manufacture

## Establishment

Name	Address	ID/FEI	Business Operations
Praxair Distribution, Inc		033993759	manufacture

## Establishment

Name	Address	ID/FEI	Business Operations
Praxair Distribution, Inc		059209143	manufacture

## Establishment

Name	Address	ID/FEI	Business Operations
Praxair Distribution, Inc.		009850954	manufacture

## Establishment

Name	Address	ID/FEI	Business Operations
Praxair Distribution, Inc.		078474890	manufacture

## Establishment

Name	Address	ID/FEI	Business Operations
Praxair Distribution, Inc.		013321604	manufacture

## Establishment

Name	Address	ID/FEI	Business Operations
Praxair Distribution, Inc.		045252439	manufacture

## Establishment

Name	Address	ID/FEI	Business Operations
------	---------	--------	---------------------

Praxair Distribution, Inc.		054877498	manufacture
----------------------------	--	-----------	-------------

## Establishment

Name	Address	ID/FEI	Business Operations
Praxair Distribution, Inc.		063889091	manufacture

## Establishment

Name	Address	ID/FEI	Business Operations
Praxair Distribution, Inc.		826346673	manufacture

## Establishment

Name	Address	ID/FEI	Business Operations
Praxair Distribution, Inc.		948364559	manufacture

## Establishment

Name	Address	ID/FEI	Business Operations
Praxair Distribution, Inc.		159890391	manufacture

## Establishment

Name	Address	ID/FEI	Business Operations
Praxair Distribution, Inc.		049964372	manufacture

## Establishment

Name	Address	ID/FEI	Business Operations
Praxair Distribution, Inc		146659946	manufacture

## Establishment

Name	Address	ID/FEI	Business Operations
Praxair Distribution, Inc.		102278991	manufacture

## Establishment

Name	Address	ID/FEI	Business Operations
Praxair Distribution, Inc.		027514424	manufacture

## Establishment

Name	Address	ID/FEI	Business Operations
Praxair Distribution, Inc.		078290325	manufacture

## Establishment

Name	Address	ID/FEI	Business Operations
Praxair Distribution, Inc.		054646935	manufacture

## Establishment

Name	Address	ID/FEI	Business Operations
Praxair Distribution, Inc.		153670138	manufacture

---

## Establishment

Name	Address	ID/FEI	Business Operations
Praxair Distribution, Inc.		059067186	manufacture

## Establishment

Name	Address	ID/FEI	Business Operations
Praxair Distribution, Inc.		078510774	manufacture

## Establishment

Name	Address	ID/FEI	Business Operations
Praxair Distribution, Inc.		079418557	manufacture

## Establishment

Name	Address	ID/FEI	Business Operations
Praxair Distribution, Inc.		098717010	manufacture

## Establishment

Name	Address	ID/FEI	Business Operations
Praxair Distribution, Inc.		120247002	manufacture

## Establishment

Name	Address	ID/FEI	Business Operations
Praxair Distribution, Inc.		174085381	manufacture

## Establishment

Name	Address	ID/FEI	Business Operations
Praxair Distribution, Inc.		084408371	manufacture

## Establishment

Name	Address	ID/FEI	Business Operations
Praxair Distribution, Inc.		079361330	manufacture

## Establishment

Name	Address	ID/FEI	Business Operations
Praxair Distribution, Inc.		008966082	manufacture

## Establishment

Name	Address	ID/FEI	Business Operations
Praxair Distribution, Inc.		059231360	manufacture

## Establishment

Name	Address	ID/FEI	Business Operations
Praxair Distribution, Inc.		360672935	manufacture

## Establishment

Name	Address	ID/FEI	Business Operations
------	---------	--------	---------------------

Praxair Distribution, Inc.		079175491	manufacture
----------------------------	--	-----------	-------------

## Establishment

Name	Address	ID/FEI	Business Operations
Praxair Distribution, Inc.		809888688	manufacture

## Establishment

Name	Address	ID/FEI	Business Operations
Praxair Distribution, Inc.		001355176	manufacture

## Establishment

Name	Address	ID/FEI	Business Operations
Praxair Distribution, Inc.		167418326	manufacture

## Establishment

Name	Address	ID/FEI	Business Operations
Praxair Distribution, Inc.		063205512	manufacture

## Establishment

Name	Address	ID/FEI	Business Operations
Praxair Distribution, Inc.		039755707	manufacture

## Establishment

Name	Address	ID/FEI	Business Operations
Praxair Distribution, Inc.		002246916	manufacture

## Establishment

Name	Address	ID/FEI	Business Operations
Praxair Distribution, Inc.		364098731	manufacture

## Establishment

Name	Address	ID/FEI	Business Operations
Praxair Distribution, Inc.		824679554	manufacture

## Establishment

Name	Address	ID/FEI	Business Operations
Praxair Distribution, Inc.		148052277	manufacture

## Establishment

Name	Address	ID/FEI	Business Operations
Praxair Distribution, Inc.		021450408	manufacture

## Establishment

Name	Address	ID/FEI	Business Operations
Praxair Distribution, Inc.		555510726	manufacture

---

## Establishment

Name	Address	ID/FEI	Business Operations
Praxair Distribution, Inc.		037432010	manufacture

## Establishment

Name	Address	ID/FEI	Business Operations
Praxair Distribution, Inc.		099430951	manufacture

## Establishment

Name	Address	ID/FEI	Business Operations
Praxair Distribution, Inc.		884877440	manufacture

## Establishment

Name	Address	ID/FEI	Business Operations
Praxair Distribution, Inc.		118788132	manufacture

## Establishment

Name	Address	ID/FEI	Business Operations
Praxair Distribution, Inc.		623107070	manufacture

## Establishment

Name	Address	ID/FEI	Business Operations
Praxair Distribution, Inc.		623107088	manufacture

## Establishment

Name	Address	ID/FEI	Business Operations
Praxair Distribution, Inc.		879317022	manufacture

## Establishment

Name	Address	ID/FEI	Business Operations
Praxair Distribution, Inc.		079854623	manufacture

## Establishment

Name	Address	ID/FEI	Business Operations
Praxair Distribution, Inc.		803778844	manufacture

## Establishment

Name	Address	ID/FEI	Business Operations
Capitol Welders Supply Co. Inc.		003851466	manufacture