STOOL SOFTENER LAXATIVE- docusate sodium capsule, liquid filled H E B

Drug Facts

Active ingredient (in each softgel)

Docusate sodium 100 mg

Purpose

Stool softener laxative

Uses

- relieves occasional constipation (irregularity)
- generally produces bowel movement in 12 to 72 hours

Warnings

Do not use

if you are presently taking mineral oil, unless told to do so by a doctor.

Ask a doctor before use if you have

- stomach pain
- nausea
- vomiting
- a sudden change in bowel habits that lasts over 2 weeks

Stop use and ask a doctor if

- you have rectal bleeding or fail to have a bowel movement after use of a laxative. These could be signs of a serious condition.
- you need to use a laxative for more than 1 week

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

• take only by mouth. Doses may be taken as a single daily dose or in divided doses.

audits and children 12 years and	take 1-3 softgels daily
over	take 1 5 soregels daily
children 2 to under 12 years of age	take 1 softgel daily
children under 2 years	ask a doctor

Other information

- each softgel contains:sodium 6 mg
- store at 25°C (77°F); excursions permitted between 15-30°C (59-86°F)

Inactive ingredients

D&C red #33*, edible ink, FD&C blue #1*, FD&C red #40, FD&C yellow #6, gelatin, glycerin, polyethylene glycol, propylene glycol*, purified water, sorbitan, sorbitol, titanium dioxide

Questions or comments?

Call 1-877-753-3935 Monday-Friday 9AM-5PM EST

Principal Display Panel

Compare to Colace® Regular strength Stool Softener active ingredient**
Stool Softener Laxative

Docusate Sodium 100 mg

Stool Softener Laxative

Relief of Constipation

Safe, Gentle & Dependable

SOFTGELS

**This product is not manufactured or distributed by Purdue Products L.P., distributor of Colace® Regular Strength Stool Softener.

TAMPER EVIDENT: DO NOT USE IF PRINTED SAFETY SEAL UNDER CAP IS BROKEN OR MISSING.

KEEP OUTER CARTON FOR COMPLETE WARNINGS AND PRODUCT INFORMATION.

MADE WITH PRIDE AND CARE FOR H-E-B®, SAN ANTONIO, TX 78204

Product Label

^{*}contains one or more of these ingredients

Drug Facts

Active ingredient (in each softgel)

Purpose Oth

Docusate sodium 100 mg...

....Stool softener laxative

Uses ■ relieves occasional constipation (irregularity)
■ generally produces bowel movement in 12 to 72 hours

Warnings

Do not use if you are presently taking mineral oil, unless told to do so by a doctor.

Ask a doctor before use if you have

- stomach pain
 nausea
 vomiting
- noticed a sudden change in bowel habits that lasts over 2 weeks

Stop use and ask a doctor if

- you have rectal bleeding or fail to have a bowel movement after use of a laxative. These could be signs of a serious condition.
- vou need to use a laxative for more than 1 week

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

take only by mouth. Doses may be taken as a single daily dose or in divided doses.

adults and children 12 years and over	take 1-3 softgels daily	
children 2 to under 12 years of age	take 1 softgel daily	
children under 2 years	ask a doctor	•

Drug Facts (continued)

Other information

- each softgel contains: sodium 6 mg
- store at 25°C (77°F); excursions permitted between 15-30°C (59-86°F)

Inactive ingredients D&C red #33, edible ink, FD&C blue #1*, FD&C red #40, FD&C yellow #6, gelatin, glycerin, polyethylene glycol, propylene glycol*, purified water, sorbitan, sorbitol, titanium dioxide *contains one or more of these ingredients

Questions or comments? Call toll free: 1-877-753-3935 Monday-Friday 9AM-5PM EST

"This product is not manufactured or distributed by Purdue Products L.P., distributor of Colace® Regular Strength Stool Softener.

> TAMPER EVIDENT: DO NOT USE IF PRINTED SAFETY SEAL UNDER CAP IS BROKEN OR MISSING.

KEEP OUTER CARTON FOR COMPLETE WARNINGS AND PRODUCT INFORMATION.

MADE WITH PRIDE AND CARE FOR H-E-B*, SAN ANTONIO, TX 78204





NDC 37808-778-10



Stool Softener

Laxative

Docusate Sodium 100 mg

Stool Softener Laxative

Relief of Constipation Safe, Gentle & Dependable



100 SOFTGELS



H-E-B Stool Softener Laxative

STOOL SOFTENER LAXATIVE

docusate sodium capsule, liquid filled

Product Information

ı	Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:37808-778
ı	Route of Administration	ORAL		

Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	
DOCUSATE SODIUM (UNII: F05Q2T2JA0) (DOCUSATE - UNII:M7P27195AG)	DOCUSATE SODIUM	100 mg	

Inactive Ingredients				
Ingredient Name	Strength			
D&C RED NO. 33 (UNII: 9DBA0SBB0L)				
FD&C BLUE NO. 1 (UNII: H3R47K3TBD)				
FD&C RED NO. 40 (UNII: WZB9127XOA)				
FD&C YELLOW NO. 6 (UNII: H77VEI93A8)				
GELATIN (UNII: 2G86QN327L)				
GLYCERIN (UNII: PDC6A3C0OX)				
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)				
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)				
WATER (UNII: 059QF0KO0R)				
SORBITAN (UNII: 6092ICV9RU)				
SORBITOL (UNII: 506T60A25R)				
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)				

Product Characteristics				
Color	red, white	Score	no score	
Shape	OVAL	Size	12mm	
Flavor		Imprint Code	P10;SCU2;D1	
Contains				

Packaging					
#	Item Code	Package Description	Marketing Start Date	Marketing End Date	
1	NDC:37808- 778-10	1 in 1 BOX	09/30/2018	09/30/2024	
1		100 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product			
2	NDC:37808- 778-03	300 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	09/30/2018	09/30/2024	

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M007	09/30/2018	09/30/2024

Labeler - H E B (007924756)

Revised: 10/2023 H E B