

SUNMARK TRIPLE ANTIBIOTIC PLUS PAIN RELIEF- polymyxin b sulfate, bacitracin zinc, neomycin sulfate, and pramoxine hydrochloride ointment
Strategic Sourcing Services LLC

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

sunmark™

triple antibiotic plus pain relief

Drug Facts

<i>Active ingredients (in each gram)</i>	<i>Purposes</i>
Bacitracin 500 units	First aid antibiotic
Neomycin 3.5 mg	First aid antibiotic
Polymyxin B 10,000 units	First aid antibiotic
Pramoxine HCl 10 mg	Topical pain reliever

Uses

first aid to help prevent infection and for temporary relief of pain or discomfort in minor:

- cuts
- scrapes
- burns

Warnings

For external use only

Do not use if you are allergic to any of the ingredients

Ask a doctor before use if you have

- deep or puncture wounds
- animal bites
- serious burns

When using this product

- do not use in the eyes
- do not apply over large areas of the body

Stop use and ask a doctor if

- you need to use for more than 1 week
- condition persists or gets worse
- symptoms persist for more than 1 week or clear up and occur again within a few days
- rash or other allergic reaction develops

Keep out of reach of children. If swallowed get medical help or contact a Poison Control Center right away

Directions

- unscrew cap and pull tab to remove foil seal
- adults and children 2 years of age and older:
 - clean the affected area
 - apply a small amount of this product (an amount equal to the surface area of the tip of a finger) on the area 1 to 3 times daily
 - may be covered with a sterile bandage
- children under 2 years of age: ask a doctor

Other information

- store at controlled room temperature 15°-30°C (59°-86°F)
- see carton or tube crimp for lot number and expiration date

Inactive ingredient

white petrolatum

Distributed by McKesson
One Post Street
San Francisco, CA 94104

PRINCIPAL DISPLAY PANEL - 28.4 g Tube Carton

sunmark™

triple antibiotic ointment

plus pain reliever

polymyxin B sulfate • bacitracin zinc
neomycin sulfate • pramoxine hydrochloride

First Aid Antibiotic

MAXIMUM STRENGTH

NET WT 1 OZ (28.4 g)

sunmark™

COMPARE TO NEOSPORIN® PLUS
ACTIVE INGREDIENTS*

NDC 49348-600-72

Helps prevent infection in
minor cuts, scrapes & burns
Maximum strength pain relief

MAXIMUM STRENGTH

LPK-4655-0

1003-0

M105

T 51

sunmark™

triple antibiotic ointment

plus pain reliever

polymyxin B sulfate • bacitracin zinc
neomycin sulfate • pramoxine hydrochloride

First Aid Antibiotic

MAXIMUM STRENGTH

NET WT 1 OZ (28.4 g)

sunmark™

triple antibiotic ointment
plus pain reliever

polymyxin B sulfate • bacitracin zinc
neomycin sulfate • pramoxine hydrochloride

First Aid Antibiotic



This product
is not intended to
be used by
children, or by
adults, or by
others, or by
the registered
owner of
the product.
The product
is not intended
to be used by
children, or by
adults, or by
others, or by
the registered
owner of
the product.
The product
is not intended
to be used by
children, or by
adults, or by
others, or by
the registered
owner of
the product.

MCKESSON
Empowering Healthcare

Made in Canada
www.sunmark.com
Please visit us at
www.sunmark.com

Anchor Quality Product
Distributed by McKesson
One Post Street
San Francisco, CA 94104
May, Back, Quatre
Please visit us at
www.sunmark.com

Drug Facts

Active ingredients (in each gram)

Bacitracin 500 units
Neomycin 35 mg
Polymyxin B 10,000 units
Pramoxine HCl 10 mg

Uses

First aid to help prevent infection and for temporary relief of pain or discomfort in minor:
• cuts • scrapes • burns

Warnings

For external use only
Do not use if you are allergic to any of the ingredients
Ask a doctor before use if you have • deep or puncture wounds • animal bites • serious burns
When using this product • do not use in the eyes • do not apply over large areas of the body
Stop use and ask a doctor if • you need to use for more than 1 week • condition persists or gets worse • symptoms persist for more than 1 week or clear up and occur again within a few days • rash or other allergic reaction develops
Keep out of reach of children. If swallowed get medical help or contact a Poison Control Center right away

Directions

• unscrew cap and pull tab to remove foil seal
• adults and children 2 years of age and older:
• clean the affected area
• apply a small amount of this product (an amount equal to the surface area of the tip of a
finger) on the area 1 to 3 times daily
• may be covered with a sterile bandage
• children under 2 years of age: ask a doctor

Other information

• store at controlled room temperature 15°-30°C (59°-86°F)
• see carton or tube crimp for lot number and expiration date

Inactive ingredient white petrolatum



SUNMARK TRIPLE ANTIBIOTIC PLUS PAIN RELIEF

polymyxin b sulfate, bacitracin zinc, neomycin sulfate, and pramoxine hydrochloride ointment

Product Information				
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:49348-600	
Route of Administration	TOPICAL			
Active Ingredient/Active Moiety				
Ingredient Name		Basis of Strength	Strength	
BACITRACIN ZINC (UNII: 89Y4M234ES) (BACITRACIN - UNII:58H6RWO52I)		BACITRACIN	500 [iU] in 1 g	
NEOMYCIN SULFATE (UNII: 057Y626693) (NEOMYCIN - UNII:I16QD7X297)		NEOMYCIN	3.5 mg in 1 g	
POLYMYXIN B SULFATE (UNII: 19371312D4) (POLYMYXIN B - UNII:J2VZ07J96K)		POLYMYXIN B	10000 [iU] in 1 g	
PRAMO XINE HYDRO CHLORIDE (UNII: 88AYB867L5) (PRAMO XINE - UNII:068X84E056)		PRAMO XINE HYDROCHLORIDE	10 mg in 1 g	
Inactive Ingredients				
Ingredient Name			Strength	
PETROLATUM (UNII: 4T6H12BN9U)				
Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:49348-600-72	1 in 1 CARTON	02/13/2013	
1		28.4 g in 1 TUBE; Type 0: Not a Combination Product		
Marketing Information				
Marketing Category		Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final		part333B	03/31/2012	

Labeler - Strategic Sourcing Services LLC (116956644)

Registrant - Taro Pharmaceuticals U.S.A., Inc. (145186370)

Establishment			
Name	Address	ID/FEI	Business Operations
Taro Pharmaceuticals Inc.		206263295	MANUFACTURE(49348-600)

