

FUCIDIN- sodium fusidate ointment

Lydia Co., Ltd.

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, [click here](#).

Sodium Fusidate

temporary relief of itching associated with minor skin irritations and rashes due to eczema, insect bites, poison ivy, poison oak, or poison sumac soaps detergents, cosmetics, jewelry, seborrheic dermatitis, psoriasis, external genital and anal itching

Keep out of reach of children

Adults and children 2 years of age and older: apply to the affected area no more than 3 to 4 times daily

For external use only.

Do not use in the eyes by putting this product into the rectum by using fingers or any mechanical device or applicator.

Ask a doctor before use if you have a vaginal discharge, rectal bleeding, diaper rash.

When using this product consult a doctor before exceeding recommended dosage.

Stop use and ask a doctor if condition gets worse, condition persists for more than 7 days, condition clears up and occurs again with within a few days. Do not begin to use any other hydrocortisone product unless you have consulted a doctor.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

cetostearyl alcohol, propylene glycol, purified water, sodium lauryl sulfate, white petrolatum

For topical use only



FUCIDIN

Drug Facts

Active Ingredients (in 1g)	Purpose
Sodium Fusidate 20mg	Anti-itch

Uses
 ■ temporary relief of itching associated with minor skin irritations and rashes due to eczema, insect bites, poison ivy, poison oak, or poison sumac soaps detergents, cosmetics, jewelry, seborrheic dermatitis, psoriasis, external genital and anal itching

Warnings
 For external use only.
 Do not use in the eyes by putting this product into the rectum by using fingers or any mechanical device or applicator.
Ask a doctor before use if you have a vaginal discharge, rectal bleeding, diaper rash.
When using this product consult a doctor before exceeding recommended dosage.
Stop use and ask a doctor if condition gets worse, condition persists for more than 7 days, condition clears up and occurs again within a few days. Do not begin to use any other hydrocortisone product unless you have consulted a doctor.
Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions
 ■ Adults and children 2 years of age and older: apply to the affected area no more than 3 to 4 times daily

Other Information
 ■ Store at room temperature

Inactive Ingredient
 cetostearyl alcohol, propylene glycol, purified water, sodium lauryl sulfate, white petrolatum

Questions or comments ?
 Call weekdays from 9 a.m to 5 p.m EST at (201) 669-8405
Distributed By: P&K FRONTIER MARKETING CORP.
 329 BROAD AVENUE # 2F, PALISADES PARK, NJ 07650, USA

Made in South Korea

FUCIDIN

sodium fusidate ointment

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:72988-0015
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
FUSIDATE SODIUM (UNII: J7P3696BCQ) (FUSIDIC ACID - UNII:59XE10C19C)	FUSIDIC ACID	20 mg in 1 g

Inactive Ingredients

Ingredient Name	Strength
DIPROPYLENE GLYCOL (UNII: E107L85C40)	

CETOSTEARYL ALCOHOL (UNII: 2DMT128M1S)

SODIUM LAURYL SULFATE (UNII: 368GB5141J)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:72988-0015-1	10 g in 1 TUBE; Type 0: Not a Combination Product	10/08/2019	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		10/08/2019	

Labeler - Lydia Co., Ltd. (695735569)

Registrant - Lydia Co., Ltd. (695735569)

Establishment

Name	Address	ID/FEI	Business Operations
I World Pharmaceutical Co., Ltd.		688222857	manufacture(72988-0015)

Establishment

Name	Address	ID/FEI	Business Operations
Lydia Co., Ltd.		695735569	label(72988-0015)

Revised: 10/2019

Lydia Co., Ltd.