

## **RELIEF-PE- acetaminophen, phenylephrine, chlorpheniramine tablet, coated** **HART Health**

-----  
**Relief-PE**

Active Ingredients (in each tablet):

Acetaminophen 325mg

Phenylephrine HCl 5mg

Chlorpheniramine Maleate 2mg

Purpose:

Pain Reliever/Fever Reducer

Antihistamine

Nasal Decongestant

Temporarily relieves nasal congestion, sinus pressure, and minor aches and pains due to:

- the common cold
- hay fever
- upper respiratory allergies
- headache
- itchy/watery eyes
- runny nose
- muscular aches

Temporarily reduces fever

Liver warning: this product contains acetaminophen. Severe liver damage may occur if you take:

- more than 4000mg of acetaminophen 24 hours
- with other drugs containing acetaminophen
- 3 or more alcohol drinks every day while using this product

Allergy alert: acetaminophen may cause severe skin reactions. Symptoms may include:

- skin reddening
- blisters
- rash

Do not use:

- with any other drug containing acetaminophen (prescription or non-prescription)
- if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug, or if you do not know if your prescription drug contains an MAOI

**Ask a doctor or pharmacist before use if**

- you are taking sedatives or tranquilizers

- you are taking the blood thinning drug warfarin
- you do not know if other drugs you are taking contain acetaminophen

**Ask a doctor before use if you have**

- heart, liver, or thyroid disease
- high blood pressure
- diabetes
- glaucoma
- trouble urinating due to an enlarged prostate gland
- a breathing problem such as emphysema or chronic bronchitis

**When using this product to not use more than directed.** This product may cause excitability or drowsiness. Alcohol, sedatives and tranquilizers may increase the drowsiness effect. Use caution when driving a motor vehicle or operating machinery.

**Stop use and ask a doctor if**

- an allergic reaction occurs, seek medical help right away
- you get nervous, dizzy or sleepless
- new symptom occur
- fever worsens or lasts for more than 3 days
- pain or nasal congestion gets worse or lasts more than 7 days
- redness or swelling is present

These could be signs of serious condition

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children.

**Overdose warning:**

Taking more than the recommended dose (overdose) may cause liver damage. Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms. In case of overdose, get medical help or contact a Poison Control Center right away. 1-800-222-1222.

**Directions: Do not take more than directed.** Adults and children 12 years of age and over:

- take 1 to 2 tablets every 6 hours while symptoms persist
- do not take more than 8 tablets in 24 hours unless directed by a doctor

Children under 12 years of age: ask a doctor

corn starch, crospovidone, hypromellose, microcrystalline cellulose, polyethylene glycol, povidone, pregelatinized starch, stearic acid

50 count  
 PMS 185C red  
 PMS 7404C yellow  
 small medication box dieline  
 10.8cm x 6cm x 9cm

NDC 50332-0153-4      Item 5721

**COMPARE TO**  
**Contact® Cold & Flu**  
Active Ingredient

**Relief-PE®**  
**Cold Tablets with Decongestant**

Acetaminophen  
 Chlorpheniramine Maleate  
 Phenylephrine HCl

Reduces Nasal Congestion  
 and Sinus Pressure

50 packets of 2 tablets  
 100 total tablets

This package for households  
 without young children.

**HARTHealth**

NDC 50332-0153-4      Item 5721

**COMPARE TO**  
**Contact® Cold & Flu**  
Active Ingredient

**Relief-PE®**  
**Cold Tablets with Decongestant**

Tabletas para el Resfriado  
 con Descongestionante

Acetaminophen  
 Chlorpheniramine Maleate  
 Phenylephrine HCl

Reduce la Congestión Nasal  
 y la Presión Sinusal

50 paquetes de 2 tabletas  
 100 tabletas totales

**HARTHealth**

50 packets of 2 tablets  
 100 tablets

**Relief-PE®**  
**Cold Tablets with Decongestant**

**Drug Facts**

**Active Ingredients** (in each tablet)  
 Acetaminophen 325 mg  
 Chlorpheniramine Maleate 2 mg  
 Phenylephrine HCl 0.5 mg

**Purpose**  
 Pain reliever/fever reducer  
 Antihistamine  
 Nasal decongestant

**Uses** Temporarily relieves nasal congestion, sinus pressure, and minor aches and pains due to  
 the common cold  
 hay fever  
 upper respiratory allergies  
 headache  
 itchy, watery eyes  
 runny nose  
 muscular aches

**Warnings**  
 Liver warnings: This product contains acetaminophen. Severe liver damage may occur if you take  
 it with other drugs containing acetaminophen.      more than 4,000 mg of acetaminophen in 24 hours  
 it with alcohol or other drugs that may irritate the stomach.      3 or more alcoholic drinks every day while using this product

**Do not use** it with any other drug containing acetaminophen (prescription or non-prescription)  
 if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression,  
 psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI  
 drug, or if you do not know if your prescription drug contains an MAOI

**Ask a doctor before use** if you have  
 heart, liver, or thyroid disease      high blood pressure  
 diabetes      glaucoma      trouble urinating due to an enlarged prostate gland  
 a breathing problem such as emphysema or chronic bronchitis

**Ask a doctor or pharmacist before use** if  
 you are taking sedatives or tranquilizers  
 you do not know if other drugs you are taking contain acetaminophen

**When using this product do not use more than directed.** This product may cause drowsiness or  
 dizziness. Alcohol, sedatives and tranquilizers may increase the drowsiness effect. Use caution when  
 driving a motor vehicle or operating machinery.

**Stop use and ask a doctor if**  
 new symptoms occur      an allergic reaction occurs, seek medical help right away  
 pain or nasal congestion worsens or lasts more than 7 days      you get nervous, dizzy or sleepless  
 fever worsens or lasts for more than 3 days      redness or swelling is present

**Other Information**  
 Tablets enclosed in a sealed packet.  
 Do not use if packet is torn, cut or open.  
 Store at 59° to 86°F (15°-30°C).  
 Avoid excessive heat or humidity.

**Inactive Ingredients**  
 corn starch, croscopolones, hypromellose,  
 microcrystalline cellulose, polyethylene glycol,  
 povidone, pregelatinized starch, stearic acid

**KEY**

cut line \_\_\_\_\_

inward fold line - - - - -

outward fold line - · - · -

perf \_\_\_\_\_

slit \_\_\_\_\_


outside glue

inside glue

Manufactured for  
**HARTHealth**  
 Seattle, WA 98124 www.harthealth.com  
 N 50332-0153-4 2  
 9455-24

\*This product is not manufactured or distributed by  
 Meda Consumer Healthcare Inc., owner of the  
 registered trademark Contact® Cold & Flu products.

50 count  
PMS 185C red  
PMS 7404C yellow  
small medication box dieline  
10.8cm x 6cm x 9cm



**KEY**

- cut line ————
- inward fold line - - - - -
- outward fold line ······
- perf ————
- slit ————
- outside glue
- inside glue

**RELIEF-PE**

acetaminophen, phenylephrine, chlorpheniramine tablet, coated

**Product Information**

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:50332-0153
<b>Route of Administration</b>	ORAL		

**Active Ingredient/Active Moiety**

Ingredient Name	Basis of Strength	Strength
<b>ACETAMINOPHEN</b> (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)	ACETAMINOPHEN	325 mg
<b>PHENYLEPHRINE HYDROCHLORIDE</b> (UNII: 04JA59TNSJ) (PHENYLEPHRINE - UNII:1WS297W6MV)	PHENYLEPHRINE HYDROCHLORIDE	5 mg
<b>CHLORPHENIRAMINE MALEATE</b> (UNII: V1Q0O9OJ9Z) (CHLORPHENIRAMINE - UNII:3U6IO1965U)	CHLORPHENIRAMINE MALEATE	2 mg

**Inactive Ingredients**

Ingredient Name	Strength

<b>STARCH, CORN</b> (UNII: O8232NY3SJ)	
<b>STEARIC ACID</b> (UNII: 4ELV7Z65AP)	
<b>CROSPROVIDONE</b> (UNII: 2S7830E561)	
<b>MICROCRYSTALLINE CELLULOSE</b> (UNII: OP1R32D61U)	
<b>HYPROMELLOSES</b> (UNII: 3NXW29V3WO)	
<b>POLYETHYLENE GLYCOL, UNSPECIFIED</b> (UNII: 3WJQ05DW1A)	
<b>POVIDONE</b> (UNII: FZ989GH94E)	

### Product Characteristics

<b>Color</b>	white	<b>Score</b>	no score
<b>Shape</b>	ROUND	<b>Size</b>	11mm
<b>Flavor</b>		<b>Imprint Code</b>	AZ275
<b>Contains</b>			

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:50332-0153-4	100 in 1 BOX, UNIT-DOSE; Type 0: Not a Combination Product	04/16/2012	
2	NDC:50332-0153-7	250 in 1 BOX, UNIT-DOSE; Type 0: Not a Combination Product	04/16/2012	

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M	04/16/2012	

**Labeler** - HART Health (069560969)

**Registrant** - HART Health (069560969)

### Establishment

Name	Address	ID/FEI	Business Operations
Allegiant Health		079501930	manufacture(50332-0153)

Revised: 2/2024

HART Health