

OXYGEN- oxygen gas
Superior Oxygen & Medical Equipment

Oxygen

OXYGEN COMPRESSED USP LABEL

OXYGEN, COMPRESSED USP UN1072 OXYGEN 2

DANGER; MAY CAUSE OR INTENSIFY FIRE; OXIDIZER, CONTAINS GAS UNDER PRESSURE; MAY EXPLODE IF HEATED.

Do not handle until all safety precautions have been read and understood. Keep and store away from clothing and other combustible material. Keep valves and fittings free from grease and oil. Use and store only outdoors or in a well-ventilated place. In case of fire: Stop leak if safe to do so. Use a back flow preventive device in the piping. Use only with equipment of compatible materials of construction and rated for cylinder pressure. Use only with equipment cleaned for oxygen service. Open valve slowly. Close valve after each use and when empty. Protect from sunlight when ambient temperature exceeds 52° C (125° F). Read and follow the Safety Data Sheet (SDS) before use.

DO NOT REMOVE THIS PRODUCT LABEL

WARNING: For emergency use only when administered by properly trained personnel for oxygen deficiency and resuscitation. For all other medical applications. **Rx only.** Uninterrupted use of high concentrations of oxygen over a long duration without monitoring its effect on oxygen content of arterial blood, may be harmful. Do not attempt to use on patients who have stopped breathing unless used in conjunction with resuscitative equipment. Produced by Air Liquefaction. © Applied Home Healthcare Equipment 2014

CAS 7782-44-7

| Contents | Size |
|-------------|----------|
| 113 Liters | __M4 |
| 165 Liters | __M6 |
| 255 Liters | __ C |
| 425 Liters | __ D |
| 680 Liters | __ E |
| 7080 Liters | __ H |
| __ Liters | __ Other |

Superior Oxygen Medical Supplies

545 Penn Avenue

West Reading, PA 19611

601-371-0202

OXYGEN, COMPRESSED USP

UN 1072

DANGER:

MAY CAUSE OR INTENSIFY FIRE; OXIDIZER.
CONTAINS GAS UNDER PRESSURE;
MAY EXPLODE IF HEATED.



Do not handle until all safety precautions have been read and understood. Keep and store away from clothing and other combustible materials. Keep valves and fittings free from grease and oil. Use and store only outdoors or in a well-ventilated place. In case of fire: Stop leak if safe to do so. Use a back flow preventive device in the piping. Use only with equipment of compatible materials of construction and rated for cylinder pressure. Use only with equipment cleaned for oxygen service. Open valve slowly. Close valve after each use and when empty. Protect from sunlight when ambient temperature exceeds 52 °C (125 °F). Read and follow the Safety Data Sheet (SDS) before use.

DO NOT REMOVE THIS PRODUCT LABEL.

WARNING: For emergency use only when administered by properly trained personnel for oxygen deficiency and resuscitation. For all other medical applications, **Rx only.** Uninterrupted use of high concentrations of oxygen over a long duration, without monitoring its effect on oxygen content of arterial blood, may be harmful. Do not attempt to use on patients who have stopped breathing unless used in conjunction with resuscitative equipment. Produced by Air Liquefaction. ©Applied Home Healthcare Equipment 2014

CAS NO: 7782-44-7

| Contents | Size |
|-------------|--------------------------------|
| 113 Liters | <input type="checkbox"/> M4 |
| 165 Liters | <input type="checkbox"/> M6 |
| 255 Liters | <input type="checkbox"/> C |
| 425 Liters | <input type="checkbox"/> D |
| 680 Liters | <input type="checkbox"/> E |
| 7080 Liters | <input type="checkbox"/> H |
| ____ Liters | <input type="checkbox"/> Other |

Superior Oxygen & Medical Supplies
545 Penn Avenue
West Reading, PA 19611
601-371-0202

oxygen gas

Product Information

| | | | |
|--------------------------------|--------------------------|---------------------------|---------------|
| Product Type | HUMAN PRESCRIPTION DRUG | Item Code (Source) | NDC:24887-001 |
| Route of Administration | RESPIRATORY (INHALATION) | | |

Active Ingredient/Active Moiety

| Ingredient Name | Basis of Strength | Strength |
|---|--------------------------|-----------------|
| OXYGEN (UNII: S88TT14065) (OXYGEN - UNII:S88TT14065) | OXYGEN | 99 L in 100 L |

Packaging

| # | Item Code | Package Description | Marketing Start Date | Marketing End Date |
|----------|------------------|--|-----------------------------|---------------------------|
| 1 | NDC:24887-001-01 | 103 L in 1 CYLINDER; Type 0: Not a Combination Product | 01/01/1992 | |
| 2 | NDC:24887-001-02 | 150 L in 1 CYLINDER; Type 0: Not a Combination Product | 01/01/1992 | |
| 3 | NDC:24887-001-03 | 255 L in 1 CYLINDER; Type 0: Not a Combination Product | 01/01/1992 | |
| 4 | NDC:24887-001-04 | 426 L in 1 CYLINDER; Type 0: Not a Combination Product | 01/01/1992 | |
| 5 | NDC:24887-001-05 | 671 L in 1 CYLINDER; Type 0: Not a Combination Product | 01/01/1992 | |

Marketing Information

| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|---------------------------|---|-----------------------------|---------------------------|
| NDA | NDA206023 | 01/01/1992 | |

Labeler - Superior Oxygen & Medical Equipment (796097624)

Registrant - Superior Oxygen & Medical Equipment (796097624)

Establishment

| Name | Address | ID/FEI | Business Operations |
|-------------------------------------|----------------|---------------|----------------------------|
| Superior Oxygen & Medical Equipment | | 796097624 | manufacture(24887-001) |

Revised: 11/2023

Superior Oxygen & Medical Equipment