

**WALGREENS EYE DROPS MAXIMUM REDNESS RELIEF 15ML- glycerin,  
naphazoline hci solution/ drops  
Walgreen Company**

-----  
**Walgreens Eye Drops Maximum Redness Relief (PLD)**

**Active ingredients**

Glycerin 0.5%

Naphazoline hydrochloride 0.03%

**Purposes**

Lubricant

Redness Reliever

**Uses**

- for the relief of redness of the eye due to minor eye irritations
- for the temporary relief of burning and irritation due to dryness of the eye
- for use as a protectant against further irritation or dryness of the eye

**Warnings**

For external use only

**Do not use**

if solution changes color or becomes cloudy

**Ask a doctor before use if you have**

narrow angle glaucoma

**When using this product**

- to avoid contamination, do not touch tip of container to any surface
- replace cap after using
- overuse may produce increased redness of the eye
- pupils may become enlarged temporarily

**Stop use and ask a doctor if**

- you experience eye pain
- you experience changes in vision

- you experience continued redness or irritation of the eye
- the condition worsens or persists for more than 72 hours

**Keep out of reach of children.**

If swallowed, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

**Directions**

instill 1 or 2 drops in the affected eye(s) up to 4 times daily.


**Other information**

- store at room temperature
- remove contact lenses before using

**Inactive ingredients**

benzalkonium chloride, boric acid, edetate disodium, purified water, sodium borate

**Walgreens Eye Drops Maximum Redness Relief 15mL**



## WALGREENS EYE DROPS MAXIMUM REDNESS RELIEF 15ML

glycerin, naphazoline hci solution/ drops

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:0363-4546
<b>Route of Administration</b>	OPHTHALMIC		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>NAPHAZOLINE HYDROCHLORIDE</b> (UNII: MZ1131787D) (NAPHAZOLINE - UNII:H231GF11BV)	NAPHAZOLINE HYDROCHLORIDE	0.03 g in 100 mL

**GLYCERIN** (UNII: PDC6A3C0OX) (GLYCERIN - UNII:PDC6A3C0OX)

GLYCERIN

0.5 g  
in 100 mL

### Inactive Ingredients

Ingredient Name	Strength
<b>BORIC ACID</b> (UNII: R57ZHV85D4)	
<b>BENZALKONIUM CHLORIDE</b> (UNII: F5UM2KM3W7)	
<b>EDETATE DISODIUM</b> (UNII: 7FLD91C86K)	
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>SODIUM BORATE</b> (UNII: 91MBZ8H3QO)	

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0363-4546-01	1 in 1 BOX	10/10/2019	
1		15 mL in 1 BOTTLE, DROPPER; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M018	10/10/2019	

**Labeler** - Walgreen Company (008965063)

**Registrant** - KC Pharmaceuticals, Inc. (174450460)

### Establishment

Name	Address	ID/FEI	Business Operations
KC Pharmaceuticals, Inc.		174450460	manufacture(0363-4546) , pack(0363-4546) , label(0363-4546)

Revised: 12/2023

Walgreen Company