BABY GENTLE SUNSCREEN SPF 50- avobenzone - 3.0% homosalate - 13.0% octisalate - 5.0% octocrylene - 7.0% oxybenzone 4% lotion TopCo

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Drug Facts

Active ingredients	Purpose
Avobenzone 3.0%	Sunscreen
Homosalate 13.0%	Sunscreen
Octisalate 5.0%	Sunscreen
Octocrylene 7.0%	Sunscreer
Oxybenzone 4.0%	Sunscreen

Uses • helps prevent sunburn • higher SPF gives more sunburn protection • retains SPF after 80 minutes of activity in the water or sweating • provides high protection against sunburn

Warnings

For external use only
Do not use on damaged or broken skin
When using this product keep out of eyes.
Rinse with water to remove.
Stop use and ask a doctor if rash occurs
Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions

- apply liberally 15 minutes before sun exposure
- reapply: after 80 minutes of swimming or sweating
- immediately after towel drying at least every 2 hours
- **Sun Protection Measures**. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including:
- limit time in the sun, especially from 10 a.m. -2 p.m.
- wear long-sleeve shirts, pants, hats, and sunglasses
- children under 6 months: Ask a doctor

Other information • protect the product in this container from excessive heat and direct sun • may stain fabrics

Inactive ingredients \

Aluminum Starch Octenylsuccinate, Benzyl Alcohol, Carbomer, Dimethicone,

Disodium EDTA, Fragrance, Methylparaben, Polyglyceryl-3 Distearate, Propylparaben, Sorbitan Isostearate, Sorbitol, Stearic Acid, Tocopherol, Triethanolamine, VP/Eicosene Copolymer, Water

Questions? 1-888-423-0139





Sunscreen Lotion

Water Resistant (80 minutes) UVA / UVB Protection With Vitamin E

Broad Spectrum SPF 50



8 FL OZ (237 mL)

Drug Facts

Active ingredients Purpose Avobenzone 3% Sunscreen Homosalate 13% Sunscreen Octisalate 5% Sunscreen Octorrylene 7% Sunscreen Oxybenzone 4% Sunscreen

Uses • helps prevent sunburn • higher SPF gives more sunburn protection • retains SPF after 80 minutes of activity in the water or sweating • provides high protection against sunburn

Warnings

For external use only

Do not use on damaged or broken skin.

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if . rash occurs.

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions • Apply liberally 15 minutes before sun exposure and as needed. • Reapply • after 80 minutes of swimming or sweating • immediately after towel drying • at least every 2 hours. • Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: • limit time in the sun, especially from 10 a.m.-2 p.m. • wear long-sleeved shirts, pants, hats, and sunglasses. • Children under 6 months of age: ask a doctor.

Other information • protect the product in this container from excessive heat and direct sun • may stain fabrics.

Inactive ingredients Aluminum Starch Octenylsuccinate Benzyl Alcohol, Carbomer, Dimethicone, Disodium EDTA, Fragrance, Methylparaben, Polyglyceryl-3 Distearate, Propylparaben, Sorbitan Isostearate, Sorbitol, Stearic Acid, Tocopherol, Triethanolamine, VP/Eicosene Copolymer, Water.

Questions? 1-888-423-0139

DISTRIBUTED BY TOPCO ASSOCIATES LLC ELK GROVE VILLAGE, IL 60007 © TOPCO POU116 OUESTIONS? 1-888-423-0139 topcare@topco.com www.topcarebrand.com





BABY GENTLE SUNSCREEN SPF 50

avobenzone - 3.0% homosalate - 13.0% octisalate - 5.0% octocrylene - 7.0% oxybenzone 4% lotion

D J		T C		- . •	
Prod	HICT	INTO	mm	ation	

Product Type HUMAN OTC DRUG Item Code (Source) NDC:36800-870

Route of Administration TOPICAL

Active Ingredient/Active Moiety					
Ingredient Name	Basis of Strength	Strength			
Avobenzone (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX)	Avobenzone	3 g in 100 mL			
Homosalate (UNII: V06SV4M95S) (HOMOSALATE - UNII:V06SV4M95S)	Homosalate	13 g in 100 mL			
Octisalate (UNII: 4X49Y0596W) (OCTISALATE - UNII:4X49Y0596W)	Octisalate	5 g in 100 mL			
Octocrylene (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM)	Octocrylene	7 g in 100 mL			
Oxybenzone (UNII: 9500S7VE0Y) (OXYBENZONE - UNII:9500S7VE0Y)	Oxybenzone	4 g in 100 mL			

Inactive Ingredients	
Ingredient Name	Strength
Aluminum Starch Octenylsuccinate (UNII: 19 PJO O 6 2 9 4)	
Benzyl Alcohol (UNII: LKG8494WBH)	
CARBOMER HOMOPOLYMER TYPE B (ALLYL SUCROSE CROSSLINKED) (UNII: Z135WT9208)	
Dimethicone (UNII: 92RU3N3Y1O)	
EDETATE DISO DIUM (UNII: 7FLD91C86K)	
Methylparaben (UNII: A2I8C7HI9T)	
Polyglyceryl-3 Distearate (UNII: ZI1LK470XV)	
Propylparaben (UNII: Z8IX2SC1OH)	
Sorbitan Isostearate (UNII: 01S2G2C1E4)	
Sorbitol (UNII: 506T60A25R)	
Stearic Acid (UNII: 4ELV7Z65AP)	
Tocopherol (UNII: R0ZB2556P8)	
TROLAMINE (UNII: 9O3K93S3TK)	
VINYLPYRROLIDONE/EICOSENE COPOLYMER (UNII: 035MV9S1C3)	
Water (UNII: 059QF0KO0R)	

]	Packaging			
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:36800-870-06	237 mL in 1 BOTTLE; Type 0: Not a Combination Product	04/21/2016	

Marketing Information					
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date		
OTC monograph not final	part352	04/21/2016			

Labeler - TopCo (006935977)

Registrant - Product Quest Mfg. (927768135)

Establishment				
Name	Address	ID/FEI	Business Operations	
Product Quest Mfg.		927768135	manufacture(36800-870), label(36800-870)	

Revised: 6/2018 TopCo