

THROATCALM- arnica montana, arisaema triphyllum root, belladonna leaf, bromine, bryonia alba root, mercurius solubilis, phytolacca americana root, pulsatilla vulgaris, spongia officinalis skeleton, roasted tablet
Laboratoires Boiron

Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.

ThroatCalm

Active Ingredients

Active ingredients** (in each tablet)

Arnica montana 3C HPUS (0.28 mg)**

Arum triphyllum 3C HPUS (0.28 mg)**

Belladonna 3C HPUS (0.28 mg)** (contains less than 10^{-8} mg atropine alkaloids)

Bromium 3C HPUS (0.28 mg)** (contains less than 10^{-6} mg bromine)

Bryonia 3C HPUS (0.28 mg)**

Mercurius solubilis 4C HPUS (0.28 mg)** (contains less than 10^{-8} mg mercury)

Phytolacca decandra 3C HPUS (0.28 mg)**

Pulsatilla 3C HPUS (0.28 mg)**

Spongia tosta 3C HPUS (0.28 mg)**

The letters "HPUS" indicate that the components in this product are officially monographed in the Homeopathic Pharmacopoeia of the United States.

Purpose

Arnica montana 3C HPUS ... Relieves hoarseness due to overexertion of the vocal cords*

Arum triphyllum 3C HPUS ... Relieves vocal cord fatigue in speakers and singers*

Belladonna 3C HPUS ... Relieves red and sore throat*

Bromium 3C HPUS ... Relieves swollen and painful tonsils*

Bryonia alba 3C HPUS ... Relieves sore throat with intense thirst*

Mercuris solubilis 4C HPUS ... Relieves sore throat with intense salivation*

Phytolacca decandra 3C HPUS ... Relieves sore throat with pain spreading to the ears*

Pulsatilla 3C HPUS ... Relieves raw sore throat*

Spongia tosta 3C HPUS ... Relieves hoarseness with dry throat*

Uses

temporarily relieves occasional minor sore throat and hoarseness

Sore Throat Warning: Severe or persistent sore throat or sore throat accompanied by high fever, headache, nausea, and vomiting may be serious. Consult a doctor promptly. Do not use more than 2 days or administer to children 4 years of age unless directed by a doctor.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

Adults and children 6 years of age and older: At the onset of symptoms, dissolve 2 tablets in the mouth every 15 minutes for 1 hour. Then, take 2 tablets every 6 hours. Decrease frequency with improvement.

Children 4 to under 6 years of age: Dissolve 2 tablets in 1 tablespoon of water for easier intake. Follow directions above.

Other information

do not use if glued carton end flaps are open or if the blister seal is broken

do not store above 86 ° F (30 ° C)

Inactive Ingredient

croscarmellose sodium, lactose, magnesium stearate

Questions or comments?

BoironUSA.com

info@boironusa.com

1-800-BOIRON-1 (1-800-264-7661)

Distributed by Boiron Inc.

Newtown Square, PA 19073

Sore Throat Relief*

Red, Dry, and Sore Throat Hoarseness*

Relieves Pain Without Numbing*

For Ages 4+ Years

No Aftertaste

60 Meltaway tablets unflavored

120 Meltaway tablets unflavored

*CLAIMS BASED ON TRADITIONAL HOMEOPATHIC PRACTICE, NOT ACCEPTED MEDICAL EVIDENCE. NOT FDA EVALUATED.

*C,K,CK, and X are homeopathic dilutions: see BoironUSA.com/info for details.

Principle Display Panel - ThroatCalm

| <p>Drug Facts</p> <table border="1"><thead><tr><th>Active ingredients* (in each tablet)</th><th>Purpose*</th></tr></thead><tbody><tr><td>Antica montana 3C HPUS (0.28 mg)</td><td>Relieves hoarseness due to overexertion of the vocal cords</td></tr><tr><td>Arnica montana 3C HPUS (0.28 mg)</td><td>Relieves vocal cord fatigue in speakers and singers</td></tr><tr><td>Belladonna 3C HPUS (0.28 mg)</td><td>Relieves red and sore throat (contains less than 10⁻⁴ mg atropine alkaloids)</td></tr><tr><td>Bromium 3C HPUS (0.28 mg)</td><td>Relieves swollen and painful tonsils (contains less than 10⁻⁴ mg bromine)</td></tr><tr><td>Bryonia 3C HPUS (0.28 mg)</td><td>Relieves sore throat with intense thirst</td></tr><tr><td>Mercurius solubilis 4C HPUS (0.28 mg)</td><td>Relieves sore throat with intense salivation (contains less than 10⁻⁴ mg mercury)</td></tr><tr><td>Phytolacca decandra 3C HPUS (0.28 mg)</td><td>Relieves sore throat with pain spreading to the ears</td></tr><tr><td>Pulsatilla 3C HPUS (0.28 mg)</td><td>Relieves raw sore throat</td></tr><tr><td>Spongia tosta 3C HPUS (0.28 mg)</td><td>Relieves hoarseness with dry throat</td></tr></tbody></table> <p>The letters "HPUS" indicate that the components in this product are officially monographed in the Homeopathic Pharmacopoeia of the United States.</p> <p>Uses* temporarily relieves occasional minor sore throat and hoarseness</p> <p>Warnings</p> <p>Sore Throat Warning: Severe or persistent sore throat or sore throat accompanied by high fever, headache, nausea, and vomiting may be serious. Consult a doctor promptly. Do not use more than 2 days or administer to children under 4 years of age unless directed by a doctor.</p> <p>If pregnant or breast-feeding, ask a health professional before use.</p> <p>Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.</p> <p>Directions</p> <ul style="list-style-type: none">Adults and children 6 years of age and older: At the onset of symptoms, dissolve 2 tablets in the mouth every 15 minutes for 1 hour. Then, take 2 tablets every 6 hours. Decrease frequency with improvement.Children 4 to under 6 years of age: Dissolve 2 tablets in 1 tablespoon of water for easier intake. Follow directions above. <p>CLAIMS BASED ON TRADITIONAL HOMEOPATHIC PRACTICE, NOT ACCEPTED MEDICAL EVIDENCE, NOT FDA EVALUATED. *C, K, CK, and X are homeopathic dilutions: see BoironUSA.com/info for details.</p> | Active ingredients* (in each tablet) | Purpose* | Antica montana 3C HPUS (0.28 mg) | Relieves hoarseness due to overexertion of the vocal cords | Arnica montana 3C HPUS (0.28 mg) | Relieves vocal cord fatigue in speakers and singers | Belladonna 3C HPUS (0.28 mg) | Relieves red and sore throat (contains less than 10 ⁻⁴ mg atropine alkaloids) | Bromium 3C HPUS (0.28 mg) | Relieves swollen and painful tonsils (contains less than 10 ⁻⁴ mg bromine) | Bryonia 3C HPUS (0.28 mg) | Relieves sore throat with intense thirst | Mercurius solubilis 4C HPUS (0.28 mg) | Relieves sore throat with intense salivation (contains less than 10 ⁻⁴ mg mercury) | Phytolacca decandra 3C HPUS (0.28 mg) | Relieves sore throat with pain spreading to the ears | Pulsatilla 3C HPUS (0.28 mg) | Relieves raw sore throat | Spongia tosta 3C HPUS (0.28 mg) | Relieves hoarseness with dry throat | <p>Drug Facts (continued)</p> <p>Other information</p> <ul style="list-style-type: none">do not use if sealed carton end flaps are open or if the blister seal is brokenstore below 86°F (30°C) <p>Inactive ingredients croscarmellose sodium, lactose, magnesium stearate</p> <p>Questions or comments? BoironUSA.com info@Boiron.com 1-800-BOIRON-1 (1-800-264-7661)</p>  <p>06969132529 2 3</p> | <p>NDC 0220-8325-29</p> <h1>SORE THROAT RELIEF*</h1> <p>Red, Dry, and Sore Throat Hoarseness*</p> <p>Help Your Body the Natural Way</p> <h2>ThroatCalm®</h2> <p>MELTAWAY TABLETS</p> <p>HOMEOPATHIC MEDICINE</p> <ul style="list-style-type: none">Relieves Pain Without Numbing*For Ages 4+ YearsNo Aftertaste  <p>World Leader in Homeopathic Medicines</p> <p>120 MELTAWAY TABLETS Unflavored</p> |
|--|---|----------|----------------------------------|--|----------------------------------|---|------------------------------|--|---------------------------|---|---------------------------|--|---------------------------------------|---|---------------------------------------|--|------------------------------|--------------------------|---------------------------------|-------------------------------------|--|--|
| Active ingredients* (in each tablet) | Purpose* | | | | | | | | | | | | | | | | | | | | | |
| Antica montana 3C HPUS (0.28 mg) | Relieves hoarseness due to overexertion of the vocal cords | | | | | | | | | | | | | | | | | | | | | |
| Arnica montana 3C HPUS (0.28 mg) | Relieves vocal cord fatigue in speakers and singers | | | | | | | | | | | | | | | | | | | | | |
| Belladonna 3C HPUS (0.28 mg) | Relieves red and sore throat (contains less than 10 ⁻⁴ mg atropine alkaloids) | | | | | | | | | | | | | | | | | | | | | |
| Bromium 3C HPUS (0.28 mg) | Relieves swollen and painful tonsils (contains less than 10 ⁻⁴ mg bromine) | | | | | | | | | | | | | | | | | | | | | |
| Bryonia 3C HPUS (0.28 mg) | Relieves sore throat with intense thirst | | | | | | | | | | | | | | | | | | | | | |
| Mercurius solubilis 4C HPUS (0.28 mg) | Relieves sore throat with intense salivation (contains less than 10 ⁻⁴ mg mercury) | | | | | | | | | | | | | | | | | | | | | |
| Phytolacca decandra 3C HPUS (0.28 mg) | Relieves sore throat with pain spreading to the ears | | | | | | | | | | | | | | | | | | | | | |
| Pulsatilla 3C HPUS (0.28 mg) | Relieves raw sore throat | | | | | | | | | | | | | | | | | | | | | |
| Spongia tosta 3C HPUS (0.28 mg) | Relieves hoarseness with dry throat | | | | | | | | | | | | | | | | | | | | | |

SORE THROAT RELIEF

ThroatCalm®

Adults and children 6 years of age and older:
At the onset of symptoms, dissolve 2 tablets in the mouth every 15 minutes for 1 hour. Then, take 2 tablets every 6 hours. Decrease frequency with improvement. Children 4 to under 6 years of age:
Dissolve 2 tablets in 1 tablespoon of water for easier intake. Follow directions above.

BOIRON®

Drug Facts

| Active ingredients* (in each tablet) | Purpose* |
|---------------------------------------|---|
| Arnica montana 3C HPUS (0.28 mg) | Relieves hoarseness due to overexertion of the vocal cords |
| Arum triphyllum 3C HPUS (0.28 mg) | Relieves vocal cord fatigue in speakers and singers |
| Belladonna 3C HPUS (0.28 mg) | Relieves red and sore throat (contains less than 10 ⁻⁶ mg atropine alkaloids) |
| Bromium 3C HPUS (0.28 mg) | Relieves swollen and painful tonsils (contains less than 10 ⁻⁶ mg bromine) |
| Bryonia 3C HPUS (0.28 mg) | Relieves sore throat with intense thirst |
| Mercurius solubilis 4C HPUS (0.28 mg) | Relieves sore throat with intense salivation (contains less than 10 ⁻⁶ mg mercury) |
| Phytolacca decandra 3C HPUS (0.28 mg) | Relieves sore throat with pain spreading to the ears |
| Pulsatilla 3C HPUS (0.28 mg) | Relieves raw sore throat |
| Spongia tosta 3C HPUS (0.28 mg) | Relieves hoarseness with dry throat |

*The letters "HPUS" indicate that the components in this product are officially monographed in the Homeopathic Pharmacopoeia of the United States.

Uses temporarily relieves occasional minor sore throat and hoarseness

Warnings

Sore Throat Warning: Severe or persistent sore throat or sore throat accompanied by high fever, headache, nausea, and vomiting may be serious. Consult a doctor promptly. Do not use more than 2 days or administer to children under 4 years of age unless directed by a doctor.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

Adults and children 6 years of age and older: At the onset of symptoms, dissolve 2 tablets in the mouth every 15 minutes for 1 hour. Then, take 2 tablets every 6 hours. Decrease frequency with improvement.

Children 4 to under 6 years of age: Dissolve 2 tablets in 1 tablespoon of water for easier intake. Follow directions above.

***CLAIMS BASED ON TRADITIONAL HOMEOPATHIC PRACTICE, NOT ACCEPTED MEDICAL EVIDENCE. NOT FDA EVALUATED.**

*C, K, CK, and X are homeopathic dilutions: see BoironUSA.com/info for details.

Drug Facts (continued)

Other information

- do not use if glued carton and flaps are open or if the blister seal is broken
- store below 86°F (30°C)

Inactive ingredients

croscarmellose sodium, lactose, magnesium stearate

Questions or comments?

BoironUSA.com
Info@Boiron.com
1-800-BOIRON-1
(1-800-264-7661)



NDC 0220-9325-04

SORE THROAT RELIEF*

Red, Dry, and Sore Throat Hoarseness*



ThroatCalm®

MELTAWAY TABLETS

HOMEOPATHIC MEDICINE

- Relieves Pain Without Numbing*
- For Ages 4+ Years
- No Aftertaste

BOIRON®

World Leader in Homeopathic Medicines

60
MELTAWAY
TABLETS
Unflavored

SORE THROAT RELIEF

ThroatCalm®
MELTAWAY TABLETS
Melts Under
the Tongue for
On-the-Go Relief

Drug Facts

| Active ingredients* (in each tablet) | Purpose* |
|---------------------------------------|---|
| Arnica montana 3C HPUS (0.28 mg) | Relieves hoarseness due to overexertion of the vocal cords |
| Arum triphyllum 3C HPUS (0.28 mg) | Relieves vocal cord fatigue in speakers and singers |
| Belladonna 3C HPUS (0.28 mg) | Relieves red and sore throat (contains less than 10 ⁻⁶ mg atropine alkaloids) |
| Bromium 3C HPUS (0.28 mg) | Relieves swollen and painful tonsils (contains less than 10 ⁻⁶ mg bromine) |
| Bryonia 3C HPUS (0.28 mg) | Relieves sore throat with intense thirst |
| Mercurius solubilis 4C HPUS (0.28 mg) | Relieves sore throat with intense salivation (contains less than 10 ⁻⁶ mg mercury) |
| Phytolacca decandra 3C HPUS (0.28 mg) | Relieves sore throat with pain spreading to the ears |
| Pulsatilla 3C HPUS (0.28 mg) | Relieves raw sore throat |
| Spongia tosta 3C HPUS (0.28 mg) | Relieves hoarseness with dry throat |

*The letters "HPUS" indicate that the components in this product are officially monographed in the Homeopathic Pharmacopoeia of the United States.

Uses temporarily relieves minor sore throat and hoarseness

Warnings

Ask a doctor before use

- in children under 3 years of age
- if sore throat is severe, accompanied or followed by fever, headache, rash, nausea, or vomiting

Stop use and ask a doctor if symptoms persist for more than 2 days or worsen.

If pregnant or breastfeeding, ask a health professional before use.

Keep out of reach of children. In case of accidental overdose, get medical help or contact a Poison Control Center right away.

Directions

Adults and children 3 years of age and older: At the onset of symptoms, dissolve 2 tablets under the tongue every 15 minutes for 1 hour. Then, take 2 tablets every 6 hours. Decrease frequency with improvement.

Children 3 to 6 years of age: Dissolve 2 tablets in 1 tablespoon of water for easier intake. Follow directions above.

***CLAIMS BASED ON TRADITIONAL HOMEOPATHIC PRACTICE, NOT ACCEPTED MEDICAL EVIDENCE. NOT FDA EVALUATED.**

*C, K, CK, and X are homeopathic dilutions: see BoironUSA.com/info for details.

Drug Facts (continued)

Other information

- do not use if glued carton and flaps are open or if the blister seal is broken
- store below 86°F (30°C)

Inactive ingredients

croscarmellose sodium, lactose, magnesium stearate

Questions or comments?

BoironUSA.com
Info@Boiron.com
1-800-BOIRON-1
(1-800-264-7661)

Made in France
Distributed by Boiron Inc.
Newtown Square, PA 19073

♻️ please recycle



ETU.1E2W
09.2020

NDC 0220-9325-04

SORE THROAT RELIEF*

Red, Dry, and Sore Throat Hoarseness*



ThroatCalm®

MELTAWAY TABLETS

HOMEOPATHIC MEDICINE

- Relieves Pain Without Numbing*
- For Ages 3 & Up
- No Aftertaste

BOIRON®

World Leader in Homeopathic Medicines

60
MELTAWAY
TABLETS
Unflavored

- NO** Numbing Agents
- NO** Artificial Colors
- NO** Artificial Sweeteners
- NO** Preservatives
- NO** Flavors
- NO** Aftertaste

The Boiron Promise

Your health deserves the greatest respect. That's why we're committed to your satisfaction. Please visit BoironUSA.com/promise for details.

LOT
EXP

APK010009535-03

Drug Facts

| Active ingredients** | Purpose* |
|---|--|
| Arnica montana 3C HPUS..... | Relieves hoarseness due to overexertion of the vocal cords |
| Arum triphyllum 3C HPUS..... | Relieves vocal cord fatigue in speakers and singers |
| Belladonna 3C HPUS (contains less than 10 ⁸ mg alkaloids per dose)..... | Relieves red and sore throat |
| Bromium 3C HPUS..... | Relieves swollen and painful tonsils |
| Bryonia 3C HPUS..... | Relieves sore throat with intense thirst |
| Mercurius solubilis 4C HPUS (contains less than 10 ⁸ mg mercury per dose)..... | Relieves sore throat with intense salivation |
| Phytolacca decandra 3C HPUS..... | Relieves sore throat with pain spreading to the ears |
| Pulsatilla 3C HPUS..... | Relieves raw sore throat |
| Spongia tosta 3C HPUS..... | Relieves hoarseness with dry throat |

The letters HPUS indicate that this ingredient is officially included in the Homeopathic Pharmacopoeia of the United States.

Uses ■ temporarily relieves minor sore throat and hoarseness

Warnings
Ask a doctor before use ■ in children under 12 years of age ■ if sore throat is severe, accompanied or followed by fever, headache, rash, nausea or vomiting.
Stop use and ask a doctor if symptoms persist for more than 2 days or worsen. **If pregnant or breast-feeding**, ask a health professional before use.
Keep out of reach of children.

Directions
 ■ Adults and children 12 years of age and older: At the onset of symptoms, dissolve 2 tablets under the tongue every 15 minutes for 1 hour. Then, dissolve 2 tablets under the tongue 3 times a day until symptoms are relieved.
 ■ Children under 12 years of age: Ask a doctor.

Other information ■ do not use if glued carton end flaps are open or if the blister seal is broken ■ do not store above 86°F (30°C)

Inactive ingredients croscarmellose sodium, lactose, magnesium stearate ▶

SORE THROAT RELIEF

ThroatCalm™

Drug Facts
(continued)

Questions or comments?
BoironUSA.com
Info@Boiron.com
1-800-BOIRON-1
 (1-800-264-7661)
 Distributed by Boiron Inc.
 6 Campus Boulevard
 Newtown Square, PA
 19073-3267

Made in France



SORE THROAT RELIEF*

**Hoarseness
Red, Dry and Sore Throat***

ThroatCalm™

HOMEOPATHIC MEDICINE

- Non-Drowsy
- No Known Drug Interactions
- Melts Under Your Tongue

help your body the **NATURAL** way

BOIRON® 60 QUICK-DISSOLVING TABLETS

World Leader in Homeopathic Medicines

*These "Uses" have not been evaluated by the Food and Drug Administration.
 **C, K, CK, and X are homeopathic dilutions: see BoironUSA.com/info for details.

THROATCALM

arnica montana, arisaema triphyllum root, belladonna leaf, bromine, bryonia alba root, mercurius solubilis, phytolacca americana root, pulsatilla vulgaris, spongia officinalis skeleton, roasted tablet

Product Information

| | | | |
|--------------------------------|----------------|---------------------------|---------------|
| Product Type | HUMAN OTC DRUG | Item Code (Source) | NDC:0220-9325 |
| Route of Administration | ORAL | | |

Active Ingredient/Active Moiety

| Ingredient Name | Basis of Strength | Strength |
|---|---------------------------------------|----------|
| ARNICA MONTANA (UNII: O80TY208Z W) (ARNICA MONTANA - UNII:O80TY208Z W) | ARNICA MONTANA | 3 [hp_C] |
| ARISAEMA TRIPHYLLUM ROOT (UNII: DM64K844DM) (ARISAEMA TRIPHYLLUM ROOT - UNII:DM64K844DM) | ARISAEMA TRIPHYLLUM ROOT | 3 [hp_C] |
| BELLADONNA LEAF (UNII: 6GZW20TIOI) (BELLADONNA LEAF - UNII:6GZW20TIOI) | BELLADONNA LEAF | 3 [hp_C] |
| BROMINE (UNII: SBV4XY874G) (BROMINE - UNII:SBV4XY874G) | BROMINE | 3 [hp_C] |
| BRYONIA ALBA ROOT (UNII: T7J046YI2B) (BRYONIA ALBA ROOT - UNII:T7J046YI2B) | BRYONIA ALBA ROOT | 3 [hp_C] |
| SPONGIA OFFICINALIS SKELETON, ROASTED (UNII: 1PIP394IID) (SPONGIA OFFICINALIS SKELETON, ROASTED - UNII:1PIP394IID) | SPONGIA OFFICINALIS SKELETON, ROASTED | 3 [hp_C] |
| MERCURIUS SOLUBILIS (UNII: 324Y4038G2) (MERCURIUS SOLUBILIS - UNII:324Y4038G2) | MERCURIUS SOLUBILIS | 4 [hp_C] |
| PHYTOLACCA AMERICANA ROOT (UNII: 11E6VI8VEG) (PHYTOLACCA AMERICANA ROOT - UNII:11E6VI8VEG) | PHYTOLACCA AMERICANA ROOT | 3 [hp_C] |
| PULSATILLA VULGARIS (UNII: I76KB35JEV) (PULSATILLA VULGARIS - UNII:I76KB35JEV) | PULSATILLA VULGARIS | 3 [hp_C] |

Inactive Ingredients

| Ingredient Name | Strength |
|--|----------|
| CROSCARMELOSE SODIUM (UNII: M28OL1HH48) | |
| LACTOSE (UNII: J2B2A4N98G) | |
| MAGNESIUM STEARATE (UNII: 70097M6I30) | |

Product Characteristics

| | | | |
|-----------------|----------------|---------------------|----------|
| Color | white | Score | no score |
| Shape | ROUND (BOIRON) | Size | 9mm |
| Flavor | | Imprint Code | |
| Contains | | | |

Packaging

| # | Item Code | Package Description | Marketing Start Date | Marketing End Date |
|---|------------------|--|----------------------|--------------------|
| 1 | NDC:0220-9325-04 | 60 in 1 BLISTER PACK; Type 0: Not a Combination Product | 05/01/2017 | |
| 2 | NDC:0220-9325-29 | 120 in 1 BLISTER PACK; Type 0: Not a Combination Product | 12/01/2020 | |

Marketing Information

| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|------------------------|--|----------------------|--------------------|
| unapproved homeopathic | | 05/01/2017 | |

Labeler - Laboratoires Boiron (282560473)

Registrant - Boiron Inc. (014892269)

Establishment

| Name | Address | ID/FEI | Business Operations |
|--------|---------|-----------|------------------------|
| Boiron | | 282560473 | manufacture(0220-9325) |

Revised: 5/2023

Laboratoires Boiron