

MYXCIN-C- hexylresorcinol solution
Phoenix Global Supply Group, Inc.

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Myxcin™-C

Drug Facts

Active Ingredient

Hexylresorcinol 0.1%

Purpose

First aid antiseptic

Uses

First aid to help prevent bacterial contamination or skin infection associated with minor:

- cuts
- scrapes
- burns
- abrasions

Warnings

For external use only

Do not use

- in the eyes
- over large areas of the body

Ask a doctor before use if you have

- deep or puncture wounds
- animal bites
- serious burns

Stop use and ask a doctor if

- condition or symptoms get worse or last more than one week
- symptoms clear up and occur again within a few days

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- For first aid antiseptic use in adults and children 2 years of age and older:
 - clean the affected area
 - pump a small amount of the product on the affected area 1 to 3 times daily
 - wipe off excess with sterile gauze
 - may be covered with a sterile bandage

- if bandaged, let dry first
- For minor wound cleansing in adults and children 2 years of age and older:
 - to clean dirt and debris, pump a small amount of the product on the affected area and wipe off with sterile gauze
- Children under 2 years of age: consult a doctor

Other information

- Store at room temperature 59° – 86° F (15° – 30° C).
- See carton or bottle for lot number and expiration date.

Inactive ingredients

citric acid, edetate disodium, glycerin, propylene glycol, sodium bisulfite, sodium citrate, purified water

Questions?

Call 1-877-745-6888 or visit www.myxcin-c.com

Distributed by:

Phoenix Global Supply Group, Inc.
White Plains, NY 10604 USA

PRINCIPAL DISPLAY PANEL - 236.5 mL Bottle Carton

New!

MYXCIN™-C

with S.T.37®

Hexylresorcinol 0.1%

**FIRST AID ANTISEPTIC
WOUND CLEANING SOLUTION**

For

Cuts, Scrapes

Abrasions, Burns

Pressure

Cleansing

Pump

- ***Soothing Relief***
- ***No Stinging***
- ***No Staining***
- ***Kills Germs
on Contact***

ADVANCED

WOUND

MANAGEMENT™

8 FL OZ (236.5mL)

plus 1 dispensing pump

Myxcin™-C
with S.T.37®

Hexylresorcinol 0.1%

**FIRST AID ANTISEPTIC
WOUND CLEANING SOLUTION**

For
**Cuts, Scrapes
Abrasions, Burns**



Pressure
Cleansing
Pump

- Soothing Relief
- No Stinging
- No Staining
- Kills Germs on Contact



8 FL OZ (236.5mL)
plus 1 dispensing pump

Myxcin™-C
with S.T.37®

Hexylresorcinol 0.1%

Myxcin-C with S.T.37 kills common pathogenic bacteria (germs) quickly—on contact—to prevent infections in minor cuts, scrapes, abrasions and burns.

Myxcin-C is pleasant to use because it produces little or no stinging or burning. In fact, it has a soothing effect on irritated areas.

Myxcin-C's dispensing pump is ideal for one-handed operation and ensures application of medicine right where you need it most without waste. Excellent for cleansing minor cuts and scrapes—just pump on and wipe off, no rinsing is needed.

**Use With
Myxcin™-AB**

Neomycin Sulfate • Polymyxin B Sulfate • Pramoxine HCl

Myxcin-AB delivers a clean fresh dose of potent antibiotic cream every time to help heal, protect and relieve itching of your wound.



CN00021-0





**FIRST AID ANTISEPTIC
WOUND CLEANING SOLUTION**

Hexylresorcinol 0.1%

MYXCIN-C
with **S.T.37**

New!

Drug Facts

Active Ingredient *Purpose*
Hexylresorcinol 0.1%.....First aid antiseptic

Uses First aid to help prevent bacterial contamination or skin infection associated with minor:
• cuts • scrapes • burns • abrasions

Warnings

For external use only

Do not use
• in the eyes
• over large areas of the body

Ask a doctor before use if you have

• deep or puncture wounds
• animal bites
• serious burns

Stop use and ask a doctor if

• condition or symptoms get worse or last more than one week
• symptoms clear up and occur again within a few days

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

• For first aid antiseptic use in adults and children 2 years of age and older:
• clean the affected area
• pump a small amount of the product on the affected

MYXCIN-C
with **S.T.37**

Hexylresorcinol 0.1%

New!

**FIRST AID ANTISEPTIC
WOUND CLEANING SOLUTION**

For

**Cuts, Scrapes
Abrasions, Burns**

- area 1 to 3 times daily
- wipe off excess with sterile gauze
- may be covered with a sterile bandage
- if bandaged, let dry first
- For minor wound cleansing in adults and children 2 years of age and older:
 - to clean dirt and debris, pump a small amount of the product on the affected area and wipe off with sterile gauze
- Children under 2 years of age: consult a doctor

Other information

- Store at room temperature 59° – 86° F (15° – 30° C).
- See carton or bottle for lot number and expiration date.

Inactive ingredients

citric acid, edetate disodium, glycerin, propylene glycol, sodium bisulfite, sodium citrate, purified water

Questions?

Call 1-877-745-6888 or visit www.myxcin-c.com

Myxcin and Advanced Wound Management are trademarks of Phoenix Global Supply Group, Inc. S.T.37 is a registered trademark of Numark Laboratories, Inc.

Distributed by:
Phoenix Global Supply Group, Inc.
White Plains, NY 10604 USA



- Soothing Relief
- No Stinging
- No Staining
- Kills Germs on Contact



Do not use if foil seal under cap is broken or missing at time of purchase.

8 FL OZ (236.5mL)
plus 1 dispensing pump

MYXCIN-C

hexylresorcinol solution

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:52426-520
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Hexylresorcinol (UNII: R9QTB5E82N) (Hexylresorcinol - UNII:R9QTB5E82N)	Hexylresorcinol	1.1 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)	
EDETATE DISODIUM (UNII: 7FLD91C86K)	
GLYCERIN (UNII: PDC6A3C0OX)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	

SODIUM BISULFITE (UNII: TZX5469Z6I)	
SODIUM CITRATE (UNII: 1Q73Q2JULR)	
WATER (UNII: 059QF0K00R)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:52426-520-05	1 in 1 CARTON		
1		236.5 mL in 1 BOTTLE		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH NOT FINAL	part333A	02/15/2011	

Labeler - Phoenix Global Supply Group, Inc. (843189908)