

**EZ ACCESS- benzocaine liquid**  
**Product Max Group Inc**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----

**EZ ACCESS - 001**

**Drug Facts**

**Active Ingredient**

Benzocaine 5%

**Purpose**

Topical Analgesic

**Keep out of reach of children**

- **Keep out of reach of children.** If swallowed get medical help or contact a Poison Control Center right away.

**Uses**

- For temporary relief of pain or soreness in the perianal area.

**Warnings**

For external use only.

- Avoid contact with the eyes.
- Certain persons can develop allergic reactions from ingredients in this product. If the symptom being treated does not subside or if redness, irritation, swelling, pain or other symptoms develop or increase, discontinue use and consult a doctor.

**Directions**

- When practical, cleanse the affected area with mild soap and water and rinse thoroughly.
- Gently dry by patting or blotting with a tissue or a soft cloth before the application of this product.
- Apply to the affected area up to 6 times daily.

**Other information**

Do not use if safety tab is broken or missing

**Inactive Ingredients**

Methylparaben, PEG-8, Propylene Glycol, Propylparaben, Water

**EZ ACCESS product label**

**Anal Desensitizer**

**EZ ACCESS**

**DESENSITIZING SPRAY**  
**BENZOCAINE ANORECTAL SPRAY**

1.0 FL OZ (30mL)

www.bodyactionproducts.com

Distributed by: BodyAction Products, Lutz, FL 33559

action BODY products

**1.0 FL OZ (30 ml)**

**EZ ACCESS**  
*Anal Desensitizer*  
**DESENSITIZING SPRAY**  
*BENZOCAINE ANORECTAL SPRAY*

**Drug Facts**

Active Ingredient	Purpose
Benzocaine 5%	Topical Analgesic

**Uses**  
 ■ For temporary relief of pain or soreness in the perianal area.

**Warnings**  
 For external use only.

- Avoid contact with the eyes.
- Certain persons can develop allergic reactions from ingredients in this product. If the symptom being treated does not subside or if redness, irritation, swelling, pain or other symptoms develop or increase, discontinue use and consult a doctor.
- **Keep out of reach of children.** If swallowed get medical help or contact a Poison Control Center right away.

**Directions**

- When practical, cleanse the affected area with mild soap and warm water and rinse thoroughly.
- Gently dry by patting or blotting with toilet tissue or a soft cloth before application of this product.
- Apply to the affected area up to 6 times daily.

**Other Information**  
 Do not use if safety tab is broken or missing.

**Inactive Ingredients**  
 Methylparaben, PEG-8, Propylene Glycol, Propylparaben, Water.

**www.bodyactionproducts.com**  
 Distributed by: Body Action Products, Lutz, FL 33559

**FPO**  
 6 793591000721 5

**BODY**  
 action products

**EZ ACCESS**

benzocaine liquid

**Product Information**

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:70742-001
<b>Route of Administration</b>	Topical		

**Active Ingredient/Active Moiety**

Ingredient Name	Basis of Strength	Strength
BENZOCAINE (UNII: U3RSY48JW5) (BENZOCAINE - UNII:U3RSY48JW5)	BENZOCAINE	1417 mg in 30 mL

**Inactive Ingredients**

Ingredient Name	Strength
METHYLPARABEN (UNII: A2I8C7HI9T)	
POLYETHYLENE GLYCOL 400 (UNII: B697894SGQ)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
PROPYLPARABEN (UNII: Z8IX2SC1OH)	
WATER (UNII: 059QF0KO0R)	

**Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:70742-001-01	30 mL in 1 BOTTLE, PUMP; Type 0: Not a Combination Product	06/15/2016	

**Marketing Information**

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part348	06/15/2016	

**Labeler** - Product Max Group Inc (134893911)**Registrant** - Product Max Group Inc (134893911)