

PINRID- pyrantel pamoate tablet
YYBA CORP

YYBA (as PLD) - PINRID (TABLET) (73581-107)

ACTIVE INGREDIENT

PYRANTEL PAMOATE 720.5 MG

PURPOSE

PINROOM TREATMENT

USE

FOR THE TREATMENT OF PINWORMS

WARNINGS

IF ANY OF THESE CONDITIONS PERSIST, CONSULT A DOCTOR

- DIZZINESS
- DIARRHEA
- ABDOMINAL CRAMPS
- VOMITING
- NAUSEA
- HEADACHE

IF PREGNANT OR IF YOU HAVE LIVER DISEASE, ASK A DOCTOR BEFORE USE. CONSULT YOUR DOCTOR IF AN ALLERGIC REACTION OCCURS.

KEEP OUT OF REACH OF CHILDREN. IN CASE OF ACCIDENTAL OVERDOSE, GET MEDICAL HELP OR CONTACT A POISON CONTROL CENTER RIGHT AWAY.

DIRECTIONS FOR USE

Read package insert carefully before taking this medication. Take only according to directions and do not exceed the recommended dosage unless directed by a doctor. Medication should only be taken one time as a single dose; do not repeat treatment unless directed by a doctor. When one individual in a household has pinworms, the entire household should be treated unless otherwise advised. See **WARNINGS**. If any worms other than pinworms are present before or after treatment, consult a doctor. If any symptoms or pinworms are still present after treatment, consult a doctor. This product can be taken any time of day, with or without meals. It may be taken alone or with milk or fruit juice. Use of a laxative is not necessary prior to, during, or after medication.

Adults and children 2 years to under 12 years of age: oral dosage is a single dose of 5 milligrams of pyrantel base per pound, or 11 milligrams per kilogram, of body weight not to exceed 1 gram. Dosage information is summarized on the following schedule:

Weight	Dosage (taken as a single dose)
Less than 25 pounds (11 kg) or under 2 years old	Do not use unless directed by a doctor
25 to 37 pounds (11 to 16 kg)	1/2 tablet
38 to 62 pounds (17 to 28 kg)	1 tablet
63 to 87 pounds (29 to 39 kg)	1 1/2 tablets
88 to 112 pounds (40 to 50 kg)	2 tablets
113 to 137 pounds (51 to 62 kg)	2 1/2 tablets
138 to 162 pounds (63 to 73 kg)	3 tablets
163 to 187 pounds (74 to 84 kg)	3 1/2 tablets
over 187 pounds (over 84 kg)	4 tablets

HOW SUPPLIED

Pinrid Chewable Tablets are supplied as round, flat faced, orange color, orange flavored chewable tablets with "WM1" debossed on one side and score on the other side, in bottles of 12 and 24.

OTHER INFORMATION

- PHENYLKETONURICS: CONTAIN PHENYLALANINE 11.8 MG PER TABLET
- READ PACKAGE INSERT CAREFULLY BEFORE USING
- IF SIGNS OF PINWORMS PERSIST, SEE A DOCTOR
- STORE AT 15° - 30°c (59° - 86°f)

INACTIVE INGREDIENTS

aspartame powder, citric acid, colloidal silicon dioxide, croscarmellose sodium, dextrose, FD&C yellow, magnesium stearate, maltodextrin, sorbitol, stearic acid, orange flavor.

QUESTIONS OR COMMENTS?

CALL TOLL FREE 1-866-933-6337

Other information ▪ Phenylketonurics: Contains Phenylalanine 11.8 mg Per Tablet ▪ read package insert carefully before using ▪ if signs of pinworms persist, see a doctor ▪ store at 15°-30°C (59°-86°F)

Inactive ingredients aspartame powder, citric acid, colloidal silicon dioxide, croscarmellose sodium, dextrose, FD&C yellow, magnesium stearate, maltodextrin, sorbitol, stearic acid, orange flavor

Questions or comments? call toll free 1-866-933-6337

Distributed by:

Wellspring
Airmont, NY 10952, USA
wellspringmeds.com

NDC 73581-1071-2



pinrid
PINWORM TREATMENT

Pyrantel Pamoate • Pyrantel base 250 mg/tablet

- Convenient Chewable Tablet
- Single Dose Effectiveness
- Treats the Average Family
- 2 Years Old to Adult

Family Size
12 Chewable Tablets

DO NOT USE IF TAMPER-EVIDENT SEAL UNDER CAP IS BROKEN OR MISSING

Active Ingredient (in each chewable tablet) **Purpose**
Pyrantel pamoate 720.5mgPinworm treatment (equivalent to 250 mg pyrantel base)

Use for the treatment of pinworms

Warnings **Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away. If any of these conditions persist, consult a doctor ▪ dizziness ▪ diarrhea ▪ abdominal cramps ▪ vomiting ▪ nausea ▪ headache

If pregnant or if you have liver disease, ask a doctor before use. **Contact your doctor** if an allergic reaction occurs.

Directions ▪ Important – treat the entire household ▪ take only one dose unless directed by doctor

Less than 25 pounds (11 kg) or under 2 years old....consult a doctor

25-37 lbs.....½ tablet	113-137 lbs.....2½ tablets
38-62 lbs.....1 tablet	138-162 lbs.....3 tablets
63-87 lbs.....1½ tablets	163-187 lbs.....3½ tablets
88-112 lbs.....2 tablets	over 187 lbs.....4 tablets

Other information ▪ Phenylketonurics: Contains Phenylalanine 11.8 mg Per Tablet ▪ read package insert carefully before using ▪ if signs of pinworms persist, see a doctor ▪ store at 15°-30°C (59°-86°F)

Inactive ingredients aspartame powder, citric acid, colloidal silicon dioxide, croscarmellose sodium, dextrose, FD&C yellow, magnesium stearate, maltodextrin, sorbitol, stearic acid, orange flavor

Questions or comments? call toll free 1-866-933-6337

Distributed by:

Wellspring
Airmont, NY 10952, USA
wellspringmeds.com

NDC 73581-1072-2



pinrid
PINWORM TREATMENT

Pyrantel Pamoate • Pyrantel base 250 mg/tablet

- Convenient Chewable Tablet
- Single Dose Effectiveness
- Treats the Average Family
- 2 Years Old to Adult

Family Size
24 Chewable Tablets

DO NOT USE IF TAMPER-EVIDENT SEAL UNDER CAP IS BROKEN OR MISSING

Active Ingredient (in each chewable tablet) **Purpose**
Pyrantel pamoate 720.5mgPinworm treatment (equivalent to 250 mg pyrantel base)

Use for the treatment of pinworms

Warnings **Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away. If any of these conditions persist, consult a doctor ▪ dizziness ▪ diarrhea ▪ abdominal cramps ▪ vomiting ▪ nausea ▪ headache

If pregnant or if you have liver disease, ask a doctor before use. **Contact your doctor** if an allergic reaction occurs.

Directions ▪ Important – treat the entire household ▪ take only one dose unless directed by doctor

Less than 25 pounds (11 kg) or under 2 years old....consult a doctor

25-37 lbs.....½ tablet	113-137 lbs.....2½ tablets
38-62 lbs.....1 tablet	138-162 lbs.....3 tablets
63-87 lbs.....1½ tablets	163-187 lbs.....3½ tablets
88-112 lbs.....2 tablets	over 187 lbs.....4 tablets

PINRID

pyrantel pamoate tablet

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:73581-107
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
PYRANTEL PAMOATE (UNII: 81BK194Z5M) (PYRANTEL - UNII:4QIH0N49E7)	PYRANTEL	250 mg

Inactive Ingredients

Ingredient Name	Strength
ASPARTAME (UNII: Z0H242BBR1)	
ANHYDROUS CITRIC ACID (UNII: XF417D3PSL)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
CROSCARMELLOSE SODIUM (UNII: M28OL1HH48)	
DEXTROSE (UNII: IY9XDZ35W2)	

FD&C YELLOW NO. 5 (UNII: I753WB2F1M)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
MALTODEXTRIN (UNII: 7CVR7L4A2D)	
SORBITOL (UNII: 506T60A25R)	
STEARIC ACID (UNII: 4ELV7Z65AP)	

Product Characteristics

Color	white	Score	no score
Shape	ROUND	Size	11mm
Flavor		Imprint Code	WM1
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:73581-107-12	12 in 1 BOTTLE; Type 0: Not a Combination Product	04/02/2021	
2	NDC:73581-107-24	24 in 1 BOTTLE; Type 0: Not a Combination Product	04/02/2021	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M031	04/02/2021	

Labeler - YYBA CORP (006339772)

Revised: 1/2024

YYBA CORP