

COVER RECOVER SPF 30 TAWNY- zinc oxide and titanium dioxide cream
Allure Labs, Inc

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Drug Facts

Zinc Oxide 8.5%

Titanium Dioxide 6.5%

Sunscreen

Uses: Helps prevent sunburn.

if used as directed with other sun protection measures, decreases the risk of skin cancer and early skin aging caused by the sun.

post treatment camouflage for skin needling and rejuvenation procedures.

Directions: Apply immediately after treatment procedures, to dry clean skin, as a camouflage for minor skin trauma. Apply daily after your skincare regime with DP Dermaceuticals, as a corrective sunscreen foundation.

Sun protection measures: For sunscreen use

Apply for liberally 15 minutes before sun exposure. Re-apply every 2 hours, or after swimming or drying off with a towel. Prolonged exposure to the sun should be avoided, especially from 10:00am - 2:00pm. Suitable clothing such as long-sleeved shirt, hats, and sunglasses should be worn at all times in the sun. Use on children under 6 months ask a doctor.

For external use only.

do not use on damaged or broken skin.

when using this product keep out of eyes.

rinse with water to remove.

stop use and ask a doctor if rash occurs.

keep out of reach of children.

Protect the product in this container from excessive heat and direct sun.

Cyclopentasiloxane, Dimethicone, Water (Aqua), Polyglyceryl-3-Polydimethylsiloxyethyl Dimethicone, Dimethicone/PEG-10/15 Crosspolymer, Bismuth Oxochloride, Butylene Glycol, Hydroxypropylcocoate PE-8 Dimethicone, Polyglyceryl-2 Diisostearate, Hydrated Silica, Mica, Stearic Acid, Aluminum Hydroxide, Dimethicone/Vinyl Dimethicone Crosspolymer, Jojoba Esters, Cyclohexasiloxane, Biosaccharide Gum-1, Isohexadecane, PEG/PPG-18/18 Dimethicone, Glycerin, Pyrus Malus (Apple) Fruit Extract, Vitis Vinifera (Grape) Seed Extract, Mentha Piperita (Peppermint) Extract, Menthyl PCA, Sodium Hyaluronate, Copper Lysinate/Rolinate, Allantoin, Beta-Carotene, Hydrolyzed Vegetable Protein, Tocopherol, Adenosine Triphosphate, Saccharomyces Lysate Extract,

Acetyl Tyrosine, Methylglucoside Phosphate, Retinyl Palmitate, Ascorbyl palmitate, Phospholipids, Proline, Ethyl menthane carboxamide, Triethoxysilyl ethyl Polydimethylsiloxyethyl HexylDimethicone, Phenoxyethanol, Ethylhexylglycerin, Hexylene Glycol, Caprylyl Glycol, Fragrance (Parfum), Triethoxycaprylsilane, Limonene, Linalool, citral, May contain:(+/-) Titanium Dioxide (CI 77891), Iron Oxides (CI 77491, CI 77492, CI 77499)

DML42141/GMP Certified.

manufactured in USA for

EQUIPMED EUROPE LONDON, W1H 1PJ

Made exclusively for www.dermapenworld.com

TAWNY

Drug Facts						
<table><thead><tr><th>Active Ingredients</th><th>Purpose</th></tr></thead><tbody><tr><td>Zinc Oxide 6.0%</td><td>Sunscreen</td></tr><tr><td>Titanium Dioxide 6.0%</td><td>Sunscreen</td></tr></tbody></table>	Active Ingredients	Purpose	Zinc Oxide 6.0%	Sunscreen	Titanium Dioxide 6.0%	Sunscreen
Active Ingredients	Purpose					
Zinc Oxide 6.0%	Sunscreen					
Titanium Dioxide 6.0%	Sunscreen					
Uses <ul style="list-style-type: none">Helps prevent sunburnIf used as directed with other sun protection measures, decreases the risk of skin cancer and early skin agingcaused by the sun. Post treatment camouflage for skin needling and rejuvenation procedures.						
Directions <p>Apply immediately after treatment procedures, to dry clean skin, as a camouflage for minor skin trauma. Apply daily after your skincare regime with DPeutomatics™, as a corrective sunscreen foundation.</p>						
Sun Protection Measures <p>For sunscreen use. Apply for liberally 15 minutes before sun exposure. Re-apply every 2 hours, or after swimming or drying off with a towel. Prolonged exposure to the sun should be avoided, especially from 10:00am-2:00pm. Suitable clothing such as long-sleeved shirt, hats and sunglasses should be worn at all times in the sun. Use on children under 6 months ask a Doctor.</p>						
Warnings <ul style="list-style-type: none">For external use onlyDo not use on damaged or broken skin.When using this product keep out of eyes. Rinse with water to remove.Stop use and ask a doctor if rash occurs.Keep out of reach of children.						
Other information <p>Protect the product in this container from excessive heat and direct sun.</p>						
Other Ingredients <p>Cyclopentasiloxane, Dimethicone, Water g/Alcap, Polyglyceryl-3 Polydimethylsiloxyethyl Dimethicone, Dimethicone/PEG-10/15 Crosspolymer, Bamuthi Diacytholide, Butylene Glycol, Hydroxypropylcysteine PEG-6 Dimethicone, Polyglyceryl-2 Dihectate, Hydrolyzed Silica, Mica, Stearic Acid, Aluminum Hydroxide, Dimethicone/Vinyl Dimethicone Crosspolymer, Jojoba Esters, Cyclohexasiloxane, Silicaaccharide Gum-1, Isobutylacrylate, PEG/PPG-31/6 Dimethicone, Glycerin, Pinae Mosa (Apple) Fruit Extract, Vita Vitinex (Grape Seed Extract, Mentha Piperita (Peppermint) Extract, Menthyl PCA, Sodium Hyaluronate, Copper Lysinate/Phosphate, Ascorbin, Beta Carotene, Hydrolyzed Vegetables Proteins, Tocopherol, Adenosine Triphosphate, Saccharomyces Lysate Extract, Acetyl Tyrosine, Methylglucoside Phosphate, Retinyl Palmitate, Ascorbyl Palmitate, Phospholipids, Proline, Ethyl Menthane Carboxamide, Triethoxysilyl ethyl Polydimethylsiloxyethyl Hexyl Dimethicone, Phenoxyethanol, Ethylhexylglycerin, Hexylene Glycol, Caprylyl Glycol, Fragrance (Parfum), Triethoxycaprylsilane, Limonene, Linalool, Citral, May Contain: (+/-) Titanium Dioxide (CI 77891), Iron Oxides (CI 77491, CI 77492, CI 77499)</p>						

DERMACEUTICALS

DERMACEUTICALS

DERMACEUTICALS

Recommended & Approved
post treatment camouflage for skin
needling and rejuvenation procedures.
Suitable for homecare and purpose
of a Sunscreen.

DP Dermaceuticals is a member
of the Dermapen family

**COVER
RECOVER™**

SPF 30
COPPER PEPTIDES
PROBIOTICS
HYALURONIC ACID

20ml

Cover Recover™ transforms red and affected skin into a flawless smooth appearance. This distinctive formula ensures it is suitable for everyday wear, as a skin improving sun protecting foundation.

DML42141/GMP Certified.
Manufactured in USA for
EQUIPMED EUROPE LONDON, W1H 1PJ
Made exclusively for www.dermapenworld.com

COVER RECOVER SPF 30 TAWNY

zinc oxide and titanium dioxide cream

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:62742-4121
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC CATION - UNII:13S1S8SF37)	ZINC CATION	85.0 mg in 1 mL
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	65.0 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
CYCLOMETHICONE 5 (UNII: 0THT5PC10R)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
WATER (UNII: 059QF0KO0R)	
POLYGLYCERYL-3 POLYDIMETHYLSILOXYETHYL DIMETHICONE (4000 MPA.S) (UNII: RLA2U05Z4Q)	
BISMUTH OXYCHLORIDE (UNII: 4ZR792I587)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
HYDROXYPROPYLCOCOATE PEG-8 DIMETHICONE (UNII: 8TE0BZU36S)	
POLYGLYCERYL-2 DIISO STEARATE (UNII: DG195GP57P)	
HYDRATED SILICA (UNII: Y6O7T4G8P9)	
MICA (UNII: V8A1AW0880)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)	
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)	
JOJOBA OIL, RANDOMIZED (UNII: 7F0EV20QYL)	
TRIEPOXYCYCLOHEXASILANE (UNII: 066Q83563R)	
BIO SACCHARIDE GUM-1 (UNII: BB4PU4V09H)	
ISOHEXADECANE (UNII: 918X10UF1E)	
PEG/PPG-18/18 DIMETHICONE (UNII: 9H0AO7T794)	
GLYCERIN (UNII: PDC6A3C0OX)	
APPLE (UNII: B423VGH5S9)	
VITIS VINIFERA SEED (UNII: C34U15ICXA)	
MENTHA PIPERITA (UNII: 79M2M2UDA9)	
MENTHYL DL-PYRROLIDONECARBOXYLATE (UNII: 8P18J856U2)	
HYALURONATE SODIUM (UNII: YSE9PPT4TH)	
ALLANTOIN (UNII: 344S277G0Z)	
.BETA.-CAROTENE (UNII: 01YAE03M7J)	
TOCOPHEROL (UNII: R0ZB2556P8)	
ADENOSINE TRIPHOSPHATE (UNII: 8L70Q75FXE)	
SACCHAROMYCES LYSATE (UNII: R85W246Z1C)	
N-ACETYLTYROSINE (UNII: DA8G610ZO5)	
VITAMIN A PALMITATE (UNII: 1D1K0N0VVC)	
ASCORBYL PALMITATE (UNII: QN83US2B0N)	
EGG PHOSPHOLIPIDS (UNII: 1Z74184RGV)	
PROLINE (UNII: 9DLQ4CIU6V)	
ETHYL MENTHANE CARBOXAMIDE (UNII: 6S7S02945H)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
ETHYLHEXYLGLYCERIN (UNII: 147D247K3P)	

HEXYLENE GLYCOL (UNII: KEH0A3F75J)	
CAPRYLYL GLYCOL (UNII: 00YIU5438U)	
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)	
LIMONENE, (+)- (UNII: GFD7C86Q1W)	
LINALOOL, (+)- (UNII: F4VNO44C09)	
CITRAL (UNII: T7EU0O9VPP)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)	
FERROSFERRIC OXIDE (UNII: XM0M87F357)	

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:62742-4121-2	1 in 1 CARTON	12/05/2017	
1	NDC:62742-4121-1	20 mL in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part352	12/05/2017	

Labeler - Allure Labs, Inc (926831603)

Registrant - Allure Labs, Inc (926831603)

Establishment			
Name	Address	ID/FEI	Business Operations
Allure Labs, Inc		926831603	manufacture(62742-4121)