# MULTIVITAMIN WITH FLUORIDE- sodium fluoride tablet, chewable PureTek Corporation

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.

-----

Multivitamin with Fluoride 0.5 mg

**Prescribing Information** 

**DESCRIPTION:** 

Supplemer Serving Size: Servings per container:	1 Chewabl	and the second second
Amount Per Serving	%DV Adu Idren 4 years o	
Vitamin A (as Retinyl Acetate)	750 mcg RAE	83%
Vitamin C	60 mg	67%
(as Sodium Ascorbate 36 mg / Ascorbic Acid 2	24 mg)	
Vitamin D (as Cholecalciferol)	10 mcg	50%
Vitamin E	10 mg	67%
Thiamin (as Thiamine Mononitrate)	1.05 mg	88%
Riboflavin (as Vit B2)	1.2 mg	92%
Niacin (as Niacinamide)	13.5 mg	84%
Vitamin B <sub>6</sub> (as Pyridoxine Hydrochloride)	1.05 mg	62%
Folate (as Folic Acid) 500 mcg DFE (	300 mcg Folic Acid)	125%
Vitamin B <sub>12</sub> (as Cyanocobalamin)	4.5 mcg	188%
Fluoride	0.5 mg	*
* Daily Value (DV) not established		

**Ingredients:** Aspartame, Croscarmellose Sodium, Grape Flavor, Magnesium Stearate (vegetable source), Microcrystalline Cellulose, Stearic Acid (vegetable source), Sucrose, CI 45410 (Red 27 Lake), CI 42090 (FD&C Blue No. 1 Aluminum Lake).

#### **CLINICAL PHARMACOLOGY**

It is well established that fluoridation of the water supply (1 ppm fluoride) during the

period of tooth development leads to a significant decrease in the incidence of dental caries.

**Multivitamin with 0.5 mg Fluoride Chewable Tablets** provide sodium fluoride and ten essential vitamins in a chewable tablet. Because the tablets are chewable, they provide a topical as well as systemic source of fluoride. Hydroxyapatite is the principal crystal for all calcified tissue in the human body. The fluoride ion reacts with the hydroxyapatite in the tooth as it is formed to produce the more caries-resistant crystal, fluorapatite. The reaction may be expressed by the equation:

Ca 10(PO 4) 6(OH) 2 + 2F- ----- Ca 10(PO 4) 6F 2 + 2OH-

(Hydroxyapatite) (Fluorapatite)

Three stages of fluoride deposition in tooth enamel can be distinguished:

- 1. Small amounts (reflecting the low levels of fluoride in tissue fluids) are incorporated into the enamel crystals while they are being formed.
- 2. After enamel has been laid down, fluoride deposition continues in the surface enamel. Diffusion of fluoride from the surface inward is apparently restricted.
- 3. After eruption, the surface enamel acquires fluoride from the water, food, supplementary fluoride and smaller amounts from saliva.

#### INDICATIONS AND USAGE

Supplementation of the diet with ten essential vitamins.

Supplementation of the diet with fluoride for caries prophylaxis.

The American Academy of Pediatrics recommends that children up to the age 16, in areas where drinking water contains less

than optimal levels of fluoride, receive daily fluoride supplementation.

**Multivitamin with Fluoride 0.5 mg Chewable Tablets** provide 0.5 mg fluoride in tablet form for children 4-6 years of

age in areas where the drinking water fluoride level is less than 0.3 ppm, and for children 6 years of age and above where the

drinking water contains 0.3 through 0.6 ppm of fluoride.

**Multivitamin with Fluoride 0.5 mg Chewable Tablets** supply significant amounts of Vitamins A, C, D, E, thiamine, riboflavin, niacin, vitamin B6, vitamin B12, and folate to supplement the diet, and to help assure that nutritional deficiencies of these vitamins will not develop. Thus, in a single easy-to-use preparation, children obtain ten essential vitamins and the important mineral, fluoride.

Children using **Multivitamin with Fluoride 0.5 mg Chewable Tablets** regularly should receive semiannual dental examinations. The regular brushing of teeth and attention to good oral hygiene practices are also essential.

#### **WARNING**

Keep out of the reach of children. In case of accidental overdose, seek professional assistance or contact a Poison Control Center immediately.

Caution: Do not eat or drink dairy products within one hour of fluoride administration.

Should be chewed. This product, as all chewable tablets, is not recommended for children under age 4 due to risk of choking.

#### **PRECAUTION**

The suggested dose of **Multivitamin with Fluoride 0.5 mg** Chewable Tablets should not be exceeded, since dental fluorosis may result from continued ingestion of large amounts of fluoride.

Before prescribing Multivitamin with Fluoride 0.5 mg Chewable Tablets:

- 1. Determine the fluoride content of the drinking water from all major sources.
- 2. Make sure the child is not receiving significant amounts of fluoride from other sources such as medications and swallowed toothpaste.
- 3. Periodically check to make sure that the child does not develop significant dental fluorosis.

Phenylketonurics: Contains Phenylalanine 3.0 mg Per Tablet.

#### **ADVERSE REACTIONS**

Allergic rash and other idiosyncrasies have been rarely reported.

#### DOSAGE AND ADMINISTRATION

One tablet daily, to be dissolved in the mouth or chewed before swallowing. Do not give a chewable tablet to a child younger than 4 years old.

#### **HOW SUPPLIED**

Multivitamin chewable tablets containing 0.5 mg fluoride are purple-colored, grape flavor, un-scored, square debossed

"108" tablets are available on prescription only in bottles of 100 tablets. NDC: 59088-108-59

Store at 20° - 25°C (68°-77°F); excursions permitted to 15°- 30°C (59°- 86°F) [see USP Controlled Room Temperature].

Dispense in a tight, light resistant container with a child-resistant closure as defined in the USP/NF. All prescription substitutions using this product shall be pursuant to state statutes as applicable. This is not an Orange Book product.

#### **STORAGE**


Store at 20°-25°C (68°-77°F); excursions permitted to 15°-30°C (59°-86°F). See USP Controlled Room Temperature.

Dispense in a tight, light resistant container with a child-resistant closure as defined in the USP/NF. All prescription substitutions using this product shall be pursuant to state statutes as applicable. This is not an Orange Book product.

## Multivitamin with Fluoride Chewable Tablets 0.5 mg

Manufactured By: PureTek Corporation

Panorama City, CA 91402



### MULTIVITAMIN WITH FLUORIDE

sodium fluoride tablet, chewable

Product Information			
Product Type	HUMAN PRESCRIPTION DRUG	Item Code (Source)	NDC:59088-108
Route of Administration	ORAL		

Active Ingredient/Active Moiety		
Ingredient Name	Basis of Strength	Strength
SODIUM FLUORIDE (UNII: 8ZYQ1474W7) (FLUORIDE ION - UNII:Q80VPU4080)	FLUORIDE ION	0.5 mg
VITAMIN A (UNII: 81G40H8B0T) (VITAMIN A - UNII:81G40H8B0T)	VITAMIN A	750 ug
ASCORBIC ACID (UNII: PQ6CK8PD0R) (ASCORBIC ACID - UNII:PQ6CK8PD0R)	ASCORBIC ACID	24 mg
SODIUM ASCORBATE (UNII: S033EH8359) (ASCORBIC ACID - UNII:PQ6CK8PD0R)	ASCORBIC ACID	36 mg
CHOLECALCIFEROL (UNII: 1C6V77QF41) (CHOLECALCIFEROL - UNII:1C6V77QF41)	CHOLECALCIFEROL	10 ug
.ALPHATOCOPHEROL ACETATE, DL- (UNII: WR1WPI7EW8) (.ALPHATOCOPHEROL, DL UNII:7QWA1RIO01)	.ALPHA TOCOPHEROL, DL-	10 mg
THIAMINE MONONITRATE (UNII: 8K0104919X) (THIAMINE ION - UNII:4ABT0J945J)	THIAMINE	1.05 mg

RIBOFLAVIN (UNII: TLM29760FR) (RIBOFLAVIN - UNII:TLM29760FR)	RIBOFLAVIN	1.2 mg
NIACINAMIDE (UNII: 25X5118RD4) (NIACINAMIDE - UNII:25X5118RD4)	NIACINAMIDE	13.5 mg
PYRIDOXINE HYDROCHLORIDE (UNII: 68Y4CF58BV) (PYRIDOXINE - UNII: KV2JZ 1BI6Z)	PYRIDOXINE	1.05 mg
FOLIC ACID (UNII: 935E97BOY8) (FOLIC ACID - UNII:935E97BOY8)	FOLIC ACID	300 ug
CYANOCOBALAMIN (UNII: P6YC3EG204) (CYANOCOBALAMIN - UNII:P6YC3EG204)	CYANOCOBALAMIN	4.5 ug

Inactive Ingredients		
Ingredient Name	Strength	
SUCROSE (UNII: C151H8M554)		
CROSCARMELLOSE SODIUM (UNII: M28OL1HH48)		
<b>D&amp;C RED NO. 27</b> (UNII: 2LRS185U6K)		
FD&C BLUE NO. 1 (UNII: H3R47K3TBD)		
MAGNESIUM STEARATE (UNII: 70097M6I30)		
CELLULOSE, MICROCRYSTALLINE (UNII: OP1R32D61U)		
STEARIC ACID (UNII: 4ELV7Z65AP)		
ASPARTAME (UNII: Z0H242BBR1)		

Product Characteristics			
Color	purple (Dark purple)	Score	no score
Shape	SQUARE	Size	13mm
Flavor	GRAPE (Grape flavor)	Imprint Code	108
Contains			

Packaging			
# Item Code	Package Description	Marketing Start Date	Marketing End Date
1 NDC:59088- 108-59	100 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	06/01/2011	

	Marketing Information			
lication Number or Monograph Citation	Marketing Start Date	Marketing End Date		
	06/01/2011			
	_ ·	Citation Date		

# Labeler - PureTek Corporation (785961046)

Revised: 9/2022 PureTek Corporation