

SECURE - iodine liquid
BouMatic, LLC

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.

Secure

Premium Sanitizing Teat Dip

ACTIVE INGREDIENT: 1% Titratable Iodine. Contains Skin Conditioners.

DIRECTIONS FOR USE

Pre-Dipping

1. Remove excessive organic soils from teats prior to the application of the teat dip solution.
2. Forestrip milk from each quarter for mastitis detection and to initiate milk “let down”. (This procedure may be implemented after application of pre-dip as outlined in Step 3.)
3. Apply SECURE with either a dip cup or a sprayer completely covering the entire teat with the teat dip solution. Allow for 15-45 seconds contact time.
4. Wipe each teat with a single service towel removing all dip and soil from teat surface.
5. Attach milking unit.

Post-Dipping

1. After removal of milking unit, apply SECURE with either a dip cup or sprayer completely covering the entire teat with the teat dip solution.

DO NOT DILUTE TEAT DIP – USE AT FULL STRENGTH.

IF TEAT DIP BECOMES CLOUDY OR DIRTY, DISCARD AND REPLACE WITH FRESH DIP. DO NOT RETURN CONTAMINATED DIP TO ORIGINAL CONTAINER.

IF FROZEN, THAW COMPLETELY AND MIX WELL BEFORE USING.

PRECAUTIONARY STATEMENTS

Danger - Keep Out of Reach of Children - Can Cause Eye Damage

Protect eyes when handling. DO NOT get in eyes or on clothing.

Harmful if swallowed. Avoid contamination of food.


First Aid

EYES: In case of contact with eyes, flush immediately with plenty of water for at least 15 minutes. Call a physician.

INTERNAL: If swallowed, promptly rinse mouth then give a large quantity of milk or water. Avoid alcohol. Contact a physician immediately. Never give anything by mouth to an unconscious person.

For Assistance with Medical Emergency, Call: 1-800-255-3924.

Refer to Material Safety Data Sheet.



DAIRY EQUIPMENT CO., INC.

SECURE Iodine Sanitizing Teat Dip

INGREDIENT: 1% Titratable Iodine. Contains Skin Conditioners.

USES FOR USE

Disinfect organic soils from teats prior to the application of the teat dip

From each quarter for mastitis detection and to initiate milk "let down", it may be implemented after application of pre-dip as outlined in Step 3.)

Use with either a dip cup or a sprayer completely covering the entire teat lip solution. Allow for 15-45 seconds contact time.

Use with a single service towel removing all dip and soil from teat surface, 1 unit.

1. If contact with eyes, flush immediately with plenty of water for at least 15 minutes. If contact with eyes, flush immediately with plenty of water for at least 15 minutes. If contact with eyes, flush immediately with plenty of water for at least 15 minutes.

Use with either a dip cup or a sprayer completely covering the entire teat lip solution.

DO NOT USE WITH EITHER A DIP CUP OR A SPRAYER. USE WITH EITHER A DIP CUP OR A SPRAYER COMPLETELY COVERING THE ENTIRE TEAT LIP SOLUTION. ALLOW FOR 15-45 SECONDS CONTACT TIME. USE WITH A SINGLE SERVICE TOWEL REMOVING ALL DIP AND SOIL FROM TEAT SURFACE, 1 UNIT.

CAUTIONARY STATEMENTS

Keep Out of Reach of Children - Can Cause Eye Damage. Avoid contact with eyes. Do NOT get in eyes or on clothing. Avoid contamination of food.


If contact with eyes, flush immediately with plenty of water for at least 15 minutes. If contact with eyes, flush immediately with plenty of water for at least 15 minutes.

Wash hands, promptly rinse mouth then give a large quantity of milk or water. Contact a physician immediately. Never give anything by mouth to a newborn calf.

For more information, please contact your local distributor. For more information, please contact your local distributor. For more information, please contact your local distributor.




TAKE TIME
OBSERVE
LABEL
DIRECTIONS



"Serving Michigan Dairy Producers Since 1962"

Repackaged by: **BROWN DAIRY EQUIPMENT Co., Inc.**
2153 N. Van Dyke • Bad Axe • Michigan 48413 (800) 373-2153
Distributed by: **BOUMATTIC LLC**
1919 S. Stoughton Rd • Madison • Wisconsin 53708 (608) 222-3484



Browser interface showing navigation tools (back, forward, search, etc.), a 'Sign Document' button, and a 'Comment' field.

Enter section text here

SECURE
iodine liquid

Product Information

Product Type	OTC ANIMAL DRUG	Item Code (Source)	NDC:48 106-1194
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
IODINE (UNII: 9679TC07X4) (IODINE - UNII:9679TC07X4)	IODINE	10 g in 1 L

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:48 106-1194-1	3.8 L in 1 DRUM		
2	NDC:48 106-1194-2	18.9 L in 1 DRUM		
3	NDC:48 106-1194-3	56.8 L in 1 DRUM		
4	NDC:48 106-1194-4	114 L in 1 DRUM		
5	NDC:48 106-1194-5	208 L in 1 DRUM		
6	NDC:48 106-1194-6	1040 L in 1 CONTAINER, FLEXIBLE INTERMEDIATE BULK		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		08/01/2007	

Labeler - BouMatic, LLC (124727400)**Registrant** - BouMatic, LLC (124727400)**Establishment**

Name	Address	ID/FEI	Business Operations
BouMatic, LLC		124727400	manufacture, api manufacture

Establishment

Name	Address	ID/FEI	Business Operations
BROWN DAIRY EQUIPMENT		028199899	repack

Establishment

Name	Address	ID/FEI	Business Operations
BROWN DAIRY EQUIPMENT		017030149	repack