

**SMART SENSE LOPERAMIDE HYDROCHLORIDE- loperamide hcl suspension**  
**Kmart Corporation**

-----  
**Kmart Corporation Loperamide Hydrochloride Oral Suspension Drug Facts**

**Active ingredient (in each 7.5 mL)**

Loperamide HCl 1 mg

**Purpose**

Anti-diarrheal

**Use**

controls symptoms of diarrhea, including Travelers' Diarrhea

**Warnings**

Allergy alert: Do not use if you have ever had a rash or other allergic reaction to loperamide HCl

**Do not use**

if you have bloody or black stool

**Ask a doctor before use if you have**

- fever
- mucus in the stool
- a history of liver disease

**Ask a doctor or pharmacist before use if you are**

taking antibiotics

**When using this product**

- tiredness, drowsiness or dizziness may occur. Be careful when driving or operating machinery.

**Stop use and ask a doctor if**

- symptoms get worse
- diarrhea lasts for more than 2 days
- you get abdominal swelling or bulging.

These may be signs of a serious condition.

**If pregnant or breast-feeding,**

ask a health professional before use.

**Keep out of reach of children.**

In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222)

## Directions

- drink plenty of clear fluids to help prevent dehydration caused by diarrhea
- find right dose on chart. If possible, use weight to dose; otherwise use age.
- shake well before using
- only use attached measuring cup to dose product

|                                       |   |
|---------------------------------------|---|
| adults and children 12 years and over | 30 mL (6 tsp) after the first loose stool; 15 mL (3 tsp) after each subsequent loose stool; but no more than 60 mL (12 tsp) in 24 hours     |
| children 9-11 years (60-95 lbs)       | 15 mL (3 tsp) after the first loose stool; 7.5 mL (1 1/2 tsp) after each subsequent loose stool; but no more than 45 mL (9 tsp) in 24 hours |
| children 6-8 years (48-59 lbs)        | 15 mL (3 tsp) after the first loose stool; 7.5 mL (1 1/2 tsp) after each subsequent loose stool; but no more than 30 mL (6 tsp) in 24 hours |
| children under 6 years (up to 47 lbs) | ask a doctor  |

## Other information

- each 30 mL (6 tsp) contains: sodium 15 mg
- store between 20-25°C (68-77°F)
- see side panel for lot number and expiration date

## Inactive ingredients

anhydrous citric acid, carboxymethylcellulose sodium, D&C yellow no. 10, FD&C blue no. 1, glycerin, microcrystalline cellulose, natural and artificial mint flavor, propylene glycol, purified water, simethicone, sodium benzoate, sucralose, titanium dioxide, xanthan gum

## Questions or comments?

1-800-719-9260

## Package/Label Principal Display Panel

Compare to Imodium® A-D active ingredient

Loperamide Hydrochloride Oral Suspension

Anti-Diarrheal

Controls the Symptoms of Diarrhea

1 mg Loperamide Hydrochloride per 7.5 mL

4 FL OZ (120 mL)

Mint Flavor

**Drug Facts**

**Active ingredient Purpose (in each 7.5 mL)**

Loperamide HCl  
1 mg.....Anti-diarrheal

**Use** controls symptoms of diarrhea, including Travelers' Diarrhea

**Warnings**

**Allergy alert:** Do not use if you have ever had a rash or other allergic reaction to loperamide HCl

**Do not use** if you have bloody or black stool

**PEEL BACK HERE**

NDC 49738-645-26

Compare to **Imodium® A-D** active ingredient\*

**Smart sense**

**Loperamide Hydrochloride Oral Suspension**  
Anti-Diarrheal

Controls the Symptoms of Diarrhea

1mg Loperamide Hydrochloride per 7.5 mL

4 FL OZ (120 mL) **Mint Flavor**

**Do not use if printed plastic neckband is broken or missing.**


Distributed by:  
Kmart Corporation  
Hoffman Estates, IL 60179  
Shop [kmart.com](http://kmart.com)

**SATISFACTION GUARANTEE**

**GLUTEN FREE**

Thank you for purchasing this quality product. If you are unsatisfied for any reason, return the unused portion to the store for a full refund or call 1-800-842-7886.

\*This product is not manufactured or distributed by McNeil Consumer Healthcare, distributor of Imodium® A-D.



: 64526 FT F2

**Drug Facts (continued)**

**Ask a doctor before use if you have** ■ fever ■ mucus in the stool ■ a history of liver disease

**Ask a doctor or pharmacist before use if you are taking antibiotics**

**When using this product** ■ tiredness, drowsiness or dizziness may occur. Be careful when driving or operating machinery.

**Stop use and ask a doctor if**  
■ symptoms get worse  
■ diarrhea lasts for more than 2 days  
■ you get abdominal swelling or bulging.  
These may be signs of a serious condition.

**If pregnant or breast-feeding,** ask a health professional before use.

**Keep out of reach of children.** In case of overdose, get medical help or contact a Poison


**Drug Facts (continued)**

Control Center right away. (1-800-222-1222)

**Directions** ■ drink plenty of clear fluids to help prevent dehydration caused by diarrhea ■ find right dose on chart. If possible, use weight to dose; otherwise use age. ■ shake well before using ■ only use attached measuring cup to dose product

adults and children 12 years and over 30 mL (6 tsp) after the first loose stool; 15 mL (3 tsp) after each subsequent loose stool; but no more than 60 mL (12 tsp) in 24 hours

children 9-11 years (60-95 lbs) 15 mL (3 tsp) after the first loose stool; 7.5 mL (1 1/2 tsp) after each subsequent loose stool; but no more than 45 mL (9 tsp) in 24 hours



## SMART SENSE LOPERAMIDE HYDROCHLORIDE

loperamide hcl suspension

### Product Information

|                                |                |                           |               |
|--------------------------------|----------------|---------------------------|---------------|
| <b>Product Type</b>            | HUMAN OTC DRUG | <b>Item Code (Source)</b> | NDC:49738-645 |
| <b>Route of Administration</b> | ORAL           |                           |               |

### Active Ingredient/Active Moiety

| Ingredient Name  | Basis of Strength        | Strength       |
|--|--------------------------|----------------|
| LOPERAMIDE HYDROCHLORIDE (UNII: 77TI35393C) (LOPERAMIDE - UNII:6X9OC3H4II) | LOPERAMIDE HYDROCHLORIDE | 1 mg in 7.5 mL |

### Inactive Ingredients

| Ingredient Name                                  | Strength |
|--|----------|
| ANHYDROUS CITRIC ACID (UNII: XF417D3PSL)         |          |
| CARBOXYMETHYLCELLULOSE SODIUM (UNII: K679OBS311) |          |
| D&C YELLOW NO. 10 (UNII: 35SW5USQ3G)             |          |
| FD&C BLUE NO. 1 (UNII: HBR47K3TBD)               |          |
| GLYCERIN (UNII: PDC6A3C0OX)                      |          |
| CELLULOSE, MICROCRYSTALLINE (UNII: OP1R32D61U)   |          |
| PROPYLENE GLYCOL (UNII: 6DC9Q167V3)              |          |
| WATER (UNII: 059QF0K00R)                         |          |
| SODIUM BENZOATE (UNII: OJ245FE5EU)               |          |
| SUCRALOSE (UNII: 96K6UQ3ZD4)                     |          |
| TITANIUM DIOXIDE (UNII: 15FIX9V2JP)              |          |
| XANTHAN GUM (UNII: TTV12P4NEE)                   |          |

### Product Characteristics

|                 |                         |                     |  |
|-----------------|-------------------------|---------------------|--|
| <b>Color</b>    | GREEN (opaque, viscous) | <b>Score</b>        |  |
| <b>Shape</b>    |                         | <b>Size</b>         |  |
| <b>Flavor</b>   | MINT                    | <b>Imprint Code</b> |  |
| <b>Contains</b> |                         |                     |  |

### Packaging

| # | Item Code        | Package Description | Marketing Start Date | Marketing End Date |
|---|------------------|---------------------|----------------------|--------------------|
| 1 | NDC:49738-645-26 | 120 mL in 1 BOTTLE  |                      |                    |
| 2 | NDC:49738-645-34 | 240 mL in 1 BOTTLE  |                      |                    |

### Marketing Information

| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|--------------------|--|----------------------|--------------------|
| ANDA               | ANDA091292                               | 05/14/2012           |                    |

**Labeler** - Kmart Corporation (008965873)

Revised: 10/2014

Kmart Corporation