

METABATONE- aralia racemosa, avena sativa, berberis vulgaris, capsicum annuum, ginkgo biloba, phytolacca decandra, hypothalamus suis, adenosinum triphosphoricum dinatrum, alpha-ketoglutaricum acidum, fel tauri, hyaluronidase, pancreas suis, pancreatinum, papain, stomach (suis), l-alanine, l- arginine, l-carnitine, cysteinum, l-glutamine, l-histidine, l-isoleucine, l-leucine, l-lysine, l-methionine, l-ornithine, l-proline, l-serine, l-tryptophan, l-tyrosine, l-valine, calcarea carbonica, calcarea phosphorica, iodium, liquid Energique, Inc.

Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.

DRUG FACTS:

ACTIVE INGREDIENTS:

(in each drop) Alpha-Ketoglutaricum Acidum 9X, 10X, 12X 2.76%, L-Alanine 12X 2.76%, L-Arginine 12X 2.76%, L-Carnitine 12X 2.76%, Cysteinum 12X 2.76%, L-Glutamine 12X 2.76%, L-Histidine 12X 2.76%, L-Isoleucine 12X 2.76%, L-Leucine 12X 2.76%, L-Lysine 12X 2.76%, L-Methionine 12X 2.76%, L-Ornithine 12X 2.76%, L-Proline 12X 2.76%, L-Serine 12X 2.76%, L-Tryptophan 12X 2.76% L-Tyrosine 12X 2.76%, L-Valine 12X 2.76%, Adenosinum Triphosphoricum Dinatrum 9X, 10X, 12X 2.76%, Bromelain 9C, 10C, 12C 2.76%, Calcarea Carbonica 12X 2.76%, Calcarea Phosphorica 12X2.76%, Fel Tauri 10X, 12X 2.76%, Graphites 12X 2.76%, Hepar Sulphuris Calcareum 12X 2.76%, Hyaluronidase 9X, 10X, 12X 2.76%, Hypothalamus Suis 9X 2.76%, Iodium 12X 2.76%, Lycopodium Clavatum 12X 2.76%, Magnesia Carbonica 12X 2.76%, Natrum Muriaticum 12X 2.76%, Pancreas Suis 9X, 10X, 12X 2.76%, Pancreatinum 10X, 12X 2.76%, Papain 9X, 10X, 12X 2.76%, Phytolacca Decandra 5X 2.76%, Stomach (Suis) 9X, 10X, 12X 2.76%, Aralia Racemosa 3X 0.10%, Avena Sativa 3X 0.10%, Berberis Vulgaris 3X 0.10%, Capsicum Annuum 3X 0.10%, Fel Tauri 9X 0.10%, Ginkgo Biloba 3X 0.10%, Pancreatinum 9X 0.10%.

PURPOSES:

Alpha-Ketoglutaricum Acidum – lassitude**, L-Alanine – weight gain**, L-Arginine - weight gain**, L-Carnitine - weight gain**, Cysteinum - weight gain**, L-Glutamine - weight gain**, L-Histidine - weight gain**, L-Isoleucine - weight gain**, L-Leucine - weight gain**, L-Lysine - weight gain**, L-Methionine - weight gain**, L-Ornithine - weight gain**, L-Proline - weight gain**, L-Serine - weight gain**, L-Tryptophan - weight gain**, L-Tyrosine - weight gain**, L-Valine - weight gain**, Adenosinum Triphosphoricum Dinatrum – increased appetite**, Bromelain – weakness**, Calcarea Carbonica – weight gain**, Calcarea Phosphorica – fat cravings**, Fel Tauri – constipation**, Graphites – weight gain**, Hepar Sulphuris Calcareum – chilliness **, Hyaluronidase – weakness**, Hypothalamus Suis – lowered metabolism **, Iodium – hunger**, Lycopodium Clavatum – sweet cravings**, Magnesia Carbonica – exhaustion**, Natrum Muriaticum – water retention**, Pancreas Suis – weakness for hunger**, Pancreatinum – weakness**, Papain – weakness**, Phytolacca Decandra – sluggishness**, Stomach (Suis) – slow

digestion**, Aralia Racemosa – weakness**, Avena Sativa – irritability due to cravings**, Berberis Vulgaris – faintness**, Capsicum Annuum – sluggishness**, Ginkgo Biloba – forgetfulness**.

**Claims based on traditional homeopathic practice, not accepted medical evidence. Not FDA evaluated.

USES:

May temporarily relieve •tiredness •weakness •general fatigue •exhaustion •weakness of memory**

**Claims based on traditional homeopathic practice, not accepted medical evidence. Not FDA evaluated.

WARNINGS:

Stop use and ask a doctor if symptoms persist for more than 7 days.

If pregnant or breastfeeding, ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

DO NOT USE IF TAMPER EVIDENT SEAL IS BROKEN OR MISSING

Store in a cool, dry place.

KEEP OUT OF REACH OF CHILDREN:

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

DIRECTIONS:

• Adults and children 5 to 10 drops orally, 3 times daily or as otherwise directed by a health care professional.

Consult a physician for use in children under 12 years of age.

INACTIVE INGREDIENTS:

Demineralized water, 20% Ethanol.

QUESTIONS:

Dist. by Energique, Inc.

201 Apple Blvd.

Woodbine, IA 51579

800.869.8078

PACKAGE LABEL DISPLAY:


ENERGIQUE

SINCE 1987

HOMEOPATHIC REMEDY

METABATONE

1 fl. oz. (30 ml)



ENERGIQUE
SINCE 1987

HOMEOPATHIC REMEDY


METABATONE™

1 fl. oz. (30 ml) 20% Ethanol

DO NOT USE IF TAMPER EVIDENT SEAL IS BROKEN OR MISSING

Drug Facts

<i>Active ingredients (in each drop)</i>	<i>Purposes</i>
alpha-Ketoglutar Ac 9X, 10X, 12X 2.76%	lassitude**
Amino Acids 12X 2.76%	weight gain**
(L-Alanine, L-Arginine, L-Carnitine, Cysteineum, L-Glutamine, L-Histidine, L-Isoleucine, L-Leucine, L-Lysine, L-Methionine, L-Ornithine, L-Proline, L-Serine, L-Tryptophan, L-Tyrosine, L-Valine)	
ATP 9X, 10X, 12X 2.76%	increased appetite**
Bromelain 9C, 10C, 12C 2.76%	weakness**



3 63113 70179 1

v04 800.869.8078

Dist. by Energique, Inc.
201 Apple Blvd.
Woodbine, IA 51579

UNVARNISHED AREA / NO PRIMER

PEEL HERE

Drug Facts (continued)

Calc Carb 12X 2.76%.....weight gain**

Calc Phos 12X 2.76%.....fat cravings**

Fel Tauri 10X, 12X 2.76%.....constipation**

Graphites 12X 2.76%.....weight gain**

Hepar Sulph Calc 12X 2.76%.....chilliness**

Hyaluronidase 9X, 10X, 12X 2.76%.....weakness**

Hypothalamus Suis 9X 2.76%.....lowered metabolism**

Iodium 12X 2.76%.....hunger**

Lycopodium 12X 2.76%.....sweet cravings**

Mag Carb 12X 2.76%.....exhaustion**

Nat Mur 12X 2.76%.....water retention**

Drug Facts (continued)

Pancreas 9X, 10X, 12X 2.76%.....weakness from hunger**

Pancreatinum 10X, 12X 2.76%.....weakness**

Papain 9X, 10X, 12X 2.76%.....weakness**

Phytolacca 5X 2.76%.....sluggishness**

Stomach 9X, 10X, 12X 2.76%.....slow digestion**

Aralia Rac 3X 0.10%.....weakness

Avena 3X 0.10%...irritability due to cravings**

Berber Vulg 3X 0.10%.....faintness

Capsicum 3X 0.10%.....sluggishness**

Fel Tauri 9X 0.10%.....constipation**

Ginkgo 3X 0.10%.....forgetfulness**

TIEDOWN AREA
NO TEXT HERE

Drug Facts (continued)

Pancreatinum 9X 0.10%.....weakness**

Uses May temporarily relieve: •tiredness •weakness •general fatigue •exhaustion

Drug Facts (continued)

Directions • Adults and children 5 to 10 drops orally, 3 times daily or as otherwise directed by a health care professional.

• Consult a physician for use in children

OWN AREA
TEXT HERE

•weakness of memory**

Warnings
Stop use and ask a doctor if symptoms persist for more than 7 days.

If pregnant or breast-feeding, ask a health professional before use.
Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away. ▶

Consult a physician for use in children under 12 years of age.

Other information
 Store in a cool, dry place.

Inactive ingredients
 Demineralized water, 20% Ethanol.

**Claims based on traditional homeopathic practice, not accepted medical evidence. Not FDA evaluated.

METABATONE

aralia racemosa, avena sativa, berberis vulgaris, capsicum annuum, ginkgo biloba, phytolacca decandra, hypothalamus suis, adenosinum triphosphoricum dinatrium, alpha-ketoglutaricum acidum, fel tauri, hyaluronidase, pancreas suis, pancreatinum, papain, stomach (suis), l-alanine, l-arginine, l-carnitine, cysteinum, l-glutamine, l-histidine, l-isoleucine, l-leucine, l-lysine, l-methionine, l-ornithine, l-proline, l-serine, l-tryptophan, l-tyrosine, l-valine, calcarea carbonica, calcarea phosphorica, iodium, liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:44911-0665
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ARALIA RACEMOSA ROOT (UNII: T90W4582DU) (ARALIA RACEMOSA ROOT - UNII:T90W4582DU)	ARALIA RACEMOSA ROOT	3 [hp_X] in 1 mL
AVENA SATIVA FLOWERING TOP (UNII: MA9CQJ3F7F) (AVENA SATIVA FLOWERING TOP - UNII:MA9CQJ3F7F)	AVENA SATIVA FLOWERING TOP	3 [hp_X] in 1 mL
BERBERIS VULGARIS ROOT BARK (UNII: 1TH8Q20J0U) (BERBERIS VULGARIS ROOT BARK - UNII:1TH8Q20J0U)	BERBERIS VULGARIS ROOT BARK	3 [hp_X] in 1 mL
CAPSICUM (UNII: 00UK7646FG) (CAPSICUM - UNII:00UK7646FG)	CAPSICUM	3 [hp_X] in 1 mL
GINKGO (UNII: 19FUJ2C58T) (GINKGO - UNII:19FUJ2C58T)	GINKGO	3 [hp_X] in 1 mL
PHYTOLACCA AMERICANA ROOT (UNII: 11E6VI8VEG) (PHYTOLACCA AMERICANA ROOT - UNII:11E6VI8VEG)	PHYTOLACCA AMERICANA ROOT	5 [hp_X] in 1 mL
SUS SCROFA PITUITARY GLAND (UNII: L0PFEMQ1DT) (SUS SCROFA PITUITARY GLAND - UNII:L0PFEMQ1DT)	SUS SCROFA PITUITARY GLAND	9 [hp_X] in 1 mL
ADENOSINE TRIPHOSPHATE DISODIUM (UNII: 5L51B4DR1G) (ADENOSINE TRIPHOSPHATE - UNII:8L70Q75FXE)	ADENOSINE TRIPHOSPHATE DISODIUM	9 [hp_X] in 1 mL
OXOGLURIC ACID (UNII: 8ID597Z82X) (.ALPHA.-KETOGLUTARIC ACID - UNII:8ID597Z82X)	OXOGLURIC ACID	9 [hp_X] in 1 mL
BOS TAURUS BILE (UNII: ET3651ZLOU) (BOS TAURUS BILE - UNII:ET3651ZLOU)	BOS TAURUS BILE	9 [hp_X] in 1 mL
HYALURONIDASE (BOVINE) (UNII: 8KOG53Z5EM) (HYALURONIDASE (BOVINE) - UNII:8KOG53Z5EM)	HYALURONIDASE (BOVINE)	9 [hp_X] in 1 mL
SUS SCROFA PANCREAS (UNII: 9Y3J3362RY) (SUS SCROFA PANCREAS - UNII:9Y3J3362RY)	SUS SCROFA PANCREAS	9 [hp_X] in 1 mL
PANCRELIPASE (UNII: FQ3DRG0N5K) (PANCRELIPASE LIPASE - UNII:FQ3DRG0N5K)	PANCRELIPASE LIPASE	9 [hp_X] in 1 mL

UNII:8MYC33932O)	PANCRELIPASE LIPASE	in 1 mL
PAPAIN (UNII: A236A06Y32) (PAPAIN - UNII:A236A06Y32)	PAPAIN	9 [hp_X] in 1 mL
SUS SCROFA STOMACH (UNII: T0920P9Z9A) (SUS SCROFA STOMACH - UNII:T0920P9Z9A)	SUS SCROFA STOMACH	9 [hp_X] in 1 mL
ALANINE (UNII: OF5P57N2ZX) (ALANINE - UNII:OF5P57N2ZX)	ALANINE	12 [hp_X] in 1 mL
ARGININE (UNII: 94ZLA3W45F) (ARGININE - UNII:94ZLA3W45F)	ARGININE	12 [hp_X] in 1 mL
LEVOCARNITINE (UNII: 0G389FZZ9M) (LEVOCARNITINE - UNII:0G389FZZ9M)	LEVOCARNITINE	12 [hp_X] in 1 mL
CYSTEINE (UNII: K848JZ4886) (CYSTEINE - UNII:K848JZ4886)	CYSTEINE	12 [hp_X] in 1 mL
GLUTAMINE (UNII: 0RH81L854J) (GLUTAMINE - UNII:0RH81L854J)	GLUTAMINE	12 [hp_X] in 1 mL
HISTIDINE (UNII: 4QD397987E) (HISTIDINE - UNII:4QD397987E)	HISTIDINE	12 [hp_X] in 1 mL
ISOLEUCINE (UNII: 04Y7590D77) (ISOLEUCINE - UNII:04Y7590D77)	ISOLEUCINE	12 [hp_X] in 1 mL
LEUCINE (UNII: GMW67QNF9C) (LEUCINE - UNII:GMW67QNF9C)	LEUCINE	12 [hp_X] in 1 mL
LYSINE (UNII: K3Z4F929H6) (LYSINE - UNII:K3Z4F929H6)	LYSINE	12 [hp_X] in 1 mL
METHIONINE (UNII: AE28F7PNPL) (METHIONINE - UNII:AE28F7PNPL)	METHIONINE	12 [hp_X] in 1 mL
ORNITHINE (UNII: E524N2IXA3) (ORNITHINE - UNII:E524N2IXA3)	ORNITHINE	12 [hp_X] in 1 mL
PROLINE (UNII: 9DLQ4CIU6V) (PROLINE - UNII:9DLQ4CIU6V)	PROLINE	12 [hp_X] in 1 mL
SERINE (UNII: 452VLY9402) (SERINE - UNII:452VLY9402)	SERINE	12 [hp_X] in 1 mL
TRYPTOPHAN (UNII: 8DUH1N11BX) (TRYPTOPHAN - UNII:8DUH1N11BX)	TRYPTOPHAN	12 [hp_X] in 1 mL
TYROSINE (UNII: 42HK56048U) (TYROSINE - UNII:42HK56048U)	TYROSINE	12 [hp_X] in 1 mL
VALINE (UNII: HG18B9YRS7) (VALINE - UNII:HG18B9YRS7)	VALINE	12 [hp_X] in 1 mL
OYSTER SHELL CALCIUM CARBONATE, CRUDE (UNII: 2E32821G6I) (OYSTER SHELL CALCIUM CARBONATE, CRUDE - UNII:2E32821G6I)	OYSTER SHELL CALCIUM CARBONATE, CRUDE	12 [hp_X] in 1 mL
TRIBASIC CALCIUM PHOSPHATE (UNII: 91D9GV0Z28) (CALCIUM CATION - UNII:2M83C4R6ZB)	CALCIUM CATION	12 [hp_X] in 1 mL
GRAPHITE (UNII: 4QQN74LH4O) (GRAPHITE - UNII:4QQN74LH4O)	GRAPHITE	12 [hp_X] in 1 mL
CALCIUM SULFIDE (UNII: 1MBW07J51Q) (CALCIUM SULFIDE - UNII:1MBW07J51Q)	CALCIUM SULFIDE	12 [hp_X] in 1 mL
IODINE (UNII: 9679TC07X4) (IODINE - UNII:9679TC07X4)	IODINE	12 [hp_X] in 1 mL
LYCOPODIUM CLAVATUM SPORE (UNII: C88X29Y479) (LYCOPODIUM CLAVATUM SPORE - UNII:C88X29Y479)	LYCOPODIUM CLAVATUM SPORE	12 [hp_X] in 1 mL
MAGNESIUM CARBONATE (UNII: 0E53J927NA) (CARBONATE ION - UNII:7UJQ5OPE7D)	MAGNESIUM CARBONATE	12 [hp_X] in 1 mL
SODIUM CHLORIDE (UNII: 451W47IQ8X) (CHLORIDE ION - UNII:Q32ZN48698)	SODIUM CHLORIDE	12 [hp_X] in 1 mL
BROMELAINS (UNII: U182GP2CF3) (BROMELAINS - UNII:U182GP2CF3)	BROMELAINS	9 [hp_C] in 1 mL

Inactive Ingredients

Ingredient Name		Strength		
WATER (UNII: 059QF0KO0R)				
ALCOHOL (UNII: 3K9958V90M)				
Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:44911-0665-1	30 mL in 1 BOTTLE, DROPPER; Type 0: Not a Combination Product	12/28/2022	
Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
unapproved homeopathic		12/28/2022		

Labeler - Energique, Inc. (789886132)

Registrant - Apotheca Company (844330915)

Establishment

Name	Address	ID/FEI	Business Operations
Apotheca Company		844330915	manufacture(44911-0665) , api manufacture(44911-0665) , label(44911-0665) , pack(44911-0665)

Revised: 12/2022

Energique, Inc.