

**NEUTROGENA HEALTHY DEFENSE DAILY MOISTURIZER WITH SUNSCREEN  
BROAD SPECTRUM SPF 50- titanium dioxide and zinc oxide lotion  
Johnson & Johnson Consumer Inc.**

-----  
**Neutrogena® HEALTHY DEFENSE® daily moisturizer with sunscreen Broad  
Spectrum SPF 50**

***Drug Facts***

<b><i>Active ingredient</i></b>	<b><i>Purpose</i></b>
Titanium Dioxide 5%	Sunscreen
Zinc Oxide 3%	Sunscreen

**Uses**

- helps prevent sunburn
- if used as directed with other sun protection measures (see ***Directions***), decreases the risk of skin cancer and early skin aging caused by the sun

**Warnings**

- **For external use only**
- **Do not use** on damaged or broken skin
- **When using this product** keep out of eyes. Rinse with water to remove.
- **Stop use and ask a doctor if** rash occurs
- **Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

**Directions For Sunscreen Use**

- apply generously 15 minutes before sun exposure
- reapply at least every 2 hours
- use a water resistant sunscreen if swimming or sweating
- **Sun Protection Measures:** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
  - limit time in the sun, especially from 10 a.m. – 2 p.m.
  - wear long-sleeved shirts, pants, hats, and sunglasses
- children under 6 months of age: Ask a doctor

**Other information**

- protect this product from excessive heat and direct sun

## **Inactive ingredients**

water, C12-15 Alkyl Benzoate, Ethylhexyl Isononanoate, Styrene/Acrylates Copolymer, Glyceryl Stearate, Glycerin, Silica, Ethylhexyl Hydroxystearate, Dimethicone, Aluminum Stearate, Cetyl Alcohol, PEG-100 Stearate, Ethylhexylglycerin, Polyhydroxystearic Acid, Phenoxyethanol, Hydroxyethyl Acrylate/Sodium Acryloyldimethyl Taurate Copolymer, PEG-75 Stearate, Pentylene Glycol, Caprylyl Glycol, Bisabolol, Isohexadecane, Chlorphenesin, Ceteth-20, Steareth-20, PPG-12/SMDI Copolymer, Disodium EDTA, Polysorbate 60, Triethoxycaprylylsilane, Dipropylene Glycol Dibenzoate, PPG-15 Stearyl Ether Benzoate, BHT, Alumina

## **Questions?**

Call toll-free **800-299-4786** or **215-273-8755** (collect). visit [www.neutrogena.com](http://www.neutrogena.com)

Distributed by:

**JOHNSON & JOHNSON CONSUMER INC.**

Skillman, NJ 08558

## **PRINCIPAL DISPLAY PANEL - 50 mL Tube Carton**

### **HEALTHY**

### **DEFENSE**®

daily

moisturizer

with

sunscreen

### **Broad Spectrum**

### **SPF 50**

### **pureSCREEN**®

### **100% mineral actives**

SENSITIVE SKIN


Lightweight, non-greasy, fragrance free

Neutrogena®

DERMATOLOGIST RECOMMENDED

FACIAL MOISTURIZER

1.7 FL OZ (50mL)



wgn7904d1

HEALTHY DEFENSE®  
daily moisturizer  
with pureSCREEN®

Broad Spectrum SPF 50

HEALTHY DEFENSE®

daily moisturizer  
with sunscreen

Broad Spectrum SPF 50

pureSCREEN®  
100% mineral actives

SENSITIVE SKIN

Lightweight, non-greasy, fragrance free

Neutrogena®

DERMATOLOGIST RECOMMENDED  
FACIAL MOISTURIZER

1.7 FL OZ (50mL)

**What is PureSCREEN®?**


PureSCREEN® is an exclusive blend of 100% mineral actives (titanium dioxide and zinc oxide) that create a physical barrier against the sun's UVA and UVB rays.

**How does PureSCREEN® work?**

It forms a physical barrier on your skin that reflects and refracts the dangerous rays. This broad spectrum protection is photostable and gentle enough for sensitive skin.

**Why is broad spectrum protection important?**

UVB rays harm the skin's surface and are the primary cause of sunburn. UVA's more penetrating rays damage collagen and elastin that results in the signs of premature aging: fine lines, wrinkles, sagging, age spots.



Healthy Defense® is a dermatologist recommended facial moisturizer

**PROTECTS**

Helps physically deflect UVB burning rays and UVA skin aging rays to help prevent premature lines and wrinkles caused by the sun.

**MOISTURIZES**

Lightweight, non-greasy formula is fragrance-free and absorbs quickly to moisturize sensitive skin.

**For best results:**

- Smooth liberally on face, neck, and other exposed areas every morning after cleansing
- Works well under makeup or over a serum

**This product is:**

- Gentle
- Fragrance-free
- PABA free

Healthy Defense® Daily Moisturizer Broad Spectrum SPF 50 with PureSCREEN®, an advanced sunscreen complex, provides superior sun protection when used in combination with other sun protection measures and helps prevent the signs of premature skin aging.

This lightweight, non-greasy formula absorbs quickly, keeps skin hydrated all day, and helps to prevent future signs of environmental sun damage that may accelerate the signs of skin aging.

**Drug Facts**

Active ingredients	Purpose
Titanium Dioxide 5%, Zinc Oxide 3%	Sunscreen

**Uses** • helps prevent sunburn • If used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

**Warnings** • For external use only • Do not use on damaged or broken skin • When using this product keep out of eyes. Rinse with water to remove. • Stop use and ask a doctor if rash occurs • Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

**Directions** For Sunscreen Use: • apply generously 15 minutes before sun exposure • reapply at least every 2 hours • use a water resistant sunscreen if swimming or sweating • **Sun Protection Measures:** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: • limit time in the sun, especially from 10 a.m.–2 p.m. • wear long-sleeved shirts, pants, hats, and sunglasses • children under 6 months of age: Ask a doctor

**Other information** • protect this product from excessive heat and direct sun

**Inactive ingredients** Water, C12-15 Alkyl Benzoate, Ethylhexyl Isononanoate, Styrene/Acrylates Copolymer, Glyceryl Stearate, Glycerin, Silica, Ethylhexyl Hydroxystearate, Dimethicone, Aluminum Stearate, Cetyl Alcohol, PEG-100 Stearate, Ethylhexylglycerin, Polyhydroxystearic Acid, Phenoxylethanol, Hydroxyethyl Acrylate/Sodium Acryloyldimethyl Taurate Copolymer, PEG-75 Stearate, Pentylene Glycol, Caprylyl Glycol, Bisabolol, Isohexadecane, Chlorphenesin, Octyl-20, Steareth-20, PPG-12/3Methyl Copolymer, Disodium EDTA, Polysorbate 60, Triethoxycaprylylsilane, Dipropylene Glycol Dibenzate, PPG-15 Stearyl Ether Benzoate, BHT, Alumina

**Questions?** Call toll-free 800-299-4786 or 215-273-8755 (collect). www.neutrogena.com



Actual size of product



This package contains post-consumer recycled materials.

30050784

Distributed by:  
**JOHNSON & JOHNSON CONSUMER INC.**  
Skillman, NJ 08558 © J&JCI 2022  
Pat. www.jcipc.com  
30050784

**NEUTROGENA HEALTHY DEFENSE DAILY MOISTURIZER WITH SUNSCREEN BROAD SPECTRUM SPF 50**

titanium dioxide and zinc oxide lotion

## Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:69968-0515
<b>Route of Administration</b>	TOPICAL		

## Active Ingredient/Active Moiety

<b>Ingredient Name</b>	<b>Basis of Strength</b>	<b>Strength</b>
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	50 mg in 1 mL
<b>ZINC OXIDE</b> (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	30 mg in 1 mL

## Inactive Ingredients

<b>Ingredient Name</b>	<b>Strength</b>
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>ALKYL (C12-15) BENZOATE</b> (UNII: A9EJ3J61HQ)	
<b>ETHYLHEXYL ISONONANOATE</b> (UNII: I6KB4GE3K4)	
<b>BUTYL METHACRYLATE/METHYL METHACRYLATE/METHACRYLIC ACID/STYRENE CROSSPOLYMER</b> (UNII: V5RS026Q0H)	
<b>GLYCERYL MONOSTEARATE</b> (UNII: 230OU9XXE4)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>SILICON DIOXIDE</b> (UNII: ETJ7Z6XBU4)	
<b>ETHYLHEXYL HYDROXYSTEARATE</b> (UNII: B7I80BVV5E)	
<b>DIMETHICONE</b> (UNII: 92RU3N3Y1O)	
<b>ALUMINUM STEARATE</b> (UNII: U6XF9NP8HM)	
<b>CETYL ALCOHOL</b> (UNII: 936JST6JCN)	
<b>PEG-100 STEARATE</b> (UNII: YD01N1999R)	
<b>ETHYLHEXYLGLYCERIN</b> (UNII: 147D247K3P)	
<b>POLYHYDROXYSTEARIC ACID (2300 MW)</b> (UNII: YXH47AOU0F)	
<b>PHENOXYETHANOL</b> (UNII: HIE492ZZ3T)	
<b>HYDROXYETHYL ACRYLATE/SODIUM ACRYLOYLDIMETHYL TAURATE COPOLYMER (100000 MPA.S AT 1.5%)</b> (UNII: 86FQE96TZ4)	
<b>PEG-75 STEARATE</b> (UNII: OT38R0N74H)	
<b>PENTYLENE GLYCOL</b> (UNII: 50C1307PZG)	
<b>CAPRYLYL GLYCOL</b> (UNII: 00YIU5438U)	
<b>LEVOMENOL</b> (UNII: 24WE03BX2T)	
<b>ISOHEXADECANE</b> (UNII: 918X1OUF1E)	
<b>CHLORPHENESIN</b> (UNII: I670DAL4SZ)	
<b>CETETH-20</b> (UNII: I835H2IHHX)	
<b>STEARETH-20</b> (UNII: L0Q8IK9E08)	
<b>PPG-12/SMDI COPOLYMER</b> (UNII: 1BK9DDDD24E)	
<b>EDETATE DISODIUM ANHYDROUS</b> (UNII: 8NLQ36F6MM)	
<b>POLYSORBATE 60</b> (UNII: CAL22UVI4M)	
<b>TRIETHOXYCAPRYLYLSILANE</b> (UNII: LDC331P08E)	
<b>DIPROPYLENE GLYCOL DIBENZOATE</b> (UNII: 6OA5ZDY41O)	
<b>PPG-15 STEARYL ETHER BENZOATE</b> (UNII: 80D2J6361M)	
<b>BUTYLATED HYDROXYTOLUENE</b> (UNII: 1P9D0Z171K)	
<b>ALUMINUM OXIDE</b> (UNII: LMI26O6933)	

**Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:69968-0515-1	1 in 1 CARTON	12/01/2009	07/20/2024
1		50 mL in 1 TUBE; Type 0: Not a Combination Product		

**Marketing Information**

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	12/01/2009	07/20/2024

**Labeler** - Johnson & Johnson Consumer Inc. (118772437)

Revised: 12/2023

Johnson &amp; Johnson Consumer Inc.