CVS MOISTURIZING LUBRICATING EYE- carboxymethylcellulose sodium solution/ drops CVS Pharmacy

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Drug Facts

Active Ingredients

Purpose

© Carboxymethylcellulose Sodium 0.5%

Lubricant

Glycerin 0.9%

Lubricant

Uses

For the temporary relief of burning, irritation, and discomfort due to dryness of the eye or from irritation from wind or sun.

May be used to protect against further irritation

Warnings

[For external use only.

When using this product

To avoid contamination, do not touch tip of container to any surface. Replace cap after using.

Stop use and ask a doctor if

If You feel eye pain, changes in vision, continued redness, or irritation of the eye, or if the condition worsens or persists for more than 72 hours.

Example 2 IKeep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center immediately.

Directions

Put 1 or 2 drops in the affected eye/s as needed.

Inactive ingredients: Boric Acid, Calcium Chloride Dihydrate, Chlorhexidine Gluconate, Erythritol, Hexahydrate, Levocarnitine, Magnesium Chloride, Potassium Chloride, Purified Water, Sodium Borate Decahydrate, Sodium Citrate Dihydrate

Distributed by:

CVS Pharmacy, Inc.

One CVS Drive,

Woonsocket, RI 02895

Made in Korea



CVS MOISTURIZING LUBRICATING EYE

//////

carboxymethylcellulose sodium solution/ drops

| Product Information | | | | | |
|---------------------------------|----------------|---------------|-------------|------------|----------|
| Product Type | HUMAN OTC DRUG | Item Code (So | ource) | NDC:59779- | 150 |
| Route of Administration | ОРНТНАЬМІС | | | | |
| | | | | | |
| Active Ingredient/Active Moiety | | | | | |
| Ingredient Name | | | Basis of St | rength | Strength |

| CARBOXYMETHYLCELLULOSE SODIUM (UNII: K679OBS311) (CARBOXYMETHYLCELLULOSE - UNII:05JZI7B19X) | CARBOXYMETHYLCELLULOSE SODIUM | 5 mg in 100 mg |
|--|-------------------------------|-------------------|
| GLYCERIN (UNII: PDC6A3C0OX) (GLYCERIN - UNII:PDC6A3C0OX) | GLYCERIN | 9 mg in 100 mg |

| Inactive Ingredients | | | |
|---|----------|--|--|
| Ingredient Name | Strength | | |
| BORIC ACID (UNII: R57ZHV85D4) | | | |
| CALCIUM CHLO RIDE (UNII: M4I0 D6 VV5M) | | | |
| CHLORHEXIDINE GLUCONATE (UNII: MOR84MUD8E) | | | |
| ERYTHRITOL (UNII: RA96B954X6) | | | |
| LEVO CARNITINE (UNII: 0 G389 FZZ9 M) | | | |
| MAGNESIUM CHLO RIDE (UNII: 02F3473H9O) | | | |
| POTASSIUM CHLORIDE (UNII: 660 YQ98 I10) | | | |
| WATER (UNII: 059QF0KO0R) | | | |
| SODIUM BORATE (UNII: 91MBZ8H3QO) | | | |
| TRISO DIUM CITRATE DIHYDRATE (UNII: B22547B95K) | | | |

| Packaging | | | | |
|-----------|------------------|----------------------------|----------------------|--------------------|
| # | Item Code | Package Description | Marketing Start Date | Marketing End Date |
| 1 | NDC:59779-150-15 | 1 in 1 CARTON | | |
| 1 | | 15 mg in 1 BOTTLE, DROPPER | | |

| Marketing Information | | | | |
|-----------------------|--|----------------------|--------------------|--|
| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date | |
| OTC monograph final | part349 | 09/03/2013 | | |
| | | | | |

Labeler - CVS Pharmacy (062312574)

Revised: 9/2013 CVS Pharmacy