

NIGHTTIME SLEEP AID- diphenhydramine hcl solution
TOPCO ASSOCIATES LLC

TopCare 44-002A

Active ingredient (in each 30 mL)

Diphenhydramine HCl 50 mg

Purpose

Nighttime sleep-aid

Uses

- for relief of occasional sleeplessness
- reduces time to fall asleep if you have difficulty falling asleep

Warnings

Do not use

- for children under 12 years of age
- with any other product containing diphenhydramine, even one used on skin

Ask a doctor before use if you have

- a breathing problem such as emphysema or chronic bronchitis
- glaucoma
- difficulty in urination due to enlargement of the prostate gland

Ask a doctor or pharmacist before use if you are

taking sedatives or tranquilizers.

When using this product

avoid alcoholic beverages.

Stop use and ask a doctor if

sleeplessness persists continuously for more than 2 weeks. Insomnia may be a symptom of a serious underlying medical illness.

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

- **do not take more than directed**
- mL = milliliter
- only use the dose cup provided
- take only one dose per day (24 hours)
- adults and children 12 years and over: take 30 mL at bedtime if needed or as directed by a doctor
- children under 12 years: do not use

Other information

- **each 30 mL contains:** sodium 17 mg
- store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F)
- use by expiration date on package

Inactive ingredients

anhydrous citric acid, FD&C blue #1, FD&C red #40, flavor, glycerin, high fructose corn syrup, propylene glycol, purified water, sodium benzoate, sodium chloride, sodium citrate dihydrate, sucralose, sucrose, xanthan gum

Questions or comments?

1-888-423-0139

Principal Display Panel

TopCare®
health

NDC 76162-200-45

NIGHTTIME

Nighttime

Sleep Aid

DIPHENHYDRAMINE HCl 50 mg per 30 mL

NIGHTTIME SLEEP-AID

COMPARE TO

VICKS® ZzzQuil®

NIGHTTIME SLEEP-AID

ACTIVE INGREDIENT*

- Non-Habit Forming
- Not For Pain or Colds
- Ages 12 Years and Over

6 FL OZ (177 mL) BERRY FLAVOR

TAMPER EVIDENT: DO NOT USE IF PRINTED NECK WRAP IS BROKEN OR MISSING

DISTRIBUTED BY TOPCO ASSOCIATES LLC
ELK GROVE VILLAGE, IL 60007
©TOPCO LNKA0623 QUESTIONS? 1-888-423-0139
topcare@topco.com www.topcarebrand.com
Visit here for more information:
<http://topbrnds.com/49020o>

*This product is not manufactured or distributed by The Procter & Gamble Company, owner of the registered trademark VICKS® ZzzQuil® NIGHTTIME SLEEP-AID.
50844 REV0223A00245

QUALITY GUARANTEED

Drug Facts (continued)

If pregnant or breast-feeding, ask a health professional before use.
Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

Directions ■ do not take more than directed

- mL = milliliter
- only use the dose cup provided
- take only one dose per day (24 hours)
- adults and children 12 years and over: take 30 mL at bedtime if needed or as directed by a doctor
- children under 12 years: do not use

TAMPER EVIDENT: DO NOT USE IF PRINTED NECK WRAP IS BROKEN OR MISSING

DISTRIBUTED BY TOPCO ASSOCIATES LLC
ELK GROVE VILLAGE, IL 60007
©TOPCO LNKA0623 QUESTIONS? 1-888-423-0139
topcare@topco.com www.topcarebrand.com
Visit here for more information:
<http://topbrnds.com/49020e>

*This product is not manufactured or distributed by The Procter & Gamble Company, owner of the registered trademark VICKS® ZzzQuil® NIGHTTIME SLEEP-AID.
50844 REV0223A00245

QUALITY GUARANTEED

TopCare
health

NIGHTTIME
Nighttime Sleep Aid

DIPHENHYDRAMINE HCl 50 mg per 30 mL

NIGHTTIME SLEEP-AID

- Non-Habit Forming
- Not For Pain or Colds
- Ages 12 Years and Over

6 FL OZ (177 mL) BERRY FLAVOR

COMPARE TO VICKS® ZzzQuil® NIGHTTIME SLEEP-AID ACTIVE INGREDIENT*



NDC 76162-200-45

No Print / No Varnish Area

Drug Facts

Active ingredient (in each 30 mL)	Purpose
Diphenhydramine HCl 50 mg.....	Nighttime sleep-aid

Uses ■ for relief of occasional sleeplessness
■ reduces time to fall asleep if you have difficulty falling asleep

Warnings
Do not use ■ for children under 12 years of age

0 36800 37579 6

PEEL HERE FOR MORE DRUG FACTS

Drug Facts (continued)

- with any other product containing diphenhydramine, even one used on skin

Ask a doctor before use if you have

- a breathing problem such as emphysema or chronic bronchitis
- glaucoma
- difficulty in urination due to enlargement of the prostate gland

Ask a doctor or pharmacist before use if you are taking sedatives or tranquilizers.

When using this product avoid alcoholic beverages.

Stop use and ask a doctor if sleeplessness persists continuously for more than 2 weeks. Insomnia may be a symptom of a serious underlying medical illness.

Drug Facts (continued)

Other information

- each 30 mL contains: sodium 17 mg
- store at 25° C (77° F); excursions permitted between 15°-30° C (59°-86° F)
- use by expiration date on package

Inactive ingredients anhydrous citric acid, FD&C blue #1, FD&C red #40, flavor, glycerin, high fructose corn syrup, propylene glycol, purified water, sodium benzoate, sodium chloride, sodium citrate dihydrate, sucralose, sucrose, xanthan gum

Questions or comments?
1-888-423-0139

TopCare 44-002A

NIGHTTIME SLEEP AID
diphenhydramine hcl solution

Product Information				
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:76162-200	
Route of Administration	ORAL			
Active Ingredient/Active Moiety				
Ingredient Name		Basis of Strength	Strength	
DIPHENHYDRAMINE HYDROCHLORIDE (UNII: TC2D6JAD40) (DIPHENHYDRAMINE - UNII:8GTS82S83M)		DIPHENHYDRAMINE HYDROCHLORIDE	50 mg in 30 mL	
Inactive Ingredients				
Ingredient Name			Strength	
ANHYDROUS CITRIC ACID (UNII: XF417D3PSL)				
FD&C BLUE NO. 1 (UNII: H3R47K3TBD)				
FD&C RED NO. 40 (UNII: WZB9127XOA)				
GLYCERIN (UNII: PDC6A3C0OX)				
HIGH FRUCTOSE CORN SYRUP (UNII: XY6UN3QB6S)				
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)				
WATER (UNII: 059QF0KO0R)				
SODIUM BENZOATE (UNII: OJ245FE5EU)				
SODIUM CHLORIDE (UNII: 451W47IQ8X)				
TRISODIUM CITRATE DIHYDRATE (UNII: B22547B95K)				
SUCRALOSE (UNII: 96K6UQ3ZD4)				
SUCROSE (UNII: C151H8M554)				
XANTHAN GUM (UNII: TTV12P4NEE)				
Product Characteristics				
Color	purple	Score		
Shape		Size		
Flavor	BERRY	Imprint Code		
Contains				
Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:76162-200-45	177 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	01/11/2023	
Marketing Information				
Marketing Category	Application Number or Monograph Citation		Marketing Start Date	Marketing End Date
OTC Monograph Drug	M010		01/11/2023	

Labeler - TOPCO ASSOCIATES LLC (006935977)

Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		967626305	manufacture(76162-200) , pack(76162-200)

Revised: 12/2023

TOPCO ASSOCIATES LLC