

OXYGEN - oxygen gas
Quality Home Oxygen, Inc

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, [click here](#).

OXYGEN COMPRESSED LABEL

OXYGEN COMPRESSED USP UN1072 OXYGEN-2

WARNING: FOR EMERGENCY USE ONLY WHEN ADMINISTERED BY PROPERLY TRAINED PERSONNEL FOR OXYGEN DEFICIENCY AND RESUSCITATION. FOR ALL OTHER MEDICAL APPLICATIONS Rx ONLY. UNINTERRUPTED USE OF HIGH CONCENTRATIONS OF OXYGEN OVER A LONG DURATION WITHOUT MONITORING ITS EFFECT ON OXYGEN CONTENT OF ARTERIAL BLOOD MAY BE HARMFUL. USE ONLY WITH PRESSURE REDUCING EQUIPMENT AND APPARATUS DESIGNED FOR OXYGEN. DO NOT ATTEMPT TO USE ON PATIENTS WHO HAVE STOPPED BREATHING UNLESS USED IN CONJUNCTION WITH RESUSCITATIVE EQUIPMENT. PRODUCED BY AIR LIQUEFACTION.

WARNING: HIGH PRESSURE GAS VIGOROUSLY ACCELERATES COMBUSTION. KEEP OIL AND GREASE AWAY. OPEN VALVE SLOWLY. STORE AND USE WITH ADEQUATE VENTILATION. USE ONLY WITH EQUIPMENT CLEANED FOR OXYGEN SERVICE AND RATED FOR CYLINDER PRESSURE. USE A BACK FLOW PREVENTATIVE DEVICE IN THE PIPING. CLOSE VALVE AFTER EACH USE AND WHEN EMPTY. CYLINDER TEMPERATURE SHOULD NOT EXCEED 52 C (125 F) USE IN ACCORDANCE WITH THE MATERIAL SAFETY DATA SHEET (MSDS) CAS 7782-44-7 DO NOT REMOVE THIS PRODUCT LABEL.

WARNING: DO NOT HANDLE CYLINDER OR USE CONTENTS UNTIL 1) YOU HAVE READ AND UNDERSTAND THE MATERIAL SAFETY DATA SHEET FOR THIS PRODUCT. CALL YOUR SUPPLIER FOR MORE COPIES. 2) YOU ARE TRAINED TO USE CYLINDER AND CONTENTS INCLUDING EMERGENCY PROCEDURES.

WARNING: DO NOT HANDLE CYLINDER OR USE CONTENTS UNTIL: 1) YOU HAVE READ AND UNDERSTAND THE MATERIAL SAFETY DATA SHEET FOR THIS PRODUCT. CALL YOUR SUPPLIER FOR MORE COPIES. 2) YOU ARE TRAINED TO USE CYLINDER AND CONTENTS, INCLUDING EMERGENCY PROCEDURES.



**OXYGEN,
COMPRESSED,
U.S.P.**

UN 1072

OXYGEN, U.S.P. PRODUCED BY AIR LIQUEFACTION. **WARNING: HIGH PRESSURE OXIDIZING GAS. VIGOROUSLY ACCELERATES COMBUSTION.** Secure cylinder in storage and use. Keep oil and grease away. No smoking in cylinder area. Open valve slowly. Use only with equipment cleaned for oxygen service and rated for cylinder pressure. Close valve after each use and when empty. Use in accordance with Material Safety Data Sheet.

WARNING: For emergency use only when administered by properly trained personnel for oxygen deficiency and resuscitation. For all other medical applications, **CAUTION: Rx ONLY.** Uninterrupted use of high concentrations of oxygen over a long duration, without monitoring its effect on oxygen content of arterial blood, may be harmful. Do not attempt to use on patients who have stopped breathing, unless used in conjunction with resuscitative equipment. Use only with pressure reducing equipment and apparatus designed for oxygen. Return with at least 25 PSIG pressure.

DO NOT REMOVE THIS PRODUCT LABEL.

CAUTION: USE NO OIL ON VALVE OR CONNECTIONS. TRANSFILLING OF THIS GAS IS PROHIBITED.

USPL1

102

OXYGEN

oxygen gas

Product Information

Product Type	HUMAN PRESCRIPTION DRUG	Item Code (Source)	NDC:63005-1212
Route of Administration	RESPIRATORY (INHALATION)		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OXYGEN (UNII: S88TT14065) (OXYGEN - UNII:S88TT14065)	OXYGEN	99 L in 100 L

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:63005-1212-1	175 L in 1 CYLINDER		
2	NDC:63005-1212-2	471 L in 1 CYLINDER		
3	NDC:63005-1212-3	670 L in 1 CYLINDER		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved medical gas		10/10/1999	

Labeler - Quality Home Oxygen, Inc (107290525)

Registrant - Quality Home Oxygen, Inc (107290525)

Revised: 11/2010

Quality Home Oxygen, Inc