

**DG HEALTH ACID REDUCER COMPLETE- famotidine, calcium carbonate and magnesium hydroxide tablet, chewable**  
**Dolgencorp, LLC**

-----  
**Dolgencorp, LLC Acid Reducer Complete Drug Facts**

**Active ingredients (in each chewable tablet)**

Famotidine 10 mg

Calcium carbonate 800 mg

Magnesium hydroxide 165 mg

**Purposes**

Acid reducer

Antacid

**Use**

relieves heartburn associated with acid indigestion and sour stomach

**Warnings**

**Allergy alert:** Do not use if you are allergic to famotidine or other acid reducers

**Do not use**

- if you have trouble or pain swallowing food, vomiting with blood, or bloody or black stools. These may be signs of a serious condition. See your doctor.
- with other acid reducers

**Ask a doctor before use if you have**

- had heartburn over 3 months. This may be a sign of a more serious condition.
- heartburn with **lightheadedness, sweating, or dizziness**
- chest pain or shoulder pain with shortness of breath; sweating; pain spreading to arms, neck or shoulders; or lightheadedness
- frequent **chest pain**
- frequent wheezing, particularly with heartburn
- unexplained weight loss
- nausea or vomiting
- stomach pain
- kidney disease

**Ask a doctor or pharmacist before use if you are**

taking a prescription drug. Antacids and acid reducers may interact with certain prescription drugs.

### **Stop use and ask a doctor if**

- your heartburn continues or worsens
- you need to take this product for more than 14 days

### **If pregnant or breast-feeding,**

ask a health professional before use.

### **Keep out of reach of children.**

In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222)

### **Directions**

- adults and children 12 years and over:
- **do not swallow tablet whole: chew completely**
- to relieve symptoms, **chew** 1 tablet before swallowing
- do not use more than 2 chewable tablets in 24 hours
- children under 12 years: ask a doctor

### **Other information**

- **each tablet contains:** calcium 330 mg; magnesium 80 mg
- Phenylketonurics: Contains Phenylalanine 2 mg per tablet
- read the directions and warnings before use
- read the bottle label. It contains important information.
- store at 20-25°C (68-77°F)
- protect from moisture

### **Inactive ingredients**

anhydrous lactose, artificial berry flavor, aspartame, D&C red no. 7 calcium lake, dextrans, FD&C blue no. 1 aluminum lake, FD&C red no. 40 aluminum lake, glyceryl monostearate, lactose monohydrate, magnesium stearate, microcrystalline cellulose, polyacrylate dispersion, polysorbate 80, povidone, pregelatinized starch, sodium starch glycolate, talc

### **Questions or comments?**

**1-888-309-9030**

### **Principal Display Panel**

SEE NEW WARNINGS

Compare to the active ingredients of Pepcid Complete®

Dual Action

Acid Reducer Complete

Famotidine 10 mg/Calcium Carbonate 800 mg/Magnesium Hydroxide 165 mg Tablets (Chewable)

Acid Reducer + Antacid

Just One Tablet: Relieves Heartburn Due to Acid Indigestion

25 Chewable Tablets

Berry Flavor

Actual Tablet Size

**DG™ health**

**SEE NEW WARNINGS**  
Compare to the active ingredients of Pepcid Complete®

**Dual Action**  
**Acid Reducer Complete**

Famotidine 10 mg/Calcium Carbonate 800 mg/  
Magnesium Hydroxide 165 mg Tablets (Chewable)  
Acid Reducer + Antacid  
Just One Tablet: Relieves Heartburn Due to Acid Indigestion

**25 Chewable Tablets**

Berry Flavor  
Actual Tablet Size

*Tips for Managing Heartburn*

- Do not lie flat or bend over after eating
- Do not wear tight-fitting clothing around the stomach
- Do not eat before bedtime
- Raise the head of your bed
- Avoid heartburn-causing foods such as rich, spicy, fatty or fried foods, chocolate, caffeine, alcohol, and certain fruits and vegetables
- Eat slowly and avoid big meals
- If overweight, lose weight
- Quit smoking

**No Copy Area**

: 32163 VT F4

DO NOT USE IF PRINTED FOIL UNDER CAP IS BROKEN OR MISSING

### Drug Facts

#### Active ingredients

(in each chewable tablet)

Famotidine 10 mg.....	Acid reducer
Calcium carbonate 800 mg.....	Antacid
Magnesium hydroxide 165 mg.....	Antacid

#### Purposes

**Use** relieves heartburn associated with acid indigestion and sour stomach

#### Warnings

**Allergy alert:** Do not use if you are allergic to famotidine or other acid reducers

**Do not use** ■ if you have trouble or pain swallowing food, vomiting with blood, or bloody or black stools. These may be signs of a serious condition. See your doctor. ■ with other acid reducers

**Ask a doctor before use if you have** ■ had heartburn over 3 months. This may be a sign of a more serious condition. ■ heartburn with lightheadedness, sweating, or dizziness ■ chest pain or shoulder pain with shortness of breath; sweating; pain spreading to arms, neck or shoulders; or lightheadedness ■ frequent chest pain ■ frequent wheezing, particularly with heartburn ■ unexplained weight loss ■ nausea or vomiting ■ stomach pain ■ kidney disease

**Ask a doctor or pharmacist before use if you are taking a prescription drug.** Antacids and acid reducers may interact with certain prescription drugs.

**Stop use and ask a doctor if** ■ your heartburn continues or worsens ■ you need to take this product for more than 14 days

A0823



If pregnant or breast-feeding, ask a health professional before use.

3

70030 65829

9

PEEL BACK HERE ▶

**Drug Facts** (continued)

**Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222)

**Directions** ■ adults and children 12 years and over: ■ **do not swallow tablet whole: chew completely** ■ to relieve symptoms, chew 1 tablet before swallowing ■ do not use more than 2 chewable tablets in 24 hours ■ children under 12 years: ask a doctor

**Other information** ■ each tablet contains: calcium 330 mg; magnesium 80 mg ■ Phenylketonurics: Contains Phenylalanine 2 mg per tablet ■ read the directions and warnings before use ■ read the bottle. It contains important information. ■ store at 20-25°C (68-77°F) ■ protect from moisture ▼

**Drug Facts** (continued)

**Inactive ingredients** anhydrous lactose, artificial berry flavor, aspartame, D&C red no. 7 calcium lake, dextrans, FD&C blue no. 1 aluminum lake, FD&C red no. 40 aluminum lake, glyceryl monostearate, lactose monohydrate, magnesium stearate, microcrystalline cellulose, polyacrylate dispersion, polysorbate 80, povidone, pregelatinized starch, sodium starch glycolate, talc

**Questions or comments?** 1-888-309-9030

\*This product is not manufactured or distributed by Johnson & Johnson Consumer Inc., distributor of Pepcid Complete®. U.S. Pat. No. D801,175

DISTRIBUTED BY  
OLD EAST MAIN CO.  
100 MISSION RIDGE  
GOODLETTSVILLE,  
TN 37072

**100%**  
**Satisfaction**  
**Guaranteed!**  
(888) 309-9030

**DG HEALTH ACID REDUCER COMPLETE**

famotidine, calcium carbonate and magnesium hydroxide tablet, chewable

## Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:55910-808
<b>Route of Administration</b>	ORAL		

## Active Ingredient/Active Moiety

<b>Ingredient Name</b>	<b>Basis of Strength</b>	<b>Strength</b>
<b>FAMOTIDINE</b> (UNII: 5QZO15J2Z8) (FAMOTIDINE - UNII:5QZO15J2Z8)	FAMOTIDINE	10 mg
<b>MAGNESIUM HYDROXIDE</b> (UNII: NBZ3QY004S) (MAGNESIUM CATION - UNII:T6V3LHY838, HYDROXIDE ION - UNII:9159UV381P)	MAGNESIUM HYDROXIDE	165 mg
<b>CALCIUM CARBONATE</b> (UNII: H0G9379FGK) (CARBONATE ION - UNII:7UJQ5OPE7D, CALCIUM CATION - UNII:2M83C4R6ZB)	CALCIUM CARBONATE	800 mg

## Inactive Ingredients

<b>Ingredient Name</b>	<b>Strength</b>
<b>ANHYDROUS LACTOSE</b> (UNII: 3SY5LH9PMK)	
<b>ASPARTAME</b> (UNII: Z0H242BBR1)	
<b>D&amp;C RED NO. 7</b> (UNII: ECW0LZ41X8)	
<b>DEXTRATES</b> (UNII: G263MI44RU)	
<b>FD&amp;C BLUE NO. 1</b> (UNII: H3R47K3TBD)	
<b>FD&amp;C RED NO. 40</b> (UNII: WZB9127XOA)	
<b>GLYCERYL MONOSTEARATE</b> (UNII: 230OU9XXE4)	
<b>LACTOSE MONOHYDRATE</b> (UNII: EWQ57Q8I5X)	
<b>MAGNESIUM STEARATE</b> (UNII: 70097M6I30)	
<b>MICROCRYSTALLINE CELLULOSE</b> (UNII: OP1R32D61U)	
<b>POLYSORBATE 80</b> (UNII: 6OZP39ZG8H)	
<b>POVIDONE, UNSPECIFIED</b> (UNII: FZ989GH94E)	
<b>TALC</b> (UNII: 7SEV7J4R1U)	

## Product Characteristics

<b>Color</b>	PINK (mottled)	<b>Score</b>	no score
<b>Shape</b>	ROUND (bi-layered)	<b>Size</b>	17mm
<b>Flavor</b>	BERRY	<b>Imprint Code</b>	L321
<b>Contains</b>			

## Packaging

<b>#</b>	<b>Item Code</b>	<b>Package Description</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
1	NDC:55910-808-63	25 in 1 BOTTLE; Type 0: Not a Combination Product	12/27/2018	

## Marketing Information

<b>Marketing Category</b>	<b>Application Number or Monograph Citation</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
ANDA	ANDA077355	12/27/2018	

**Labeler** - Dolgencorp, LLC (068331990)

Revised: 10/2021

Dolgencorp, LLC