

**CLENZIDERM NORMAL TO DRY SKIN ACNE THERAPEUTIC SYSTEM- glycerin and benzoyl peroxide
OMP, INC.**

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

**CLENZIDERM NORMAL TO DRY SKIN
ACNE THERAPEUTIC SYSTEM**

Daily Care Cream Cleanser

Directions

- Wet face with warm water.
- Dispense a nickel size amount of Daily Care Cream Cleanser into the palm of your hand.
- Gently massage Cleanser over entire face.
- Rinse skin thoroughly and pat dry.
- Wait 10 minutes to allow skin to dry completely before applying Therapeutic Lotion.

Ingredients

Water, Propylene Glycol, Glycerin, Arginine Cocoate, Disodium Cocoyl Glutamate, Cetyl Alcohol, Sodium Cocoyl Glutamate, Glyceryl Stearate, PEG-100 Stearate, Ammonium Cocoyl Isethionate, Salix Alba (Willow) Bark Extract, Mentha Citrata (Bergamot) Leaf Extract, Glycyrrhiza Glabra (Licorice) Root Extract, Lavandula Angustifolia (Lavender) Extract, Citrus Medica Limonum (Lemon) Peel Extract, Carbomer, Triethanolamine, Phenoxyethanol, Methylparaben, Ethylparaben, Butylparaben, Propylparaben, Isobutylparaben.

Other Information

Store at controlled room temperature: 15°C–24°C (59°F–75°F).

Therapeutic Lotion

DRUG FACTS

Active Ingredient

Benzoyl Peroxide 5%

Purpose

Acne treatment

Uses

- Treats acne.
- Dries up acne pimples.

- Helps prevent new acne pimples.

Warnings

For external use only. Do not use

- If you have very sensitive skin or are sensitive to benzoyl peroxide.

When using this product

- **Avoid unnecessary sun exposure and use a sunscreen.**
- Avoid contact with eyes, lips, and mouth.
- This product may bleach hair or dyed fabrics.
- Using other topical acne medications at the same time or right after use of this product may increase dryness or irritation of the skin. Only one drug should be used unless directed by a doctor.
- **If you are pregnant or breast-feeding**, ask a healthcare professional before use.

Stop use and ask a doctor if

- too much irritation or sensitivity develops or increases.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Use once a day or as directed by your physician.
- Clean the skin thoroughly before applying.
- Pump product 1 time onto fingertip and apply evenly to entire face, avoiding the eyes, nose and mouth.
- Allow Therapeutic Lotion to absorb completely before applying Therapeutic Moisturizer.
- Because excessive drying of the skin may occur, start with 1 application per day.
- If bothersome dryness or peeling occurs, reduce application to every other day.
- If going outside, use a sunscreen: Allow Obagi CLENZIderm M.D.TM Therapeutic Lotion to dry, then follow directions in the sunscreen labeling.

Inactive Ingredients

Benzyl Benzoate, BHT, Dicaprylyl Ether, Dimethyl Isosorbide, Disodium EDTA, Hydroxyethyl Acrylate/Sodium Acryloyldimethyl Taurate, Phenoxyethanol, Polysorbate 60, Propylene Glycol, Squalane, Water (aqua).

Other Information

Store away from heat and direct sunlight. Store at controlled room temperature: 15°C–24°C (59°F–75°F).

Therapeutic Moisturizer

DRUG FACTS

<i>Active Ingredients:</i>	<i>Purpose:</i>
Dimethicone 1%	Skin protectant
Glycerin 20%	Skin protectant

Uses

- Temporarily protects chapped or cracked skin.
- Helps protect from the drying effects of wind and cold weather.

Warnings

For external use only.

When using this product

- Do not get into eyes.

Stop use and ask a doctor if

- condition worsens.
- symptoms last for more than 7 days or clear up and occur again within a few days.

Do not use

- deep or puncture wounds.
- animal bites.
- serious burns.
- **Children under 6 months: ask a doctor.**

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Apply as needed.

Inactive Ingredients

Acrylates/C10-30 Alkyl Acrylate Cross Polymer, Allantoin, Butylparaben, Cetyl Dimethicone, Corn Starch Modified, Cyclopentasiloxane, Dimethicone/Vinyl Dimethicone Cross Polymer, Ethylparaben, Isobutylparaben, Lauryl PEG/PPG-18/18 Methicone, Methylparaben, Phenoxyethanol, Propylparaben, Triethanolamine, Water.

Dist. By **OMP Inc.**, Long Beach, CA 90802

PRINCIPAL DISPLAY PANEL - Kit Carton

OBAGI®

CLENZIderm M.D.™

ACNE THERAPEUTIC SYSTEM

- Daily Care Cream Cleanser
- Therapeutic Lotion
- Therapeutic Moisturizer

Normal to Dry Skin

This Obagi CLENZiderm M.D.™
Acne Therapeutic System Includes:

- Daily Care Cream Cleanser
6.5 FL. OZ. (192 ml)
- Therapeutic Lotion
1.6 FL. OZ. (47 ml)
- Therapeutic Moisturizer
1.7 FL. OZ. (50 ml)

CLENZiderm M.D.™



CLENZiderm M.D.™

ACNE THERAPEUTIC SYSTEM

- Daily Care Cream Cleanser
- Therapeutic Lotion
- Therapeutic Moisturizer

Normal to Dry Skin

CLENZiderm M.D.™



This Obagi CLENZiderm M.D.™ Acne Therapeutic System Includes:

- Daily Care Cream Cleanser 6.5 FL.OZ. (192 mL)
- Therapeutic Lotion 1.6 FL.OZ. (47 mL)
- Therapeutic Moisturizer 1.7 FL.OZ. (50 mL)

CLENZiderm M.D.™

CLENZiderm M.D.™ Acne Therapeutic System for Normal to Dry Skin is clinically proven to control acne, while minimizing dryness.

Daily Care Cream Cleanser

Gently removes dirt and excess oil, leaving skin clean and soft.

Therapeutic Lotion

SoluZyl Technology™ delivers medication deep within your pores where acne starts. Helps to clear acne quickly while minimizing dryness.

Therapeutic Moisturizer

Non-comedogenic, glycerin-rich formula to calm, soothe and protect skin.

Directions: ■ Wet face with warm water. ■ Dispense a small amount of Daily Care Cream Cleanser and the skin to dry thoroughly and pat dry. ■ Wait 10 minutes to allow facial massage. ■ Shaker over entire face. ■ Use as directed.
Ingredients: Water, Propyl Glycol, Glycerin, Arginine, Cocamidopropyl Betaine, Sodium Cocoyl Glutamate, Cocamidopropyl Betaine, PEG-10 Stearate, Ammonium Cocoyl Sulfate, Salix Alba (Willow) Bark Extract, Myrica Gales (Bog Myrtle) Leaf Extract, Glycyrrhiza Glabra (Licorice) Root Extract, Levandula Angustifolia (Lavender) Extract, Citrus Medica Limonium (Lemon) Peel Extract, Camphor, Trichostema Pentandrum, Propylparaben, Butylparaben, Cetylalcohol, Phenoxyethanol, Propylparaben, Benzylparaben.
Other Information: Store at controlled room temperature. 15-24°C (59F-75F).

DRUG FACTS
Purpose: Acne treatment
Active Ingredient: Benzoyl Peroxide 5%
Uses: ■ Treats acne. ■ Dries up acne pimples. ■ Helps prevent new acne pimples.
Warnings: ■ For external use only. Do not use if you have very sensitive skin or are sensitive to benzoyl peroxide.
When using this product: ■ Avoid unnecessary sun exposure and use a sunscreen. ■ Avoid contact with eyes, lips, and mouth. ■ This product may bleach hair or the same time or right after use of this product may increase dryness or irritation of the skin. Only use one drug should be used unless directed by a doctor.
If you are pregnant or breast-feeding, ask a healthcare professional before use.
Stop use and ask a doctor if: ■ too much irritation or sensitivity develops or increases.
Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.
Directions: ■ Use once a day or as directed by your physician. ■ Clean the skin thoroughly before applying. ■ Pump product 1 time onto fingertips and apply evenly to entire face, avoiding the eyes, nose and mouth. ■ Allow Therapeutic Lotion to absorb completely before applying Therapeutic Moisturizer. ■ Do not use excessive drying of the skin may occur. ■ Start with 1 application per day. ■ If irritation develops or peeling occurs, reduce applications to every other day. ■ If going outside, use a sunscreen. ■ Allow CLENZiderm M.D.™ Therapeutic Lotion to dry, then follow directions in the sunscreen labeling.
Inactive Ingredients: Benzyl Benzoate, BHT, Diethyl Sebacate, Isocetyl Alcohol, Dimethyl Tartrate, Hydroxyethyl Acrylate, Sodium Acrylate, Dimethyl Tartrate, Water (aqueous).
Other Information: Store away from heat and direct sunlight. Store at controlled room temperature. 15-24°C (59F-75F).

DRUG FACTS
Purpose: Skin protectant
Active Ingredients: Dimethicone 1%, Glycerin 20%
Uses: ■ Temporarily protects chapped or cracked skin. ■ Helps protect from the drying effects of wind and cold weather.
Warnings: ■ For external use only.
When using this product: ■ Do not get into eyes.
Stop use and ask a doctor if: ■ condition worsens. ■ symptoms last for more than 7 days or clear up and occur again within a few days.
Do not use as deep or puncture wounds, ■ animal bites, ■ serious burns.
Children under 6 months: ask a doctor.
Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.
Directions: ■ Apply as needed.
Inactive Ingredients: Acrylates/C10-30 Alkyl Acrylate Cross Polymer, Menthol, Butylparaben, Cetyl Dimethicone, Carni Sterch Madon, Cyclopentasiloxane, Dimethicone/Vinyl Dimethicone Cross Polymer, Ethylparaben, Butylparaben, Lauryl PEG/PPG-18/18 Methicon, Methylparaben, Phenoxyethanol, Propylparaben, Tris(trimethylsilyl)silylane, Water.

Store at controlled room temperature: 15°C-24°C (59°F-75°F)
 Patent Pending
 Dist. By OMP Inc., Long Beach, CA 90802
 www.obagi.com Made in U.S.A.
 7215 04/07



CLENZIDERM M.D.™

ACNE THERAPEUTIC SYSTEM


- Daily Care Cream Cleanser 6.5 FL.OZ. (192 ml)
- Therapeutic Lotion 1.6 FL.OZ. (47 ml)
- Therapeutic Moisturizer 1.7 FL.OZ. (50 ml)



CLENZIDERM M.D.™

ACNE THERAPEUTIC SYSTEM

- Daily Care Cream Cleanser 6.5 FL.OZ. (192 ml)
- Therapeutic Lotion 1.6 FL.OZ. (47 ml)
- Therapeutic Moisturizer 1.7 FL.OZ. (50 ml)



CLENZIDERM NORMAL TO DRY SKIN ACNE THERAPEUTIC SYSTEM

glycerin and benzoyl peroxide kit

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:62032-512
---------------------	----------------	---------------------------	---------------

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:62032-512-03	1 in 1 CARTON; Type 0: Not a Combination Product	07/01/2007	

Quantity of Parts

Part #	Package Quantity	Total Product Quantity
Part 1	1 BOTTLE, PLASTIC	50 mL
Part 2	1 BOTTLE, PLASTIC	47 mL

Part 1 of 2

CLENZIDERM THERAPEUTIC MOISTURIZER

glycerin cream

Product Information

Item Code (Source)	NDC:62032-114
Route of Administration	TOPICAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
GLYCERIN (UNII: PDC6A3C0OX) (GLYCERIN - UNII:PDC6A3C0OX)	GLYCERIN	200 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
ALLANTOIN (UNII: 344S277G0Z)	
CARBOMER INTERPOLYMER TYPE A (ALLYL SUCROSE CROSSLINKED) (UNII: 59TL3WG5CO)	
CYCLOMETHICONE 5 (UNII: 0THT5PC10R)	
LAURYL PEG/PPG-18/18 METHICONE (UNII: ZJ5S27D9NX)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
TROLAMINE (UNII: 9O3K93S3TK)	
WATER (UNII: 059QF0KO0R)	
PHENOXYETHANOL (UNII: HE492ZZ3T)	
ETHYLPARABEN (UNII: 14255EXE39)	
ISOBUTYLPARABEN (UNII: 0QQJ25X58G)	
BUTYLPARABEN (UNII: 3QPI1U3FV8)	
PROPYLPARABEN (UNII: Z8IX2SC1OH)	
METHYLPARABEN (UNII: A2I8C7HI9T)	

Product Characteristics

Color	WHITE	Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:62032-114-70	50 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part347	07/01/2007	

Part 2 of 2

CLENZIDERM THERAPEUTIC

benzoyl peroxide lotion

Product Information

Item Code (Source)	NDC:62032-113
Route of Administration	TOPICAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
BENZOYL PEROXIDE (UNII: W9WZN9A0GM) (BENZOYL PEROXIDE - UNII:W9WZN9A0GM)	BENZOYL PEROXIDE	50 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
BENZYL BENZOATE (UNII: N863NB338G)	
DICAPRYLYL ETHER (UNII: 77JZM5516Z)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
SQUALANE (UNII: GW89575KF9)	
POLYSORBATE 60 (UNII: CAL22UVI4M)	
DIMETHYL ISOSORBIDE (UNII: SA6A6V432S)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
EDETATE DISODIUM (UNII: 7FLD91C86K)	
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)	
WATER (UNII: 059QF0K00R)	

Product Characteristics

Color	WHITE	Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:62032-113-65	47 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part333D	07/01/2007	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part333D	07/01/2007	

Labeler - OMP, INC. (790553353)**Establishment**

Name	Address	ID/FEI	Business Operations
Ei INC.		105803274	MANUFACTURE(62032-512) , LABEL(62032-512) , PACK(62032-512) , ANALYSIS(62032-512)

Establishment

Name	Address	ID/FEI	Business Operations
Swiss-American CDMO, LLC		080170933	MANUFACTURE(62032-512)

Revised: 12/2017

OMP, INC.