

CITROMA- magnesium citrate liquid
Wakefern Food Corporation

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Drug Facts

Active ingredient

Magnesium citrate 1.745g per fl oz

Purpose

Saline laxative

use

for relief of occasional constipation (irregularity). Generally produces bowel movement in 1/2 to 6 hours

Warnings

for this product

Ask A Doctor

before use if you have

- kidney disease
- a magnesium or sodium restricted diet
- abdominal pain, nausea, or vomiting
- noticed a sudden change in bowel habits that persists over a period of 2 weeks
- already used a laxative for a period longer than 1 week

Ask a doctor or pharmacist

before use if you are taking any other drug. Take this product 2 or more hours before or after other drugs. Laxatives may affect how other drugs work.

Stop use

and ask a doctor if you have rectal bleeding or failure to have a bowel movement after use. These could be signs of a serious condition.

if pregnant or breast-feeding

ask help professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away

Directions

- drink a full glass (8 ounces) of liquid with each dose
- may be taken as a single daily dose or in divided doses

adults and children 12 years of age and over - 6.5 to 10 fl oz in 24 hours

children 6 to under 12 years of age - 3 to 7 fl oz maximum 7 fl oz in 24 hours

children 2 to under 6 years of age - 2 to 3 fl oz in 24 hours

children under 2 years of age - ask a doctor

discard unused product within 24 hours of opening bottle

other information

- magnesium content 290 mg per 1 fl oz (30 mL)
- potassium content 80 mg per 1 fl oz (30 mL)
- store at temperatures between 46° and 86° F (8° and 30° C)

Inactive ingredients

citric acid, lemon oil, potassium bicarbonate, sodium saccharin, water purified

claims

We welcome your questions and comments.

Call: 1-800-ShopRite (8 am - 8 pm EST) E-mail: www.shoprite.com

Write: Wakefern Food Corp, Consumer affairs -P7-103

600 York St., Elizabeth, NJ 07207

Please provide product UPC and code stamped on product.

Adverse Reaction

DISTRIBUTED BY:

WAKEFERN FOOD CORPORATION

5000 RIVERSIDE DRIVE

KEASBEY, NJ 08832

686.001/686AF

Principal Display Panel

SEALED WITH NECKRING FOR YOUR PROTECTION

Shop Rite

Magensium

Citrate

Oral Solution

Saline Laxative

PASTEURIZED

LOW SODIUM
LEMON FLAVOR
10 FL OZ (296 mL)



CITROMA

magesium citrate liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:41190-686
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name		Basis of Strength	Strength	
MAGNESIUM CITRATE (UNII: RHO26O1T9V) (MAGNESIUM CATION - UNII:T6V3LHY838)		MAGNESIUM CITRATE	1.745 g in 29.6 mL	
Inactive Ingredients				
Ingredient Name			Strength	
CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)				
LEMON OIL (UNII: I9GRO824LL)				
POTASSIUM BICARBONATE (UNII: HM5Z15LEBN)				
SACCHARIN SODIUM (UNII: SB8ZUX40TY)				
WATER (UNII: 059QF0KO0R)				
Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:41190-686-38	296 mL in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	07/15/1989	
Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
OTC monograph not final	part334	07/15/1989		

Labeler - Wakefern Food Corporation (069722418)

Registrant - Vi-Jon (790752542)

Establishment

Name	Address	ID/FEI	Business Operations
Vi-Jon		790752542	manufacture(41190-686)

Revised: 5/2017

Wakefern Food Corporation