

CITROMA- magnesium citrate liquid
Wakefern Food Corporation

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Drug Facts

Active ingredient

Active Ingredient

Magnesium citrate 1.745g per fl oz

Purpose

Purpose

Saline laxative

use

Use for relief of occasional constipation (irregularity). Generally produces bowel movement in 1/2 to 6 hours

Warnings

Warnings

Ask A Doctor

Ask a doctor before use if you have

- kidney disease
- a magnesium or sodium restricted diet
- abdominal pain, nausea, or vomiting
- noticed a sudden change in bowel habits that persists over a period of 2 weeks
- already used a laxative for a period longer than 1 week

Ask a doctor or pharmacist

Ask a doctor or pharmacist before use if you are taking any other drug. Take this product 2 or more hours before or after other drugs. Laxatives may affect how other drugs work.

Stop use

Stop use and ask a doctor if you have rectal bleeding or failure to have a bowel movement after use. These could be signs of a serious condition.

if pregnant or breast-feeding

If pregnant or breast-feeding, ask help professional before use.

Keep out of reach of children.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away

Directions

Directions

- drink a full glass (8 ounces) of liquid with each dose
- may be taken as a single daily dose or in divided doses

adults and children 12 years of age and over - 6.5 to 10 fl oz in 24 hours

children 6 to under 12 years of age - 3 to 7 fl oz maximum 7 fl oz in 24 hours

children 2 to under 6 years of age - 2 to 3 fl oz

children under 2 years of age - ask a doctor

discard unused product within 24 hours of opening bottle

other information

Other information

- magnesium content 290 mg per 1 fl oz (30 mL)
- potassium content 80 mg per 1 fl oz (30 mL)
- store at temperatures between 46° and 86° F (8° and 30° C)

Inactive ingredients

Inactive ingredients citric acid, lemon oil, potassium bicarbonate, sodium saccharin, water purified

claims

We welcome your questions and comments.

Call: 1-800-ShopRite (8 am - 8 pm EST) E-mail: www.shoprite.com

Write: Wakefern Food corp, Consumer affairs -P7-103

600 York St., Elizabeth, NJ 07207

Please provide product UPC and code stamped on product.

Adverse Reaction

DISTRIBUTED BY:

WAKEFERN FOOD CORPORATION

5000 RIVERSIDE DRIVE

KEASBEY, NJ 08832

Principal Display Panel

SEALED WITH NECKRING FOR YOUR PROTECTION

Shop Rite

Magensium
 Citrate
 Oral Solution
 Saline Laxative
 PASTEURIZED
 LOW SODIUM
 LEMON FLAVOR
 10 FL OZ (296 mL)

Drug Facts

Active ingredient Magnesium citrate 1.745 g per fl oz	Purpose Saline laxative
---	-----------------------------------

Use for relief of occasional constipation (irregularity). Generally produces bowel movement in 1/2 to 6 hours

Warnings

Ask a doctor before use if you have

- kidney disease
- a magnesium or potassium-restricted diet
- abdominal pain, nausea, or vomiting
- noticed a sudden change in bowel habits that persists over a period of 2 weeks
- already used a laxative for a period longer than 1 week

Ask a doctor or pharmacist before use if you are taking any other drug. Take this product 2 or more hours before or after other drugs. Laxatives may affect how other drugs work.

Stop use and ask a doctor if you have rectal bleeding or failure to have a bowel movement after use. These could be signs of a serious condition.

If pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

- drink a full glass (8 ounces) of liquid with each dose
- may be taken as a single daily dose or in divided doses

adults and children 12 years of age and over	6.5 to 10 fl oz maximum 10 fl oz in 24 hours
children 6 to under 12 years of age	3 to 7 fl oz maximum 7 fl oz in 24 hours
children 2 to under 6 years of age	2 to 3 fl oz maximum 3 fl oz in 24 hours
children under 2 years of age	ask a doctor

discard unused product within 24 hours of opening bottle

Other information

- magnesium content 290 mg per 1 fl oz (30 mL)
- potassium content 80 mg per 1 fl oz (30 mL)
- store at temperatures between 46° and 86° F (8° and 30° C)

Inactive ingredients citric acid, lemon oil, potassium bicarbonate, sodium saccharin, water purified

Call 1-800-ShopRite (same as ShopRite) for more information. Visit our website at www.shoprite.com. ShopRite is a registered trademark of ShopRite Supermarkets, Inc. © 2010 ShopRite Supermarkets, Inc. All rights reserved.

WAKEREN FOOD CORPORATION
 5000 RIVERSIDE AVE
 MESSY, NJ 08832-2010

DISTRIBUTED BY:
 WAKEREN FOOD CORPORATION
 5000 RIVERSIDE AVE
 MESSY, NJ 08832-2010

0 41190 21148 7

L0003116SB

CITROMA

magesium citrate liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:41190-686
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
MAGNESIUM CITRATE (UNII: RHO26O1T9 V) (MAGNESIUM CATION - UNII:T6 V3LHY838)	MAGNESIUM CITRATE	1.745 g in 29.6 mL

Inactive Ingredients

Ingredient Name	Strength
CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)	
LEMON OIL (UNII: I9GRO824LL)	
POTASSIUM BICARBONATE (UNII: HM5Z15LEBN)	
SACCHARIN SODIUM (UNII: SB8ZUX40TY)	
WATER (UNII: 059QF0KO0R)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:41190-686-38	296 mL in 1 BOTTLE, GLASS		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part334	07/15/1989	

Labeler - Wakefern Food Corporation (069722418)

Registrant - Vi-Jon (790752542)

Establishment

Name	Address	ID/FEI	Business Operations
Vi-Jon		790752542	manufacture(41190-686)

Revised: 3/2013

Wakefern Food Corporation