# ANTIBACTERIAL LIDOCAINE WOUND GEL- benzalkonium chloride, lidocaine hydrochloride gel CVS Pharmacy

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

-----

### **Antibacterial Lidocaine Wound Gel**

# Active ingredient (in each gram)

Benzalkonium Chloride 0.13% Lidocaine Hydrochloride 2.00%

# **Purpose**

first aid antiseptic external analgesic

### Uses

• First aid to help prevent infection, and for the temporary relief of pain associated with minor cuts, scrapes, and burns

# **Warnings**

# For external use only

### Do not use

- in the eyes
- over large areas of the body, particularly over raw surfaces or blistered areas
- longer than a week unless directed by a doctor

# Ask a doctor before use if you have

- deep or puncture wounds
- animal bites
- serious burns

# Stop use and ask a doctor if

- the condition persists more than 7 days or gets worse
- condition clears up and occurs again within a few days

# Keep out of reach of children.

In case of accidental ingestion, seek professional assistance or contact a Poison Control Center immediately.

### **Directions**

- clean the affected area
- adults and children 2 years of age and older: apply a small amount of this product on the affected area not more than 1 to 3 times daily
- children under 2 years of age: do not use, consult a doctor
- may be covered with a sterile bandage
- if bandaged, let dry first

### Other information

Store at room temperature

# **Inactive ingredients**

caprylyl glycol, chlorphenesin, edetate disodium, glycerin, hydroxyethyl cellulose, phenoxyethanol, polysorbate 20, purified water

**Principal Display Panel** 

**CVS Health** 

**Antibacterial** 

**Lidocaine Wound Gel** 

**Lidocaine Hydrochloride** 

**Benzalkonium Chloride** 

Antibacterial Gel with Pain Relief

Helps prevent infection

Antibiotic free

For treating minor cuts, scrapes and burns

Water-based clear hydrogel

Helps reduce scarring\*





# Antibacterial<sup>†</sup> Lidocaine Wound Gel

LIDOCAINE HYDROCHLORIDE, 2% BENZALKONIUM CHLORIDE, 0.13% 197867 REV-01



CVSHealth.

### **CVS** Health.

# **CVS** Health.

# Antibacterial<sup>†</sup> Lidocaine **Wound Gel**

HYDROCHLORIDE, 2% **BENZALKONIUM** CHLORIDE, 0.13%

- Antibiotic free
- For treating minor cuts, scrapes & burns
- Water-based clear



NET WT 0.5 OZ (14 g)

### Antibacterial<sup>†</sup>

### Lidocaine Wound Gel

LIDOCAINE HYDROCHLORIDE BENZALKONIUM CHLORIDE

with Pain Relief Helps Prevent

\*Keeping wounds moist promotes healing, helps prevent scarring, and can aid in preventing the dressing from sticking to the wound.

CVS Health™ Antibacterial† Lidocaine Wound Gel is a clear hydrogel that helps prevent infection and relieves pain without antibiotics. It goes on clear while promoting an optimal healing environment for minor cuts, scrapes, and burns, and even helps to reduce scarring.\*

### Drug Facts

Active ingredients (in each gram) Benzalkonium Chloride 0.13% .. Lidocaine Hydrochloride 2.00%. first aid antiseptic

### Uses

First aid to help prevent infection, and for the temporary relief of pain associated with minor cuts, scrapes, and burns.

#### Warnings

For external use only

Do not use in the eyes • over large areas of the body, particularly over raw surfaces or blistered areas • longer than a week unless directed by a doctor

Stop use and ask a doctor if the condition persists more than 7 days or gets worse • condition clears up and occurs again within a few

Keep out of reach of children. In case of accidental ingestion, seek professional assistance or contact a Poison Control Center immediately.

Directions • Clean the affected area • adults and children 2 years of age and older apply a small amount of this product on the area not more than 1 to 3 times daily • children under 2 years of age, do not use, consult a doctor • may be covered with a sterile bandage • if bandaged, let dry first

Other information · Store at room temperature

Inactive ingredients caprylyl glycol, chlorphenesin, edetate disodium, glycerin, hydroxyethyl cellulose, phenoxyethanol, polysorbate 20, purified water

#397205

# ANTIBACTERIAL LIDOCAINE WOUND GEL

**TOPICAL** 

benzalkonium chloride, lidocaine hydrochloride gel

### **Product Information**

**Route of Administration** 

**Product Type HUMAN OTC DRUG Item Code (Source)** NDC:69842-652(NDC:59898-950)

#### **Active Ingredient/Active Moiety Ingredient Name Basis of Strength** Strength LIDOCAINE HYDROCHLORIDE LIDOCAINE HYDROCHLORIDE (UNII: V13007Z41A) (LIDOCAINE -2 g UNII:98PI200987) **ANHYDROUS** in 100 mL BENZALKONIUM CHLORIDE (UNII: F5UM2KM3W7) (BENZALKONIUM -0.13 g BENZALKONIUM CHLORIDE UNII:7N6JUD5X6Y) in 100 mL

Inactive Ingredients			
Ingredient Name	Strength		
WATER (UNII: 059QF0KO0R)			
HYDROXYETHYL CELLULOSE, UNSPECIFIED (UNII: T4V6TWG28D)			
CAPRYLYL GLYCOL (UNII: 00YIU5438U)			
EDETATE DISODIUM (UNII: 7FLD91C86K)			
GLYCERIN (UNII: PDC6A3C0OX)			
CHLORPHENESIN (UNII: 1670DAL4SZ)			
POLYSORBATE 20 (UNII: 7T1F30V5YH)			
PHENOXYETHANOL (UNII: HIE492ZZ3T)			

Product Characteristics				
Color	white (colorless, clear translucent)	Score		
Shape		Size		
Flavor		Imprint Code		
Contains				

P	Packaging						
#	Item Code	Package Description	Marketing Start Date	Marketing End Date			
1	NDC:69842-652- 14	1 in 1 CARTON	10/28/2019				
1		14 mL in 1 TUBE; Type 0: Not a Combination Product					
2	NDC:69842-652- 28	1 in 1 CARTON	10/28/2019				
2		28 mL in 1 TUBE; Type 0: Not a Combination Product					

Marketing Information					
Application Number or Monograph Citation	Marketing Start Date	Marketing End Date			
part333A	10/28/2019				
	Application Number or Monograph Citation	Application Number or Monograph Marketing Start Citation Date			

# Labeler - CVS Pharmacy (062312574)

Revised: 8/2023 CVS Pharmacy