

**LIDOCAINE PAIN RELIEF GEL PATCH- lidocaine pain relief patch
Dynarex**

1454 Lidocaine Pain Relief Gel-Patch NDC 67777-009-40

Active Ingredients

Lidocaine 4%

Purpose

Topical anesthetic

Use

For temporary relief of pain

Warnings

For external use only

Do not use

- more than 1 patch at a time
- on wounds or damaged skin
- with a heating pad
- if you are allergic to any ingredients of this product

When using this product

- use only as directed
- avoid contact with the eyes, mucous membranes or rashes
- do not bandage tightly

Stop use and ask a doctor if

- localized skin reactions, such as rash, itching, redness, pain, swelling and blistering develop
- conditions worsen
- symptoms persist for more than 7 days
- symptoms clear up and occur again within a few days

if pregnant or breast feeding

ask a health professional before use

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

Adults and children 12 years of age and over:

- clean and dry affected area
- remove film from patch and apply to the skin
- apply 1 patch at a time to affected area, not more than 3 to 4 times daily
- patch should not be applied longer than an 8 hour period

Children under 12 years of age: consult a doctor

Other Information

- Avoid storing product in direct sunlight
- Protect product from excessive moisture

Inactive Ingredients

Dihydroxyaluminum Aminoacetate, Glycerol, Kaolin, Methylparaben, Polyacrylic Acid (250000 MW), Polysorbate 80, Povidone K90, Propylene Glycol, Propylparaben, Sodium Polyacrylate (2500000 MW), Tartaric Acid, Titanium Dioxide, Water

Questions?

1-888-DYNAREX

Manufactured for: Dynarex Corporation
10 Glenshaw Street • Orangeburg, NY 10962
USA • www.dynarex.com
Made in China

Reorder No. 1454

LIDOCAINE
Pain Relief Gel Patches
Back • Shoulders • Neck • Knees • Elbows

Drug Facts	
Active ingredient Lidocaine 4%	Purpose Topical anesthetic
Use For temporary relief of pain	Directions Adults and children 12 years of age and over: ■ Clean and dry affected area ■ Remove film from patch and apply to the skin ■ Apply 1 patch at a time to affected area, not more than 3 to 4 times daily ■ Patch should not be applied longer than an 8-hour period Children under 12 years of age: Consult a doctor
Warnings For external use only Do not use ■ More than 1 patch at a time ■ On wounds or damaged skin ■ With a heating pad ■ If you are allergic to any ingredients of this product	Other information ■ Avoid storing product in direct sunlight ■ Protect product from excessive moisture
When using this product ■ Use only as directed ■ Avoid contact with the eyes, mucous membranes or rashes ■ Do not bandage tightly	Inactive Ingredients Dihydroxyaluminum Aminoacetate, Glycerol, Kaolin, Methylparaben, Polyacrylic Acid (250000 MW), Polysorbate 80, Povidone K30, Propylene Glycol, Propylparaben, Sodium Polyacrylate (2500000 MW), Tartaric Acid, Titanium Dioxide, Water
Stop use and ask a doctor if ■ Localized skin reactions, such as rash, itching, redness, pain, swelling or blistering develop ■ Conditions worsen ■ Symptoms persist for more than 7 days ■ Symptoms clear up and occur again within a few days	Questions? 1-888-DYNAREX

SYMBOL GLOSSARY
For an explanation of symbols used in Dynarex packaging, visit www.dynarex.com/symbols.php

R200914

6 16784 14542 6

LOT LLLLL YYFY-NH-DD YYFY-NH-DD

LIDOCAINE
Pain Relief Gel Patches
Back • Shoulders • Neck • Knees • Elbows

We Care
from dynarex

LIDOCAINE
Pain Relief Gel Patches
Back • Shoulders • Neck • Knees • Elbows

LIDOCAINE
Pain Relief Gel Patches
Back • Shoulders • Neck • Knees • Elbows

- Maximum strength
- Numbing relief
- Fast acting
- Odor free

5 Bags **3.9" x 5.5"**
(10 cm x 14 cm)
1 per bag

LIDOCAINE PAIN RELIEF GEL PATCH

lidocaine pain relief patch

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:67777-009
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
LIDOCAINE (UNII: 98PI200987) (LIDOCAINE - UNII:98PI200987)	LIDOCAINE	4 mg in 100 mg

Inactive Ingredients

Ingredient Name	Strength
POLYACRYLIC ACID (250000 MW) (UNII: 9G2MAD7J6W)	
SODIUM POLYACRYLATE (2500000 MW) (UNII: 05I15JN12J)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	

METHYLPARABEN (UNII: A2I8C7HI9T)
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)
DIHYDROXYALUMINUM AMINOACETATE (UNII: DO250MG0W6)
GLYCERIN (UNII: PDC6A3C0OX)
PROPYLPARABEN (UNII: Z8IX2SC1OH)
POVIDONE K90 (UNII: RDH86HJV5Z)
KAOLIN (UNII: 24H4NWX5CO)
TARTARIC ACID (UNII: W4888I119H)
POLYSORBATE 80 (UNII: 6OZP39ZG8H)
WATER (UNII: 059QF0KO0R)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:67777-009-40	60 in 1 CASE	08/27/2019	
1	NDC:67777-009-39	5 in 1 BOX		
1		40 mg in 1 PATCH; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M017	08/27/2019	

Labeler - Dynarex (008124539)

Registrant - Dynarex (008124539)