

## **STOOL SOFTENER PLUS STIMULANT LAXATIVE- docusate sodium and sennosides tablet H E B**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----

### **Drug Facts**

#### **Active ingredients (in each tablet)**

Docusate sodium 50 mg

Sennosides 8.6 mg

#### **Purpose**

Stool softener

Stimulant laxative

#### **Uses**

- for overnight relief from occasional constipation (irregularity)
- generally produces bowel movement in 6 to 12 hours

#### **Warnings**

##### **Do not use**

- laxative products for longer than 1 week unless directed by a doctor
- if you are now taking mineral oil, unless directed by a doctor

##### **Ask a doctor before use if you have**

- stomach pain
- nausea
- vomiting
- noticed a sudden change in bowel habits that lasts over a period of 2 weeks

##### **Stop use and ask a doctor if**

you have rectal bleeding or fail to have a bowel movement after use of a laxative. These may indicate a serious condition.

##### **If pregnant or breast-feeding,**

ask a health professional before use.

##### **Keep out of reach of children.**

In case of overdose, get medical help or contact a Poison Control Center right away.

#### **Directions**

- take only by mouth. Doses may be taken as a single daily dose, preferably in the evening, or in divided doses.
-

adults and children 12 years and older	take 2-4 tablets daily
children 6 to under 12 years of age	take 1-2 tablets daily
children 2 to under 6 years of age	take up to 1 tablet daily
children under 2	ask a doctor

### Other information

- **each tablet contains:** calcium 30 mg
- **each tablet contains:** sodium 6 mg VERY LOW SODIUM
- store at 25°C (77°F); excursions permitted between 15-30°C (59-86°F)

### Inactive ingredients

carnauba wax\*, croscarmellose sodium, dibasic calcium phosphate dihydrate, FD&C blue #2 aluminum lake, FD&C red #40 aluminum lake, hypromellose\*, magnesium stearate, microcrystalline cellulose, polyethylene glycol, silicon dioxide, sodium benzoate\*, stearic acid, talc\*, titanium dioxide

\*contains one or more of these ingredients

### Questions or comments?

Call toll free: **1-877-753-3935 Monday-Friday 9AM-5PM EST**

### Principal Display Panel

Compare to Colace® 2-IN1 Tablets active ingredients\*\*

Stool Softener & Stimulant Laxative

Docusate sodium 50 mg

Sennosides 8.6 mg

Stool Softener & Stimulant Laxative

Relief of Occasional Constipation

Effective, Reliable & Comfortable

TABLETS

\*\*This product is not manufactured or distributed by Avrio Health L.P., distributor of Colace® 2-IN-1

**TAMPER EVIDENT: DO NOT USE IF PRINTED SAFETY SEAL UNDER CAP IS BROKEN OR MISSING.**

MADE WITH PRIDE AND CARE FOR H-E-B® SAN ANTONIO, TX 78204

### Product Label

Compare to Colace® 2-IN-1 Tablets  
active ingredients\*\*

**H-E-B**

**NDC 37808-729-12**

**Stool Softener & Stimulant Laxative**

Docusate Sodium, 50 mg  
Sennosides, 8.6 mg

Stool Softener & Stimulant Laxative

Relief of Occasional Constipation

Effective, Reliable & Comfortable

**120 TABLETS**

actual size

TAMPER EVIDENT: DO NOT USE IF PRINTED SAFETY SEAL UNDER CAP IS BROKEN OR MISSING.

**Drug Facts**

**Active ingredients (in each tablet)** Purpose  
Docusate sodium 50 mg.....Stool softener  
Sennosides 8.6 mg.....Stimulant laxative

**Uses**  
■ for overnight relief from occasional constipation (irregularity)  
■ generally produces bowel movement in 6 to 12 hours

**Warnings**  
**Do not use**  
■ laxative products for longer than 1 week unless directed by a doctor  
■ if you are now taking mineral oil, unless directed by a doctor  
**Ask a doctor before use if you have**  
■ stomach pain ■ nausea ■ vomiting  
■ noticed a sudden change in bowel habits that lasts over a period of 2 weeks

**Drug Facts (continued under label)**  
MADE WITH PRIDE & CARE FOR H-E-B®  
SAN ANTONIO, TX 78204  
This product is not manufactured or distributed by Avrio Health L.P., distributor of Colace® 2-IN-1.

PLD-1808 86930071 1808-071  
0 412201 56935 9  
Lot No.: Exp. Date:

**PEEL HERE**

**Drug Facts (continued)**  
**Stop use and ask a doctor** if you have rectal bleeding or fail to have a bowel movement after use of a laxative. These may indicate a serious condition.  
**If pregnant or breast-feeding**, ask a health professional before use.  
**Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away.

**Directions** ■ take only by mouth. Doses may be taken as a single daily dose, preferably in the evening, or in divided doses.  
adults and children 12 years and older take 2-4 tablets daily  
children 6 to under 12 years of age take 1-2 tablets daily  
children 2 to under 6 years of age take up to 1 tablet daily  
children under 2 ask a doctor

**Other information**  
■ each tablet contains: calcium 30 mg  
■ each tablet contains: sodium 6 mg VERY LOW SODIUM  
■ store at 25°C (77°F); excursions permitted between 15-30°C (59-86°F)

**Inactive ingredients** carnauba wax\*, croscarmellose sodium, dibasic calcium phosphate dihydrate, FD&C blue #2 aluminum lake\*, FD&C red #40 aluminum lake, hypromellose, magnesium stearate, microcrystalline cellulose, polyethylene glycol, silicon dioxide, sodium benzoate\*, stearic acid\*, talc\*, titanium dioxide  
\*contains one or more of these ingredients

**Questions or comments?** Call toll free: 1-877-753-3935 Monday-Friday 9AM-5PM EST

H-E-B Stool Softener & Stimulant Laxative

STOOL SOFTENER PLUS STIMULANT LAXATIVE			
docusate sodium and sennosides tablet			
Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:37808-729
Route of Administration	ORAL		
Active Ingredient/Active Moiety			
Ingredient Name		Basis of Strength	Strength
DOCUSATE SODIUM (UNII: F05Q2T2JA0) (DOCUSATE - UNII:M7P27195AG)		DOCUSATE SODIUM	50 mg
SENNOSIDES (UNII: 3FYP5M0JXX) (SENNOSIDES - UNII:3FYP5M0JXX)		SENNOSIDES	8.6 mg
Inactive Ingredients			
Ingredient Name			Strength
CARNAUBA WAX (UNII: R12CBM0EIZ)			
CROSCARMELOSE SODIUM (UNII: M28OL1HH48)			
DIBASIC CALCIUM PHOSPHATE DIHYDRATE (UNII: O7TSZ97GEP)			
FD&C RED NO. 40 (UNII: WZB9127XOA)			
HYPROMELLOSES (UNII: 3NXW29V3WO)			
MAGNESIUM STEARATE (UNII: 70097M6I30)			
CELLULOSE, MICROCRYSTALLINE (UNII: OP1R32D6IU)			

POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)				
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)				
SODIUM BENZOATE (UNII: OJ245FE5EU)				
STEARIC ACID (UNII: 4ELV7Z65AP)				
TALC (UNII: 7SEV7J4R1U)				
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)				
FD&C BLUE NO. 2 (UNII: L06K8R7DQK)				
Product Characteristics				
Color	RED	Score	no score	
Shape	ROUND	Size	10mm	
Flavor		Imprint Code	TCL097;PSD21;S44	
Contains				
Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:37808-729-12	120 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	09/30/2018	
Marketing Information				
Marketing Category		Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH NOT FINAL		part334	09/30/2018	

**Labeler - HEB** (007924756)